



Sky High

Count On Us

Client:	Lincolnshire County Council
Project:	9320 / Lincoln By Pass
Site:	EW3 - B1308 Greetwell Road
Survey Date:	Monday 2nd June - Saturday 7th June 2014
Survey Period:	07:00 - 19:00
Method:	Video Observation

Incidents / Observations:

There were no incidents reported over the survey period.



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 2nd June 2014

AM Weather: Mild & Heavy Rain
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	1	0	0	0	0	0	0	1
00:30	0	0	0	0	0	0	0	0
00:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
01:00	1	0	0	0	0	0	0	1
01:15	0	1	0	0	0	0	0	1
01:30	2	0	1	0	0	0	0	3
01:45	1	0	0	0	0	0	0	1
1 Hr	4	1	1	0	0	0	0	6
02:00	0	0	0	0	0	1	0	1
02:15	1	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	1	0	2
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	2	0	0	0	0	0	0	2
04:30	0	1	1	0	0	0	0	2
04:45	0	0	2	0	0	0	0	2
1 Hr	2	1	3	0	0	0	0	6
05:00	0	0	0	0	0	0	0	0
05:15	0	0	0	0	0	0	0	0
05:30	0	0	0	0	0	0	0	0
05:45	1	1	0	0	0	0	0	2
1 Hr	1	1	0	0	0	0	0	2
6 Hrs	12	3	4	0	0	1	0	20

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	2	0	0	0	0	0	0	2
00:30	0	0	0	0	0	0	0	0
00:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	1	0	1
04:15	0	0	0	0	0	0	0	0
04:30	3	2	0	0	0	0	0	5
04:45	6	2	0	0	0	0	0	8
1 Hr	9	4	0	0	0	1	0	14
05:00	2	0	1	0	0	0	0	3
05:15	6	0	0	0	0	0	0	6
05:30	7	0	0	0	0	1	0	8
05:45	11	1	0	0	0	0	0	12
1 Hr	26	1	1	0	0	1	0	29
6 Hrs	40	5	1	0	0	2	0	48

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 2nd June 2014

AM Weather: Mild & Heavy Rain
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	0	0	0	0	0	1	1
06:15	2	0	0	1	1	0	4
06:30	7	1	0	0	0	0	8
06:45	6	0	0	0	0	1	7
1 Hr	15	1	0	1	1	2	20

14	1	1	0	0	1	0	17
19	2	0	0	0	0	1	22
23	4	1	0	1	1	1	31
35	3	1	0	0	0	1	40
91	10	3	0	1	2	3	110

07:00	9	1	1	0	1	0	12
07:15	15	3	1	0	1	0	20
07:30	25	7	0	1	1	0	34
07:45	14	3	0	0	1	1	19
1 Hr	63	14	2	1	4	1	85

50	7	1	0	0	0	1	59
77	9	1	0	0	2	0	89
87	8	1	0	1	4	1	102
112	14	2	1	0	4	2	135
326	38	5	1	1	10	4	385

08:00	12	3	2	0	0	0	17
08:15	22	3	2	0	1	0	28
08:30	23	12	1	0	0	0	36
08:45	30	2	3	0	2	0	37
1 Hr	87	20	8	0	3	0	118

144	7	0	0	2	0	1	154
125	11	2	0	0	1	0	139
142	5	1	0	1	0	1	150
97	6	5	0	1	0	1	110
508	29	8	0	4	1	3	553

09:00	13	1	1	0	1	0	16
09:15	26	8	1	0	0	0	35
09:30	23	6	2	0	1	0	32
09:45	31	4	0	0	1	0	36
1 Hr	93	19	4	0	3	0	119

102	6	0	0	1	1	0	110
69	6	1	0	1	1	0	78
68	3	2	0	1	0	1	75
60	7	1	0	3	0	0	71
299	22	4	0	6	2	1	334

10:00	37	6	2	0	1	0	46
10:15	27	6	0	0	1	0	34
10:30	39	1	2	0	1	2	45
10:45	44	1	3	0	0	1	49
1 Hr	147	14	7	0	2	4	174

51	2	0	0	0	0	0	53
39	3	2	0	1	0	0	45
36	4	1	0	0	0	0	41
38	8	0	1	1	3	0	51
164	17	3	1	2	3	0	190

11:00	29	3	1	0	1	0	34
11:15	38	2	1	0	1	0	42
11:30	37	6	2	0	1	3	49
11:45	38	8	0	0	0	0	46
1 Hr	142	19	4	0	3	3	171

43	8	1	0	0	0	0	52
32	5	0	0	1	0	0	38
31	4	1	0	0	0	0	36
42	5	0	0	1	0	0	48
148	22	2	0	2	0	0	174

6 Hrs	547	87	25	1	16	9	687
-------	-----	----	----	---	----	---	-----

1536	138	25	2	16	18	11	1746
------	-----	----	---	----	----	----	------

12 Hrs	559	90	29	1	16	10	707
--------	-----	----	----	---	----	----	-----

1576	143	26	2	16	20	11	1794
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 2nd June 2014

AM Weather: Mild & Heavy Rain
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	33	4	0	0	1	0	0	38
12:15	52	5	1	0	0	0	4	62
12:30	45	3	2	0	1	3	0	54
12:45	34	8	1	0	0	0	0	43
1 Hr	164	20	4	0	2	3	4	197

12:00	40	7	0	0	0	0	0	47
12:15	40	6	0	0	1	0	0	47
12:30	35	3	1	0	0	0	0	39
12:45	44	1	0	0	1	0	0	46
1 Hr	159	17	1	0	2	0	0	179

13:00	35	2	2	0	1	1	1	42
13:15	43	5	3	0	0	0	0	51
13:30	33	5	0	0	1	0	0	39
13:45	40	3	0	0	0	0	1	44
1 Hr	151	15	5	0	2	1	2	176

13:00	35	4	1	0	0	1	0	41
13:15	39	5	1	0	1	0	0	46
13:30	31	6	1	0	0	1	0	39
13:45	35	5	2	0	1	1	0	44
1 Hr	140	20	5	0	2	3	0	170

14:00	29	4	1	0	2	2	1	39
14:15	55	1	1	0	0	1	0	58
14:30	48	4	0	0	2	0	0	54
14:45	62	5	0	0	1	1	0	69
1 Hr	194	14	2	0	5	4	1	220

14:00	30	3	0	0	0	1	0	34
14:15	29	2	1	0	2	1	0	35
14:30	45	2	1	0	0	0	0	48
14:45	48	4	0	0	1	0	0	53
1 Hr	152	11	2	0	3	2	0	170

15:00	71	8	2	0	1	3	1	86
15:15	77	6	1	0	0	1	0	85
15:30	54	7	2	0	2	3	0	68
15:45	49	2	0	0	0	1	0	52
1 Hr	251	23	5	0	3	8	1	291

15:00	35	5	2	0	0	1	0	43
15:15	46	6	2	0	2	0	0	56
15:30	53	3	1	0	1	0	0	58
15:45	30	2	1	0	1	0	0	34
1 Hr	164	16	6	0	4	1	0	191

16:00	77	7	0	0	0	0	0	84
16:15	87	9	0	0	0	0	0	96
16:30	83	6	4	0	1	1	1	96
16:45	103	4	0	0	1	4	0	112
1 Hr	350	26	4	0	2	5	1	388

16:00	29	4	1	0	0	0	0	34
16:15	32	3	0	0	1	0	0	36
16:30	33	8	1	0	0	0	1	43
16:45	26	2	0	0	2	2	1	33
1 Hr	120	17	2	0	3	2	2	146

17:00	118	7	1	0	0	1	1	128
17:15	120	7	0	0	0	2	3	132
17:30	80	12	1	0	1	3	1	98
17:45	94	6	0	0	1	4	1	106
1 Hr	412	32	2	0	2	10	6	464

17:00	29	3	0	0	1	1	0	34
17:15	37	2	0	0	0	0	0	39
17:30	22	4	1	0	1	0	0	28
17:45	22	4	0	0	0	1	0	27
1 Hr	110	13	1	0	2	2	0	128

6 Hrs	1522	130	22	0	16	31	15	1736
-------	------	-----	----	---	----	----	----	------

6 Hrs	845	94	17	0	16	10	2	984
-------	-----	----	----	---	----	----	---	-----



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 2nd June 2014

AM Weather: Mild & Heavy Rain
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	59	4	0	0	0	1	1	65
18:15	43	7	0	0	0	3	3	56
18:30	35	4	1	0	0	0	0	40
18:45	32	5	0	0	0	0	0	37
1 Hr	169	20	1	0	0	4	4	198

18:00	31	1	0	0	1	0	0	33
18:15	35	4	0	0	0	0	0	39
18:30	28	3	0	0	1	1	0	33
18:45	29	3	0	0	0	0	0	32
1 Hr	123	11	0	0	2	1	0	137

19:00	31	2	0	0	1	0	0	34
19:15	24	3	0	0	0	2	0	29
19:30	30	1	0	0	0	0	1	32
19:45	31	0	0	0	0	0	0	31
1 Hr	116	6	0	0	1	2	1	126

19:00	22	0	1	0	0	0	0	23
19:15	27	3	0	0	0	0	1	31
19:30	24	1	0	0	0	0	0	25
19:45	23	0	0	0	1	0	0	24
1 Hr	96	4	1	0	1	0	1	103

20:00	36	2	0	0	0	0	0	38
20:15	28	1	2	0	0	1	1	33
20:30	26	2	1	0	0	0	0	29
20:45	22	1	0	0	0	1	1	25
1 Hr	112	6	3	0	0	2	2	125

20:00	8	1	1	0	0	0	1	11
20:15	12	0	0	0	0	1	0	13
20:30	13	0	0	0	0	0	1	14
20:45	12	0	0	0	0	1	0	13
1 Hr	45	1	1	0	0	2	2	51

21:00	13	0	0	0	0	1	0	14
21:15	22	1	0	0	0	0	0	23
21:30	8	1	0	0	0	0	0	9
21:45	10	0	0	0	0	0	0	10
1 Hr	53	2	0	0	0	1	0	56

21:00	14	0	0	0	0	0	0	14
21:15	10	0	0	0	0	0	0	10
21:30	12	1	0	0	0	0	0	13
21:45	8	0	0	0	0	0	0	8
1 Hr	44	1	0	0	0	0	0	45

22:00	17	0	0	0	0	0	0	17
22:15	19	0	0	0	0	0	0	19
22:30	12	0	0	0	0	0	0	12
22:45	5	0	0	0	0	0	0	5
1 Hr	53	0	0	0	0	0	0	53

22:00	12	0	0	0	0	0	0	12
22:15	5	0	0	0	0	0	0	5
22:30	3	0	0	0	0	0	0	3
22:45	2	0	0	0	0	0	0	2
1 Hr	22	0	0	0	0	0	0	22

23:00	6	1	0	0	0	0	0	7
23:15	10	0	0	0	0	0	0	10
23:30	5	0	0	0	0	0	0	5
23:45	1	0	0	0	0	0	0	1
1 Hr	22	1	0	0	0	0	0	23

23:00	3	0	0	0	0	0	0	3
23:15	4	0	0	0	0	0	0	4
23:30	4	0	0	0	0	0	0	4
23:45	1	0	0	0	0	0	0	1
1 Hr	12	0	0	0	0	0	0	12

6 Hrs	525	35	4	0	1	9	7	581
-------	-----	----	---	---	---	---	---	-----

6 Hrs	342	17	2	0	3	3	3	370
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2047	165	26	0	17	40	22	2317
--------	------	-----	----	---	----	----	----	------

12 Hrs	1187	111	19	0	19	13	5	1354
--------	------	-----	----	---	----	----	---	------

Total	2606	255	55	1	33	50	24	3024
-------	------	-----	----	---	----	----	----	------

Total	2763	254	45	2	35	33	16	3148
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 3rd June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	4	0	0	0	0	0	0	4
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	2	0	0	0	0	0	0	2
1 Hr	8	0	0	0	0	0	0	8
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
03:00	4	0	0	0	0	0	0	4
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	0	1	2	0	0	0	0	3
04:45	0	0	0	0	0	0	0	0
1 Hr	0	1	2	0	0	0	0	3
05:00	0	0	0	0	0	0	0	0
05:15	1	0	0	0	0	0	0	1
05:30	0	0	0	0	0	0	0	0
05:45	1	0	1	0	0	0	0	2
1 Hr	2	0	1	0	0	0	0	3
6 Hrs	18	1	3	0	0	0	0	22

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	2	0	0	0	0	0	0	2
00:15	0	0	0	0	0	0	0	0
00:30	2	0	0	0	0	0	0	2
00:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	2	1	0	0	0	0	0	3
04:45	2	0	0	0	0	0	0	2
1 Hr	5	1	0	0	0	0	0	6
05:00	4	1	1	0	0	0	0	6
05:15	6	0	0	0	0	0	0	6
05:30	13	1	0	0	0	1	0	15
05:45	11	3	1	0	0	0	0	15
1 Hr	34	5	2	0	0	1	0	42
6 Hrs	48	6	2	0	0	1	0	57

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	1	0	0	1
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	1	0	0	1
3 Hrs	1	0	0	1
6 Hrs	2	0	0	2



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 3rd June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	1	1	0	0	1	0	0	3
06:15	4	0	0	0	0	0	0	4
06:30	5	0	0	0	0	1	0	6
06:45	15	2	0	0	0	0	0	17
1 Hr	25	3	0	0	1	1	0	30

11	2	1	0	0	1	0	15
20	1	0	0	0	0	0	21
27	4	1	0	1	1	2	36
24	6	1	0	0	1	2	34
82	13	3	0	1	3	4	106

07:00	15	5	2	0	1	0	0	23
07:15	17	3	2	0	2	0	0	24
07:30	26	4	0	0	1	2	0	33
07:45	21	1	0	1	1	0	0	24
1 Hr	79	13	4	1	5	2	0	104

49	10	1	0	0	2	0	62
74	13	2	0	0	2	1	92
93	12	1	0	1	1	0	108
118	13	0	0	0	6	0	137
334	48	4	0	1	11	1	399

08:00	10	5	1	0	0	0	0	16
08:15	21	5	2	0	1	0	0	29
08:30	20	2	3	0	0	0	0	25
08:45	29	4	0	0	1	0	0	34
1 Hr	80	16	6	0	2	0	0	104

147	6	3	0	2	0	2	160
136	7	0	0	0	1	1	145
127	11	2	1	1	0	0	142
114	8	1	0	1	0	2	126
524	32	6	1	4	1	5	573

09:00	22	10	2	0	0	0	0	34
09:15	24	3	3	0	1	0	0	31
09:30	21	7	1	0	1	0	0	30
09:45	25	2	3	0	0	1	0	31
1 Hr	92	22	9	0	2	1	0	126

108	5	2	0	0	2	1	118
66	7	1	0	0	1	0	75
57	5	0	0	2	0	0	64
41	2	0	0	1	0	0	44
272	19	3	0	3	3	1	301

10:00	27	1	1	0	1	0	0	30
10:15	37	5	3	3	0	0	1	49
10:30	22	8	2	0	1	0	0	33
10:45	35	5	1	0	0	1	0	42
1 Hr	121	19	7	3	2	1	1	154

51	4	0	0	1	2	0	58
42	5	4	1	1	0	0	53
40	7	1	0	0	1	0	49
46	7	2	0	1	0	0	56
179	23	7	1	3	3	0	216

11:00	27	2	1	0	1	1	0	32
11:15	24	7	2	0	1	0	0	34
11:30	39	10	3	0	1	0	0	53
11:45	35	3	1	0	0	2	0	41
1 Hr	125	22	7	0	3	3	0	160

37	6	2	0	0	1	0	46
35	5	1	0	2	0	0	43
37	6	0	0	0	1	0	44
46	5	0	0	1	0	0	52
155	22	3	0	3	2	0	185

6 Hrs	522	95	33	4	15	8	1	678
-------	-----	----	----	---	----	---	---	-----

1546	157	26	2	15	23	11	1780
------	-----	----	---	----	----	----	------

12 Hrs	540	96	36	4	15	8	1	700
--------	-----	----	----	---	----	---	---	-----

1594	163	28	2	15	24	11	1837
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 3rd June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	43	5	1	0	1	0	0	50
12:15	38	8	2	0	1	1	1	51
12:30	49	4	1	0	1	2	0	57
12:45	34	5	3	0	0	1	0	43
1 Hr	164	22	7	0	3	4	1	201

12:00	29	8	1	0	0	0	0	38
12:15	42	2	2	0	1	0	0	47
12:30	42	5	4	0	1	1	1	54
12:45	39	6	3	0	1	0	0	49
1 Hr	152	21	10	0	3	1	1	188

13:00	33	4	1	0	1	0	3	42
13:15	45	1	2	0	0	1	0	49
13:30	41	5	2	0	1	0	0	49
13:45	35	3	1	1	0	0	0	40
1 Hr	154	13	6	1	2	1	3	180

13:00	41	5	1	0	0	2	0	49
13:15	31	1	3	0	1	1	0	37
13:30	31	5	0	0	0	0	0	36
13:45	39	9	4	0	1	0	0	53
1 Hr	142	20	8	0	2	3	0	175

14:00	41	4	1	0	1	2	1	50
14:15	33	6	1	0	0	1	1	42
14:30	38	6	1	0	3	1	1	50
14:45	60	5	1	0	0	0	3	69
1 Hr	172	21	4	0	4	4	6	211

14:00	36	3	0	0	0	1	0	40
14:15	28	2	1	0	1	1	0	33
14:30	33	6	1	0	0	0	0	40
14:45	40	2	4	0	1	0	0	47
1 Hr	137	13	6	0	2	2	0	160

15:00	63	1	0	0	1	1	2	68
15:15	61	12	0	0	1	0	0	74
15:30	71	6	1	0	1	2	0	81
15:45	51	7	3	0	0	0	1	62
1 Hr	246	26	4	0	3	3	3	285

15:00	29	2	1	0	0	1	3	36
15:15	38	7	0	0	3	0	0	48
15:30	50	1	2	1	0	0	0	54
15:45	38	8	1	0	0	0	0	47
1 Hr	155	18	4	1	3	1	3	185

16:00	79	6	0	0	0	0	0	85
16:15	96	5	1	0	2	0	3	107
16:30	99	8	0	0	0	1	1	109
16:45	93	4	2	0	1	3	2	105
1 Hr	367	23	3	0	3	4	6	406

16:00	47	4	1	0	0	1	1	54
16:15	17	8	1	0	3	1	0	30
16:30	33	5	1	0	0	3	0	42
16:45	40	7	1	0	3	0	1	52
1 Hr	137	24	4	0	6	5	2	178

17:00	120	8	1	0	0	4	2	135
17:15	118	11	0	0	0	3	4	136
17:30	81	6	3	0	1	2	0	93
17:45	90	11	1	0	1	4	0	107
1 Hr	409	36	5	0	2	13	6	471

17:00	34	1	0	0	0	0	0	35
17:15	27	1	1	1	0	0	0	30
17:30	34	2	2	0	1	0	0	39
17:45	42	4	2	0	0	0	0	48
1 Hr	137	8	5	1	1	0	0	152

6 Hrs	1512	141	29	1	17	29	25	1754
-------	------	-----	----	---	----	----	----	------

6 Hrs	860	104	37	2	17	12	6	1038
-------	-----	-----	----	---	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 3rd June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	56	8	0	0	0	0	2	66
18:15	49	5	0	0	0	1	1	56
18:30	62	5	2	0	0	3	0	72
18:45	35	5	1	0	0	0	0	41
1 Hr	202	23	3	0	0	4	3	235

18:00	29	0	0	0	1	0	1	31
18:15	26	0	0	0	0	0	0	26
18:30	38	3	1	0	1	1	0	44
18:45	33	1	0	0	0	0	1	35
1 Hr	126	4	1	0	2	1	2	136

19:00	24	1	0	0	1	0	1	27
19:15	29	4	1	0	0	1	0	35
19:30	25	2	0	0	0	0	0	27
19:45	29	2	0	0	0	1	0	32
1 Hr	107	9	1	0	1	2	1	121

19:00	32	2	1	0	0	0	0	35
19:15	16	2	1	0	0	0	0	19
19:30	37	2	1	0	1	0	1	42
19:45	15	2	1	0	0	0	0	18
1 Hr	100	8	4	0	1	0	1	114

20:00	33	1	2	0	0	2	0	38
20:15	32	1	0	0	0	0	0	33
20:30	22	1	0	0	0	0	0	23
20:45	17	0	0	0	0	0	0	17
1 Hr	104	3	2	0	0	2	0	111

20:00	17	1	0	0	0	1	1	20
20:15	16	0	2	0	0	0	0	18
20:30	8	1	1	0	0	1	0	11
20:45	12	0	0	0	0	0	2	14
1 Hr	53	2	3	0	0	2	3	63

21:00	20	1	0	0	0	0	0	21
21:15	22	0	0	0	0	0	0	22
21:30	12	1	0	0	0	0	0	13
21:45	17	0	0	0	0	0	0	17
1 Hr	71	2	0	0	0	0	0	73

21:00	9	1	0	0	0	0	0	10
21:15	7	0	0	0	0	0	0	7
21:30	10	1	0	0	0	1	0	12
21:45	4	0	0	0	0	0	0	4
1 Hr	30	2	0	0	0	1	0	33

22:00	20	0	0	0	0	0	0	20
22:15	18	3	0	0	0	0	0	21
22:30	12	2	0	0	0	0	0	14
22:45	9	0	0	0	0	0	0	9
1 Hr	59	5	0	0	0	0	0	64

22:00	12	1	0	0	0	0	0	13
22:15	6	1	0	0	0	0	0	7
22:30	1	0	0	0	0	0	0	1
22:45	7	0	0	0	0	1	0	8
1 Hr	26	2	0	0	0	1	0	29

23:00	9	0	0	0	0	0	0	9
23:15	10	0	0	0	0	0	0	10
23:30	5	0	0	0	0	0	0	5
23:45	4	0	0	0	0	0	0	4
1 Hr	28	0	0	0	0	0	0	28

23:00	5	1	0	0	0	0	0	6
23:15	2	0	0	0	0	0	0	2
23:30	1	0	0	0	0	0	0	1
23:45	1	0	0	0	0	0	0	1
1 Hr	9	1	0	0	0	0	0	10

6 Hrs	571	42	6	0	1	8	4	632
-------	-----	----	---	---	---	---	---	-----

6 Hrs	344	19	8	0	3	5	6	385
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2083	183	35	1	18	37	29	2386
--------	------	-----	----	---	----	----	----	------

12 Hrs	1204	123	45	2	20	17	12	1423
--------	------	-----	----	---	----	----	----	------

Total	2623	279	71	5	33	45	30	3086
-------	------	-----	----	---	----	----	----	------

Total	2798	286	73	4	35	41	23	3260
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Wednesday 4th June 2014

AM Weather: Mild & Heavy Rain
PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	4	0	0	0	0	0	0	4
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	1	0	0	1	0	0	0	2
1 Hr	7	0	0	1	0	0	0	8
01:00	4	0	0	0	0	0	0	4
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
03:00	1	0	0	0	0	0	0	1
03:15	1	0	0	0	0	0	0	1
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
04:00	0	1	0	0	0	0	0	1
04:15	0	1	0	0	0	0	0	1
04:30	1	0	0	0	0	0	0	1
04:45	0	0	0	1	0	0	0	1
1 Hr	1	2	0	1	0	0	0	4
05:00	0	0	0	0	0	0	0	0
05:15	0	0	0	0	0	0	0	0
05:30	2	0	0	0	0	0	0	2
05:45	0	0	1	0	0	0	0	1
1 Hr	2	0	1	0	0	0	0	3
6 Hrs	20	2	1	2	0	0	0	25

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0
00:45	2	0	0	0	0	0	0	2
1 Hr	5	0	0	0	0	0	0	5
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
04:00	0	0	0	0	0	0	0	0
04:15	0	1	0	0	0	0	0	1
04:30	2	0	0	0	0	0	0	2
04:45	3	0	0	0	0	0	0	3
1 Hr	5	1	0	0	0	0	0	6
05:00	5	1	0	0	0	0	0	6
05:15	6	0	0	1	0	0	0	7
05:30	12	1	0	0	0	0	0	13
05:45	11	3	0	0	0	0	0	14
1 Hr	34	5	0	1	0	0	0	40
6 Hrs	49	6	0	1	0	0	0	56

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	1	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	1	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	1	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	1	1

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Wednesday 4th June 2014

AM Weather: Mild & Heavy Rain
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	4	1	0	0	1	1	0	7
06:15	3	0	0	0	0	1	0	4
06:30	5	1	0	0	0	0	0	6
06:45	8	2	1	0	0	1	0	12
1 Hr	20	4	1	0	1	3	0	29

8	3	0	0	0	1	2	14
15	2	1	0	0	0	0	18
27	1	0	0	1	1	0	30
35	7	2	0	0	0	4	48
85	13	3	0	1	2	6	110

07:00	14	4	1	0	1	0	1	21
07:15	19	3	0	0	3	0	0	25
07:30	22	8	0	0	1	1	0	32
07:45	19	1	0	0	1	0	0	21
1 Hr	74	16	1	0	6	1	1	99

48	9	1	0	0	2	0	60
73	14	0	0	1	2	2	92
92	7	0	1	1	0	1	102
125	11	1	0	0	3	1	141
338	41	2	1	2	7	4	395

08:00	19	4	1	0	0	0	0	24
08:15	14	4	2	0	1	0	0	21
08:30	24	5	2	0	0	2	0	33
08:45	34	10	1	0	1	0	0	46
1 Hr	91	23	6	0	2	2	0	124

143	6	0	0	2	0	0	151
126	5	0	0	1	2	0	134
120	10	2	0	1	0	0	133
119	8	1	0	0	0	0	128
508	29	3	0	4	2	0	546

09:00	27	10	2	0	1	0	0	40
09:15	19	10	0	0	0	0	0	29
09:30	22	3	1	0	1	1	0	28
09:45	11	7	0	0	0	0	0	18
1 Hr	79	30	3	0	2	1	0	115

99	8	2	0	0	0	0	109
72	6	2	0	0	0	0	80
55	5	0	0	2	0	0	62
52	8	2	0	2	1	0	65
278	27	6	0	4	1	0	316

10:00	28	4	4	0	1	1	0	38
10:15	35	5	0	0	0	0	1	41
10:30	24	3	1	0	1	0	0	29
10:45	25	3	1	0	0	0	0	29
1 Hr	112	15	6	0	2	1	1	137

52	3	1	0	0	0	0	56
38	5	2	0	1	0	0	46
39	4	0	0	0	0	0	43
54	4	1	0	1	0	0	60
183	16	4	0	2	0	0	205

11:00	21	7	2	0	2	0	0	32
11:15	37	5	1	0	0	0	0	43
11:30	36	6	2	0	1	0	0	45
11:45	31	3	2	0	0	0	0	36
1 Hr	125	21	7	0	3	0	0	156

40	8	1	0	0	0	0	49
35	3	4	0	2	1	0	45
42	6	0	0	2	0	0	50
29	3	1	0	1	0	0	34
146	20	6	0	5	1	0	178

6 Hrs	501	109	24	0	16	8	2	660
-------	-----	-----	----	---	----	---	---	-----

1538	146	24	1	18	13	10	1750
------	-----	----	---	----	----	----	------

12 Hrs	521	111	25	2	16	8	2	685
--------	-----	-----	----	---	----	---	---	-----

1587	152	24	2	18	13	10	1806
------	-----	----	---	----	----	----	------

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	30	5	2	0	1	1	0	39
12:15	45	4	1	1	0	0	0	51
12:30	45	7	0	0	0	1	0	53
12:45	31	2	0	0	1	0	0	34
1 Hr	151	18	3	1	2	2	0	177

12:00	40	7	1	0	0	2	0	50
12:15	41	2	2	0	1	0	0	46
12:30	35	5	1	0	0	4	1	46
12:45	46	4	0	1	1	0	0	52
1 Hr	162	18	4	1	2	6	1	194

13:00	42	4	5	0	1	1	0	53
13:15	32	4	1	0	0	0	0	37
13:30	34	3	1	0	1	0	0	39
13:45	33	6	0	0	0	0	1	40
1 Hr	141	17	7	0	2	1	1	169

13:00	30	5	3	1	0	1	1	41
13:15	43	4	0	0	1	0	1	49
13:30	49	1	1	0	0	0	0	51
13:45	32	3	3	0	1	0	0	39
1 Hr	154	13	7	1	2	1	2	180

14:00	49	3	2	0	2	0	0	56
14:15	43	4	0	0	0	2	0	49
14:30	44	4	0	1	2	0	0	51
14:45	54	2	0	1	1	2	0	60
1 Hr	190	13	2	2	5	4	0	216

14:00	36	3	2	0	1	0	0	42
14:15	28	2	0	0	2	1	0	33
14:30	27	5	0	0	0	0	0	32
14:45	30	4	0	0	1	2	0	37
1 Hr	121	14	2	0	4	3	0	144

15:00	67	11	0	1	2	0	3	84
15:15	70	6	2	0	0	0	1	79
15:30	61	7	0	0	1	2	0	71
15:45	61	7	3	0	1	0	1	73
1 Hr	259	31	5	1	4	2	5	307

15:00	27	4	0	1	0	1	0	33
15:15	44	6	1	1	2	0	0	54
15:30	47	3	1	0	0	0	0	51
15:45	47	2	2	0	1	0	0	52
1 Hr	165	15	4	2	3	1	0	190

16:00	79	7	1	0	0	0	0	87
16:15	99	11	1	0	0	0	0	111
16:30	93	5	2	0	1	2	1	104
16:45	110	8	0	0	1	4	0	123
1 Hr	381	31	4	0	2	6	1	425

16:00	33	8	0	1	0	1	0	43
16:15	28	3	0	0	1	1	0	33
16:30	34	2	0	0	0	1	0	37
16:45	24	0	0	1	2	0	0	27
1 Hr	119	13	0	2	3	3	0	140

17:00	115	5	0	0	0	0	0	120
17:15	105	9	3	1	0	0	2	120
17:30	101	4	0	0	1	1	0	107
17:45	97	5	1	0	1	3	0	107
1 Hr	418	23	4	1	2	4	2	454

17:00	24	5	1	0	1	1	0	32
17:15	29	7	1	0	0	0	0	37
17:30	26	3	0	1	1	0	0	31
17:45	24	2	0	0	0	0	0	26
1 Hr	103	17	2	1	2	1	0	126

6 Hrs	1540	133	25	5	17	19	9	1748
-------	------	-----	----	---	----	----	---	------

6 Hrs	824	90	19	7	16	15	3	974
-------	-----	----	----	---	----	----	---	-----



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Wednesday 4th June 2014

AM Weather: Mild & Heavy Rain
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	68	3	1	0	0	0	1	73
18:15	47	3	0	0	0	1	1	52
18:30	36	1	2	0	0	0	0	39
18:45	31	3	0	0	0	1	1	36
1 Hr	182	10	3	0	0	2	3	200

18:00	28	2	0	0	1	0	0	31
18:15	30	2	0	0	0	0	0	32
18:30	32	3	0	0	1	0	0	36
18:45	28	1	0	0	0	0	0	29
1 Hr	118	8	0	0	2	0	0	128

19:00	39	4	0	0	1	0	0	44
19:15	29	2	0	0	0	0	0	31
19:30	28	2	0	0	0	0	0	30
19:45	35	3	0	0	0	0	0	38
1 Hr	131	11	0	0	1	0	0	143

19:00	36	1	0	0	0	0	0	37
19:15	22	4	1	0	0	0	0	27
19:30	26	1	0	0	1	1	0	29
19:45	14	2	0	0	0	0	0	16
1 Hr	98	8	1	0	1	1	0	109

20:00	26	5	0	0	0	0	0	31
20:15	33	2	0	0	0	1	0	36
20:30	17	2	0	0	0	0	0	19
20:45	24	0	1	0	0	0	0	25
1 Hr	100	9	1	0	0	1	0	111

20:00	14	1	0	0	0	0	0	15
20:15	10	0	0	0	0	0	0	10
20:30	12	0	0	0	0	0	0	12
20:45	12	1	0	0	0	1	0	14
1 Hr	48	2	0	0	0	1	0	51

21:00	16	1	0	0	0	0	0	17
21:15	27	2	0	0	0	0	0	29
21:30	16	0	0	0	0	0	0	16
21:45	13	1	0	0	0	1	0	15
1 Hr	72	4	0	0	0	1	0	77

21:00	10	0	0	0	0	0	0	10
21:15	11	0	0	0	0	0	0	11
21:30	6	1	0	0	0	0	0	7
21:45	6	1	0	0	0	0	0	7
1 Hr	33	2	0	0	0	0	0	35

22:00	10	0	0	0	0	0	0	10
22:15	16	0	0	0	0	0	0	16
22:30	12	0	0	0	0	0	0	12
22:45	9	0	0	0	0	0	0	9
1 Hr	47	0	0	0	0	0	0	47

22:00	9	0	0	0	0	0	0	9
22:15	6	0	0	0	0	0	0	6
22:30	2	0	0	0	0	0	0	2
22:45	2	0	0	0	0	0	0	2
1 Hr	19	0	0	0	0	0	0	19

23:00	8	0	0	0	0	0	0	8
23:15	9	0	0	0	0	0	0	9
23:30	5	0	0	0	0	0	0	5
23:45	2	0	0	0	0	0	0	2
1 Hr	24	0	0	0	0	0	0	24

23:00	2	0	0	0	0	0	0	2
23:15	3	0	0	0	0	0	0	3
23:30	2	0	0	0	0	0	0	2
23:45	3	0	0	0	0	0	0	3
1 Hr	10	0	0	0	0	0	0	10

6 Hrs	556	34	4	0	1	4	3	602
-------	-----	----	---	---	---	---	---	-----

6 Hrs	326	20	1	0	3	2	0	352
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2096	167	29	5	18	23	12	2350
--------	------	-----	----	---	----	----	----	------

12 Hrs	1150	110	20	7	19	17	3	1326
--------	------	-----	----	---	----	----	---	------

Total	2617	278	54	7	34	31	14	3035
-------	------	-----	----	---	----	----	----	------

Total	2737	262	44	9	37	30	13	3132
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Thursday 5th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	2	0	0	0	0	0	0	2
00:15	5	0	0	0	0	0	0	5
00:30	1	0	0	0	0	0	0	1
00:45	1	0	0	0	0	0	0	1
1 Hr	9	0	0	0	0	0	0	9
01:00	2	0	0	0	0	0	0	2
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
02:00	0	0	0	0	0	0	0	0
02:15	2	0	0	0	0	0	0	2
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	1	0	0	0	2
03:30	1	0	0	0	0	0	0	1
03:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	1	0	0	0	4
04:00	0	0	0	0	0	0	0	0
04:15	0	1	1	0	0	0	0	2
04:30	4	0	1	0	0	0	0	5
04:45	1	0	0	0	0	0	0	1
1 Hr	5	1	2	0	0	0	0	8
05:00	0	0	0	0	0	0	0	0
05:15	0	0	0	0	0	0	0	0
05:30	1	0	0	0	0	0	0	1
05:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
6 Hrs	23	1	2	1	0	0	0	27

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	3	0	0	0	0	0	0	3
04:45	2	0	0	0	0	0	0	2
1 Hr	6	0	0	0	0	0	0	6
05:00	4	2	0	0	0	0	0	6
05:15	7	0	1	0	0	0	0	8
05:30	10	1	0	0	0	0	0	11
05:45	10	2	1	0	0	0	0	13
1 Hr	31	5	2	0	0	0	0	38
6 Hrs	41	5	2	0	0	0	0	48

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	1	0	0	1
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	1	0	0	1
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Thursday 5th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	1	0	0	0	0	1	0	2
06:15	3	1	1	0	1	0	0	6
06:30	4	1	0	0	0	1	0	6
06:45	16	4	1	0	0	0	0	21
1 Hr	24	6	2	0	1	2	0	35

13	3	0	0	0	0	2	18
16	2	0	0	0	0	0	18
28	4	1	0	0	1	1	35
25	4	2	0	1	1	0	33
82	13	3	0	1	2	3	104

07:00	14	3	0	0	1	0	0	18
07:15	15	3	1	0	1	0	1	21
07:30	21	6	1	0	2	0	0	30
07:45	13	3	0	0	1	1	0	18
1 Hr	63	15	2	0	5	1	1	87

54	7	2	0	0	2	0	65
61	11	0	0	0	2	0	74
91	9	2	0	1	3	1	107
120	11	3	0	0	2	0	136
326	38	7	0	1	9	1	382

08:00	16	1	1	0	0	0	0	18
08:15	15	7	3	0	1	0	0	26
08:30	24	6	1	0	0	0	0	31
08:45	26	6	2	1	1	0	0	36
1 Hr	81	20	7	1	2	0	0	111

145	9	0	0	2	0	0	156
132	7	3	1	0	1	0	144
122	9	1	0	0	4	1	137
118	8	3	0	1	2	2	134
517	33	7	1	3	7	3	571

09:00	25	2	2	0	1	0	0	30
09:15	23	6	1	0	0	0	0	30
09:30	22	3	1	0	1	0	1	28
09:45	26	7	4	0	0	0	0	37
1 Hr	96	18	8	0	2	0	1	125

104	7	1	0	0	0	0	112
68	1	1	1	1	1	0	73
62	6	1	0	3	1	0	73
56	3	0	0	2	0	0	61
290	17	3	1	6	2	0	319

10:00	38	5	0	0	1	0	3	47
10:15	29	6	2	0	0	0	0	37
10:30	34	7	1	0	1	0	0	43
10:45	34	6	0	0	0	2	0	42
1 Hr	135	24	3	0	2	2	3	169

51	4	5	0	0	1	0	61
35	4	0	0	0	0	1	40
43	3	2	0	1	0	0	49
33	6	3	0	1	0	0	43
162	17	10	0	2	1	1	193

11:00	32	4	2	0	1	0	1	40
11:15	32	7	1	0	1	0	0	41
11:30	41	4	0	0	1	0	0	46
11:45	54	7	3	0	0	5	0	69
1 Hr	159	22	6	0	3	5	1	196

41	3	2	0	0	0	1	47
52	3	2	0	0	0	0	57
44	3	3	0	1	0	0	51
40	2	1	0	2	1	0	46
177	11	8	0	3	1	1	201

6 Hrs	558	105	28	1	15	10	6	723
-------	-----	-----	----	---	----	----	---	-----

1554	129	38	2	16	22	9	1770
------	-----	----	---	----	----	---	------

12 Hrs	581	106	30	2	15	10	6	750
--------	-----	-----	----	---	----	----	---	-----

1595	134	40	2	16	22	9	1818
------	-----	----	---	----	----	---	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Thursday 5th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	42	4	2	0	2	0	0	50
12:15	44	3	1	0	0	1	0	49
12:30	44	7	0	0	1	0	0	52
12:45	37	4	0	0	0	1	0	42
1 Hr	167	18	3	0	3	2	0	193

12:00	28	4	1	0	0	5	0	38
12:15	44	4	1	0	3	0	0	52
12:30	42	6	2	0	0	0	0	50
12:45	30	1	0	0	1	0	0	32
1 Hr	144	15	4	0	4	5	0	172

13:00	35	5	1	1	1	2	1	46
13:15	37	2	3	0	0	1	0	43
13:30	32	2	1	0	1	0	0	36
13:45	27	4	1	0	0	3	1	36
1 Hr	131	13	6	1	2	6	2	161

13:00	45	5	2	1	0	1	0	54
13:15	27	3	1	0	1	0	0	32
13:30	42	2	5	1	0	0	0	50
13:45	47	5	1	0	1	0	0	54
1 Hr	161	15	9	2	2	1	0	190

14:00	51	7	0	0	2	0	0	60
14:15	55	4	1	0	0	2	0	62
14:30	43	4	0	0	3	0	0	50
14:45	43	3	2	0	1	0	0	49
1 Hr	192	18	3	0	6	2	0	221

14:00	25	5	2	0	1	0	0	33
14:15	25	4	1	0	0	0	1	31
14:30	32	3	3	1	1	1	0	41
14:45	33	10	1	0	1	0	0	45
1 Hr	115	22	7	1	3	1	1	150

15:00	70	2	2	0	2	3	1	80
15:15	66	6	2	1	0	0	1	76
15:30	57	5	0	0	1	4	0	67
15:45	57	8	1	0	1	1	0	68
1 Hr	250	21	5	1	4	8	2	291

15:00	36	2	0	0	0	1	0	39
15:15	32	3	2	0	4	1	0	42
15:30	50	8	2	0	0	1	1	62
15:45	37	6	3	0	1	2	0	49
1 Hr	155	19	7	0	5	5	1	192

16:00	71	7	2	1	0	1	1	83
16:15	93	6	3	0	1	0	0	103
16:30	98	6	2	0	0	0	2	108
16:45	92	7	1	0	1	4	2	107
1 Hr	354	26	8	1	2	5	5	401

16:00	36	6	0	0	0	0	0	42
16:15	31	6	1	1	1	1	0	41
16:30	32	4	2	0	0	0	0	38
16:45	24	5	3	0	3	0	2	37
1 Hr	123	21	6	1	4	1	2	158

17:00	117	5	2	0	0	2	1	127
17:15	109	7	1	0	1	2	1	121
17:30	77	6	2	0	0	4	0	89
17:45	77	4	1	0	1	2	2	87
1 Hr	380	22	6	0	2	10	4	424

17:00	37	3	1	1	0	1	0	43
17:15	36	5	1	0	0	2	1	45
17:30	35	2	1	0	1	0	0	39
17:45	24	5	0	0	0	0	0	29
1 Hr	132	15	3	1	1	3	1	156

6 Hrs	1474	118	31	3	19	33	13	1691
-------	------	-----	----	---	----	----	----	------

6 Hrs	830	107	36	5	19	16	5	1018
-------	-----	-----	----	---	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Thursday 5th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	57	2	0	0	0	1	0	60
18:15	50	0	0	0	0	0	0	50
18:30	34	3	1	0	0	0	1	39
18:45	34	4	1	0	0	0	1	40
1 Hr	175	9	2	0	0	1	2	189

18:00	33	1	0	0	1	0	0	35
18:15	36	3	0	0	0	1	0	40
18:30	25	0	0	0	1	1	0	27
18:45	30	3	0	0	0	1	0	34
1 Hr	124	7	0	0	2	3	0	136

19:00	29	4	0	0	1	1	2	37
19:15	36	3	2	0	0	0	0	41
19:30	37	1	0	0	0	3	0	41
19:45	39	4	1	0	0	1	1	46
1 Hr	141	12	3	0	1	5	3	165

19:00	49	1	0	0	0	0	2	52
19:15	21	1	0	0	0	0	0	22
19:30	26	1	0	0	1	0	0	28
19:45	10	2	0	0	0	1	0	13
1 Hr	106	5	0	0	1	1	2	115

20:00	30	1	1	0	0	1	2	35
20:15	38	1	0	0	0	0	0	39
20:30	20	2	0	0	0	0	2	24
20:45	16	0	0	0	0	0	0	16
1 Hr	104	4	1	0	0	1	4	114

20:00	19	2	0	0	0	0	0	21
20:15	24	0	0	0	0	0	0	24
20:30	15	1	0	0	0	0	0	16
20:45	11	0	0	0	0	2	0	13
1 Hr	69	3	0	0	0	2	0	74

21:00	22	0	0	0	0	0	0	22
21:15	24	3	0	0	0	1	0	28
21:30	16	0	0	0	0	1	0	17
21:45	15	0	0	0	0	0	0	15
1 Hr	77	3	0	0	0	2	0	82

21:00	13	0	0	0	0	0	1	14
21:15	9	0	0	0	0	0	0	9
21:30	10	0	0	0	0	1	0	11
21:45	11	0	1	0	0	0	0	12
1 Hr	43	0	1	0	0	1	1	46

22:00	18	0	0	0	0	2	0	20
22:15	19	0	0	0	0	0	0	19
22:30	14	0	0	0	0	0	0	14
22:45	11	0	0	0	0	0	0	11
1 Hr	62	0	0	0	0	2	0	64

22:00	8	0	0	0	0	0	0	8
22:15	5	0	0	0	0	0	0	5
22:30	10	1	0	0	0	0	0	11
22:45	4	0	0	0	0	0	0	4
1 Hr	27	1	0	0	0	0	0	28

23:00	12	0	0	0	0	0	0	12
23:15	8	0	0	0	0	0	0	8
23:30	4	0	0	0	0	0	0	4
23:45	3	0	0	0	0	0	0	3
1 Hr	27	0	0	0	0	0	0	27

23:00	4	0	0	0	0	0	0	4
23:15	1	0	0	0	0	0	0	1
23:30	4	0	0	0	0	0	0	4
23:45	2	0	0	0	0	0	0	2
1 Hr	11	0	0	0	0	0	0	11

6 Hrs	586	28	6	0	1	11	9	641
-------	-----	----	---	---	---	----	---	-----

6 Hrs	380	16	1	0	3	7	3	410
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2060	146	37	3	20	44	22	2332
--------	------	-----	----	---	----	----	----	------

12 Hrs	1210	123	37	5	22	23	8	1428
--------	------	-----	----	---	----	----	---	------

Total	2641	252	67	5	35	54	28	3082
-------	------	-----	----	---	----	----	----	------

Total	2805	257	77	7	38	45	17	3246
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Friday 6th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	4	0	0	0	0	0	0	4
00:15	4	0	0	0	0	0	0	4
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	9	0	0	0	0	0	0	9

01:00	2	0	0	0	0	0	0	2
01:15	2	0	0	0	0	0	0	2
01:30	3	0	0	0	0	0	0	3
01:45	1	0	0	0	0	0	0	1
1 Hr	8	0	0	0	0	0	0	8

02:00	1	0	0	0	0	0	0	1
02:15	4	0	0	0	0	0	0	4
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	6	0	0	0	0	0	0	6

03:00	2	0	0	0	0	0	0	2
03:15	0	0	0	0	0	0	0	0
03:30	2	0	0	0	0	0	0	2
03:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4

04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	0	0	1	0	0	0	0	1
04:45	1	0	0	0	0	0	0	1
1 Hr	1	0	1	0	0	0	0	2

05:00	1	0	0	0	0	0	0	1
05:15	1	0	2	0	0	0	0	3
05:30	1	1	0	1	0	0	0	3
05:45	3	1	0	0	0	0	1	5
1 Hr	6	2	2	1	0	0	1	12

6 Hrs	34	2	3	1	0	0	1	41
-------	----	---	---	---	---	---	---	----

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	1	0	0	0	0	0	0	1
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3

01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2

02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2

03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2

04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	2	0	0	0	0	0	0	2
04:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3

05:00	5	3	0	0	0	0	0	8
05:15	6	1	1	0	0	0	0	8
05:30	13	0	0	0	0	0	0	13
05:45	8	2	1	1	0	0	2	14
1 Hr	32	6	2	1	0	0	2	43

6 Hrs	44	6	2	1	0	0	2	55
-------	----	---	---	---	---	---	---	----

	Direction : Eastbound			Total
	Adult	Child Accompanied	Unaccompanied	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0

08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	1	0	0	1

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	1	0	0	1
1 Hr	1	0	0	1

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	2	0	0	2
-------	---	---	---	---

	Direction : Westbound			Total
	Adult	Child Accompanied	Unaccompanied	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0

08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	1	0	0	1

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	1	0	0	1
-------	---	---	---	---



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Friday 6th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	3	1	0	0	1	1	0	6
06:15	5	0	0	0	0	0	0	5
06:30	8	3	0	0	0	2	1	14
06:45	13	0	2	0	0	0	0	15
1 Hr	29	4	2	0	1	3	1	40

7	3	1	0	0	0	2	13
20	2	0	0	0	0	0	22
25	3	1	0	1	1	3	34
36	8	0	0	0	1	2	47
88	16	2	0	1	2	7	116

07:00	13	5	1	0	1	0	0	20
07:15	19	2	1	0	0	1	1	24
07:30	27	4	2	0	3	1	0	37
07:45	17	1	1	1	1	0	0	21
1 Hr	76	12	5	1	5	2	1	102

48	11	1	0	0	3	2	65
67	11	0	0	0	1	0	79
86	13	1	0	1	2	1	104
97	10	1	0	0	2	1	111
298	45	3	0	1	8	4	359

08:00	24	2	2	0	0	0	0	28
08:15	18	10	2	0	1	1	0	32
08:30	26	4	3	1	0	1	0	35
08:45	29	4	1	0	1	0	0	35
1 Hr	97	20	8	1	2	2	0	130

143	5	0	0	2	3	0	153
126	7	4	0	0	2	0	139
108	7	2	0	0	2	2	121
102	7	0	0	1	2	1	113
479	26	6	0	3	9	3	526

09:00	21	4	0	0	0	0	0	25
09:15	33	5	0	0	2	0	0	40
09:30	31	8	1	0	1	0	0	41
09:45	24	3	3	0	0	0	1	31
1 Hr	109	20	4	0	3	0	1	137

106	9	3	0	0	0	0	118
60	3	0	0	2	0	2	67
62	10	1	0	1	1	1	76
58	7	0	0	2	2	0	69
286	29	4	0	5	3	3	330

10:00	37	5	1	0	1	0	0	44
10:15	29	2	1	0	0	0	0	32
10:30	25	3	0	0	1	0	1	30
10:45	42	6	3	0	0	0	0	51
1 Hr	133	16	5	0	2	0	1	157

55	3	1	0	0	0	0	59
45	3	1	0	1	1	0	51
52	4	2	0	0	0	1	59
37	6	0	0	1	0	0	44
189	16	4	0	2	1	1	213

11:00	38	3	3	0	1	1	0	46
11:15	42	6	0	0	1	0	0	49
11:30	35	3	2	1	1	0	0	42
11:45	35	7	1	0	0	0	1	44
1 Hr	150	19	6	1	3	1	1	181

30	6	0	0	0	0	1	37
39	2	3	0	2	0	0	46
40	6	3	0	0	1	0	50
35	7	1	0	1	0	3	47
144	21	7	0	3	1	4	180

6 Hrs	594	91	30	3	16	8	5	747
-------	-----	----	----	---	----	---	---	-----

1484	153	26	0	15	24	22	1724
------	-----	----	---	----	----	----	------

12 Hrs	628	93	33	4	16	8	6	788
--------	-----	----	----	---	----	---	---	-----

1528	159	28	1	15	24	24	1779
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 6th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	39	6	1	0	1	0	0	47
12:15	37	5	0	1	2	0	1	46
12:30	44	4	0	1	1	3	2	55
12:45	46	1	1	0	0	2	0	50
1 Hr	166	16	2	2	4	5	3	198

12:00	42	12	0	0	0	2	0	56
12:15	33	3	1	0	1	1	0	39
12:30	43	7	1	0	2	1	0	54
12:45	41	7	3	0	1	1	1	54
1 Hr	159	29	5	0	4	5	1	203

13:00	38	3	2	0	1	0	0	44
13:15	41	2	1	0	0	0	0	44
13:30	37	4	2	0	1	0	0	44
13:45	59	6	1	0	0	1	0	67
1 Hr	175	15	6	0	2	1	0	199

13:00	41	7	0	1	0	2	0	51
13:15	51	3	0	0	1	1	1	57
13:30	47	3	4	0	0	0	1	55
13:45	36	5	2	0	1	1	0	45
1 Hr	175	18	6	1	2	4	2	208

14:00	40	6	1	0	1	0	0	48
14:15	53	5	4	0	0	0	0	62
14:30	53	6	0	1	3	0	0	63
14:45	58	5	1	0	0	0	2	66
1 Hr	204	22	6	1	4	0	2	239

14:00	31	5	2	0	0	1	0	39
14:15	39	3	3	0	1	0	1	47
14:30	37	4	1	0	0	0	0	42
14:45	35	7	3	0	1	1	0	47
1 Hr	142	19	9	0	2	2	1	175

15:00	85	3	1	0	2	2	1	94
15:15	90	2	0	0	1	3	0	96
15:30	79	3	0	0	1	2	1	86
15:45	54	6	1	0	0	2	0	63
1 Hr	308	14	2	0	4	9	2	339

15:00	32	4	1	0	0	0	0	37
15:15	48	2	1	0	3	7	1	62
15:30	56	4	1	1	1	2	0	65
15:45	30	5	2	0	0	1	1	39
1 Hr	166	15	5	1	4	10	2	203

16:00	101	7	0	0	0	3	2	113
16:15	93	6	2	0	0	2	1	104
16:30	98	9	1	0	1	1	0	110
16:45	94	8	0	0	1	2	3	108
1 Hr	386	30	3	0	2	8	6	435

16:00	40	3	1	0	0	0	0	44
16:15	41	2	0	0	1	0	0	44
16:30	34	5	0	1	0	0	1	41
16:45	32	4	0	1	0	1	0	38
1 Hr	147	14	1	2	1	1	1	167

17:00	104	8	2	0	0	4	1	119
17:15	103	8	0	0	1	2	0	114
17:30	82	7	0	0	0	4	2	95
17:45	62	5	1	0	1	1	0	70
1 Hr	351	28	3	0	2	11	3	398

17:00	26	5	0	0	1	1	1	34
17:15	29	4	0	0	1	1	1	36
17:30	24	4	0	0	1	0	1	30
17:45	30	3	0	0	0	1	0	34
1 Hr	109	16	0	0	3	3	3	134

6 Hrs	1590	125	22	3	18	34	16	1808
-------	------	-----	----	---	----	----	----	------

6 Hrs	898	111	26	4	16	25	10	1090
-------	-----	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Friday 6th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	53	11	1	0	0	2	1	68
18:15	23	4	1	0	0	2	1	31
18:30	33	5	0	0	0	1	2	41
18:45	29	4	0	0	0	1	1	35
1 Hr	138	24	2	0	0	6	5	175

18:00	42	6	0	0	1	0	1	50
18:15	40	1	0	0	0	2	0	43
18:30	34	5	0	0	1	1	0	41
18:45	42	1	0	0	0	0	0	43
1 Hr	158	13	0	0	2	3	1	177

19:00	43	1	0	0	1	0	0	45
19:15	26	2	0	0	1	0	1	30
19:30	54	3	0	0	0	3	0	60
19:45	32	3	0	0	0	1	0	36
1 Hr	155	9	0	0	2	4	1	171

19:00	24	2	0	0	0	2	0	28
19:15	29	2	0	0	0	5	0	36
19:30	32	1	0	0	1	0	0	34
19:45	18	2	0	0	0	1	0	21
1 Hr	103	7	0	0	1	8	0	119

20:00	42	3	0	0	0	0	0	45
20:15	30	1	1	0	0	1	0	33
20:30	23	2	1	0	0	0	1	27
20:45	23	2	0	0	0	0	0	25
1 Hr	118	8	2	0	0	1	1	130

20:00	19	0	0	0	0	1	0	20
20:15	23	1	0	0	0	0	0	24
20:30	20	0	1	0	0	1	0	22
20:45	16	1	0	0	0	1	0	18
1 Hr	78	2	1	0	0	3	0	84

21:00	22	1	0	1	0	1	0	25
21:15	27	0	0	0	0	0	0	27
21:30	15	0	0	0	0	0	0	15
21:45	18	0	0	1	0	0	0	19
1 Hr	82	1	0	2	0	1	0	86

21:00	19	0	1	0	0	0	0	20
21:15	22	0	1	0	0	1	0	24
21:30	10	0	0	0	0	0	1	11
21:45	19	0	1	0	0	0	0	20
1 Hr	70	0	3	0	0	1	1	75

22:00	17	0	0	0	0	0	0	17
22:15	27	0	0	0	0	0	0	27
22:30	24	0	0	0	0	0	0	24
22:45	16	0	0	0	0	0	0	16
1 Hr	84	0	0	0	0	0	0	84

22:00	9	0	0	0	0	0	0	9
22:15	11	0	0	0	0	0	0	11
22:30	13	0	0	0	0	0	0	13
22:45	13	0	0	0	0	0	0	13
1 Hr	46	0	0	0	0	0	0	46

23:00	9	0	0	0	0	0	0	9
23:15	10	0	0	0	0	0	0	10
23:30	6	0	0	0	0	0	0	6
23:45	7	0	0	0	0	0	0	7
1 Hr	32	0	0	0	0	0	0	32

23:00	4	0	0	0	0	0	0	4
23:15	2	0	0	0	0	0	0	2
23:30	3	0	0	0	0	0	0	3
23:45	4	0	0	0	0	0	0	4
1 Hr	13	0	0	0	0	0	0	13

6 Hrs	609	42	4	2	2	12	7	678
-------	-----	----	---	---	---	----	---	-----

6 Hrs	468	22	4	0	3	15	2	514
-------	-----	----	---	---	---	----	---	-----

12 Hrs	2199	167	26	5	20	46	23	2486
--------	------	-----	----	---	----	----	----	------

12 Hrs	1366	133	30	4	19	40	12	1604
--------	------	-----	----	---	----	----	----	------

Total	2827	260	59	9	36	54	29	3274
-------	------	-----	----	---	----	----	----	------

Total	2894	292	58	5	34	64	36	3383
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 7th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Heavy Rain

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	9	0	0	0	0	0	0	9
00:15	4	0	0	0	0	0	0	4
00:30	5	0	0	0	0	0	0	5
00:45	6	0	0	0	0	0	0	6
1 Hr	24	0	0	0	0	0	0	24
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	0	1	0	0	0	0	0	1
01:45	2	0	0	0	0	0	0	2
1 Hr	3	1	0	0	0	0	0	4
02:00	3	0	0	0	0	0	0	3
02:15	2	0	0	0	0	0	0	2
02:30	4	1	0	0	0	0	0	5
02:45	0	0	0	0	0	0	0	0
1 Hr	9	1	0	0	0	0	0	10
03:00	0	0	0	0	0	0	0	0
03:15	2	0	0	0	0	0	0	2
03:30	1	0	0	0	0	0	0	1
03:45	4	0	0	0	0	0	0	4
1 Hr	7	0	0	0	0	0	0	7
04:00	1	0	0	0	0	0	0	1
04:15	2	0	0	0	0	0	0	2
04:30	2	0	1	0	0	0	0	3
04:45	2	0	0	0	0	0	0	2
1 Hr	7	0	1	0	0	0	0	8
05:00	1	0	0	0	0	0	0	1
05:15	3	0	0	0	0	0	0	3
05:30	0	0	0	0	0	0	0	0
05:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4
6 Hrs	54	2	1	0	0	0	0	57

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	4	0	0	0	0	0	0	4
00:15	1	0	0	0	0	0	0	1
00:30	2	0	0	0	0	0	0	2
00:45	2	0	0	0	0	0	0	2
1 Hr	9	0	0	0	0	0	0	9
01:00	4	0	0	0	0	0	0	4
01:15	2	0	0	0	0	0	0	2
01:30	1	0	0	0	0	0	0	1
01:45	0	0	0	0	0	0	0	0
1 Hr	7	0	0	0	0	0	0	7
02:00	2	0	0	0	0	0	0	2
02:15	1	0	0	0	0	0	0	1
02:30	1	0	0	0	0	0	0	1
02:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
03:00	2	0	0	0	0	0	0	2
03:15	2	0	0	0	0	0	0	2
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	0	5
04:00	1	0	0	0	0	0	0	1
04:15	1	0	0	0	0	0	0	1
04:30	2	0	0	0	0	0	0	2
04:45	3	0	0	0	0	0	0	3
1 Hr	7	0	0	0	0	0	0	7
05:00	2	0	0	0	0	0	0	2
05:15	3	0	1	0	0	0	0	4
05:30	7	1	0	0	0	0	0	8
05:45	6	0	0	0	0	0	0	6
1 Hr	18	1	1	0	0	0	0	20
6 Hrs	51	1	1	0	0	0	0	53

	Direction : Eastbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	1	0	0	1
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	1	0	0	1
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	1	0	0	1
3 Hrs	1	0	0	1
6 Hrs	2	0	0	2

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	1	0	0	1
09:15	0	0	1	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	1	2
3 Hr	1	0	1	2
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	1	2



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 7th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Heavy Rain

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	2	0	0	0	0	0	2
06:15	2	0	0	0	0	0	2
06:30	1	0	0	0	0	0	1
06:45	7	2	0	0	0	0	9
1 Hr	12	2	0	0	0	0	14

06:00	3	0	0	0	0	0	3
06:15	9	0	0	0	0	0	9
06:30	16	3	0	0	0	1	20
06:45	15	5	0	0	0	0	20
1 Hr	43	8	0	0	0	1	52

07:00	6	0	0	0	0	0	6
07:15	6	0	1	0	0	1	8
07:30	10	1	0	0	0	0	11
07:45	9	0	0	0	0	1	10
1 Hr	31	1	1	0	0	2	35

07:00	13	3	0	0	0	0	16
07:15	15	0	0	1	0	0	16
07:30	29	4	0	0	0	1	35
07:45	39	2	0	0	0	1	42
1 Hr	96	9	0	1	0	2	109

08:00	15	1	0	0	1	0	17
08:15	12	3	0	0	0	0	15
08:30	9	4	0	0	1	0	14
08:45	19	4	1	0	0	0	24
1 Hr	55	12	1	0	2	0	70

08:00	36	3	1	0	1	1	42
08:15	44	1	2	0	0	0	48
08:30	39	4	0	0	0	0	43
08:45	40	2	1	0	1	1	45
1 Hr	159	10	4	0	2	2	178

09:00	14	6	0	0	1	0	21
09:15	20	3	0	0	0	0	23
09:30	23	3	2	0	1	0	29
09:45	27	7	0	0	0	2	36
1 Hr	84	19	2	0	2	2	109

09:00	46	3	0	0	0	0	49
09:15	52	6	0	0	1	0	59
09:30	63	7	1	0	0	0	71
09:45	57	5	1	0	1	0	64
1 Hr	218	21	2	0	2	0	243

10:00	28	3	1	0	1	0	34
10:15	36	3	0	0	0	0	39
10:30	40	2	0	0	1	0	43
10:45	42	3	0	0	0	2	47
1 Hr	146	11	1	0	2	2	163

10:00	52	1	1	0	0	0	54
10:15	56	4	1	0	1	1	63
10:30	51	4	0	0	0	0	55
10:45	64	5	0	0	1	1	72
1 Hr	223	14	2	0	2	2	244

11:00	41	3	0	0	1	0	45
11:15	37	4	1	0	0	0	42
11:30	42	1	0	0	1	0	44
11:45	45	1	1	0	0	0	47
1 Hr	165	9	2	0	2	0	178

11:00	59	6	0	0	0	0	65
11:15	61	3	0	0	1	0	65
11:30	49	2	1	0	1	0	53
11:45	58	3	0	0	1	0	62
1 Hr	227	14	1	0	3	0	245

6 Hrs	493	54	7	0	8	6	569
-------	-----	----	---	---	---	---	-----

6 Hrs	966	76	9	1	9	5	1071
-------	-----	----	---	---	---	---	------

12 Hrs	547	56	8	0	8	6	626
--------	-----	----	---	---	---	---	-----

12 Hrs	1017	77	10	1	9	5	1124
--------	------	----	----	---	---	---	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 7th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Heavy Rain

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	69	7	0	0	1	0	1	78
12:15	51	3	1	0	0	1	0	56
12:30	53	5	2	1	1	0	0	62
12:45	49	4	1	0	0	1	0	55
1 Hr	222	19	4	1	2	2	1	251

12:00	53	4	2	0	0	0	4	63
12:15	62	1	1	0	1	0	0	65
12:30	55	4	0	0	0	1	0	60
12:45	36	3	0	0	1	0	0	40
1 Hr	206	12	3	0	2	1	4	228

13:00	47	5	0	0	1	0	0	53
13:15	50	4	0	0	1	3	0	58
13:30	45	4	1	0	1	0	0	51
13:45	37	0	0	0	0	0	0	37
1 Hr	179	13	1	0	3	3	0	199

13:00	43	1	3	0	0	0	0	47
13:15	40	3	0	1	1	0	1	46
13:30	58	5	0	0	0	0	0	63
13:45	60	2	0	0	1	0	0	63
1 Hr	201	11	3	1	2	0	1	219

14:00	42	2	0	0	1	0	0	45
14:15	61	1	0	0	0	0	0	62
14:30	44	1	0	0	1	1	0	47
14:45	47	2	0	0	0	1	0	50
1 Hr	194	6	0	0	2	2	0	204

14:00	52	0	1	0	1	1	0	55
14:15	42	1	0	0	1	0	2	46
14:30	41	2	0	0	0	3	0	46
14:45	28	1	0	0	1	0	0	30
1 Hr	163	4	1	0	3	4	2	177

15:00	58	1	0	0	1	2	0	62
15:15	59	4	0	0	0	0	0	63
15:30	52	0	0	0	1	1	0	54
15:45	53	1	1	0	0	1	0	56
1 Hr	222	6	1	0	2	4	0	235

15:00	30	3	0	0	0	2	0	35
15:15	35	1	1	0	1	0	0	38
15:30	37	2	0	0	0	1	0	40
15:45	27	0	0	0	1	0	0	28
1 Hr	129	6	1	0	2	3	0	141

16:00	48	3	0	0	0	1	0	52
16:15	48	2	0	0	1	0	0	51
16:30	56	4	0	0	0	0	0	60
16:45	45	3	0	0	1	2	0	51
1 Hr	197	12	0	0	2	3	0	214

16:00	37	3	1	0	0	0	0	41
16:15	29	4	0	0	1	1	0	35
16:30	33	2	0	0	0	0	0	35
16:45	34	1	0	0	1	1	1	38
1 Hr	133	10	1	0	2	2	1	149

17:00	46	3	1	0	0	0	0	50
17:15	57	3	0	0	1	1	0	62
17:30	61	4	0	0	0	1	0	66
17:45	39	2	0	0	0	2	0	43
1 Hr	203	12	1	0	1	4	0	221

17:00	20	0	0	0	0	0	0	20
17:15	30	2	0	0	0	0	0	32
17:30	27	4	0	0	1	0	0	32
17:45	17	0	1	0	0	1	1	20
1 Hr	94	6	1	0	1	1	1	104

6 Hrs	1217	68	7	1	12	18	1	1324
-------	------	----	---	---	----	----	---	------

6 Hrs	926	49	10	1	12	11	9	1018
-------	-----	----	----	---	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 7th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Heavy Rain

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	31	3	0	0	0	0	34
18:15	40	1	1	0	0	0	42
18:30	33	1	0	0	0	0	34
18:45	28	0	0	0	1	0	29
1 Hr	132	5	1	0	1	0	139

29	2	0	0	1	1	1	34
24	1	0	0	0	0	0	25
36	1	0	0	0	0	0	37
19	0	0	0	0	0	0	19
108	4	0	0	1	1	1	115

19:00	33	1	0	0	1	0	35
19:15	26	1	0	0	0	0	27
19:30	23	1	0	0	0	1	25
19:45	19	0	0	0	0	0	19
1 Hr	101	3	0	0	1	1	106

37	0	0	0	0	0	0	37
25	0	0	0	0	2	0	27
20	0	0	0	0	0	0	20
21	0	0	0	1	0	0	22
103	0	0	0	1	2	0	106

20:00	14	0	0	0	0	0	14
20:15	16	1	0	0	0	0	17
20:30	12	0	0	0	0	0	12
20:45	13	0	0	0	2	0	15
1 Hr	55	1	0	0	2	0	58

19	0	0	0	0	0	0	19
14	0	0	0	0	0	2	16
8	1	0	0	0	2	0	11
15	3	0	0	0	0	0	18
56	4	0	0	0	2	2	64

21:00	18	2	0	0	0	0	20
21:15	16	0	0	0	0	0	16
21:30	17	1	0	0	0	0	18
21:45	12	0	0	0	0	0	12
1 Hr	63	3	0	0	0	0	66

9	0	0	0	0	2	0	11
10	0	0	0	0	0	0	10
7	0	0	0	0	0	0	7
13	1	0	0	0	0	0	14
39	1	0	0	0	2	0	42

22:00	15	0	0	0	0	1	16
22:15	12	1	0	0	0	1	14
22:30	11	0	0	0	0	0	11
22:45	8	0	0	0	0	0	8
1 Hr	46	1	0	0	0	2	49

12	0	0	0	0	0	0	12
10	0	0	0	0	0	0	10
11	0	0	0	0	0	0	11
8	0	0	0	0	0	1	9
41	0	0	0	0	0	1	42

23:00	12	0	0	0	0	0	12
23:15	8	0	0	0	0	0	8
23:30	10	0	0	0	0	0	10
23:45	6	0	0	0	0	0	6
1 Hr	36	0	0	0	0	0	36

9	0	0	0	0	0	0	9
5	0	0	0	0	0	0	5
1	0	0	0	0	0	0	1
5	0	0	0	0	0	0	5
20	0	0	0	0	0	0	20

6 Hrs	433	13	1	0	1	5	454
-------	-----	----	---	---	---	---	-----

367	9	0	0	2	7	4	389
-----	---	---	---	---	---	---	-----

12 Hrs	1650	81	8	1	13	23	1778
--------	------	----	---	---	----	----	------

1293	58	10	1	14	18	13	1407
------	----	----	---	----	----	----	------

Total	2197	137	16	1	21	29	2404
-------	------	-----	----	---	----	----	------

2310	135	20	2	23	23	18	2531
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 2nd June - Saturday 7th June 2014

Summary of Counts

		Direction : Eastbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 1	Monday 02/06/2014	2606	255	55	1	33	50	24	3024
Day 2	Tuesday 03/06/2014	2623	279	71	5	33	45	30	3086
Day 3	Wednesday 04/06/2014	2617	278	64	7	34	31	14	3035
Day 4	Thursday 05/06/2014	2641	252	67	5	35	54	28	3082
Day 5	Friday 06/06/2014	2827	260	59	9	36	54	29	3274
Day 6	Saturday 07/06/2014	2197	137	16	1	21	29	3	2404
		15511	1461	322	28	192	263	128	17905

		Direction : Westbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
		2763	254	45	2	35	33	16	3148
		2798	286	73	4	35	41	23	3280
		2737	262	44	9	37	30	13	3132
		2805	257	77	7	38	45	17	3246
		2694	292	58	5	34	64	36	3383
		2310	135	20	2	23	23	18	2531
		16307	1486	317	29	202	236	123	18700

		Direction Eastbound				Total
		Unaccompanied Child	Accompanied Child	Unaccompanied Adult	Accompanied Adult	Total
		1	0	0	0	1
		1	0	0	0	1
		0	0	0	1	1
		1	0	0	1	2
		2	0	0	0	2
		2	0	0	0	2
		7	0	1	0	8

		Direction Westbound				Total
		Unaccompanied Child	Accompanied Child	Unaccompanied Adult	Accompanied Adult	Total
		1	0	0	0	1
		2	0	0	0	2
		1	0	0	0	1
		1	0	0	0	1
		1	0	0	1	2
		1	0	0	1	2
		7	0	1	0	8

		Direction : Combined Counts							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	Total
Day 1	Monday 02/06/2014	5369	509	100	3	68	83	40	6172
Day 2	Tuesday 03/06/2014	5421	565	144	9	68	86	53	6346
Day 3	Wednesday 04/06/2014	5354	540	98	16	71	61	27	6167
Day 4	Thursday 05/06/2014	5446	509	144	12	73	99	45	6328
Day 5	Friday 06/06/2014	5721	552	117	14	70	118	65	6657
Day 6	Saturday 07/06/2014	4507	272	36	3	44	52	21	4935
		31818	2947	639	57	394	499	251	36605

		Direction : Combined Counts				Total
		Unaccompanied Child	Accompanied Child	Unaccompanied Adult	Accompanied Adult	Total
		2	0	0	0	2
		3	0	0	0	3
		1	0	0	1	2
		2	0	0	0	2
		3	0	0	0	3
		3	0	1	4	8
		14	0	2	16	32

Averages Vehicles

		Direction : Eastbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 1	AM	20.25	4.42	1.17	0.08	0.83	0.08	0.00	26.83
	PM	77.58	6.50	0.58	0.00	0.33	1.58	0.92	87.50
	00:00-12:00	11.65	1.88	0.60	0.02	0.33	0.21	0.04	14.73
	12:00-24:00	42.65	3.44	0.54	0.00	0.35	0.83	0.46	48.27
	24 Hrs	27.15	2.66	0.57	0.01	0.34	0.52	0.25	31.50

		Direction : Westbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
	AM	94.42	7.42	1.42	0.08	0.92	1.08	0.67	106.00
	PM	29.42	3.42	0.25	0.00	0.58	0.42	0.17	34.25
	00:00-12:00	32.83	2.98	0.54	0.04	0.33	0.42	0.23	37.38
	12:00-24:00	24.73	2.31	0.40	0.00	0.40	0.27	0.10	28.21
	24 Hrs	28.78	2.65	0.47	0.02	0.36	0.34	0.17	32.79

Pedestrians

		Direction Eastbound				Total
		Adult	Ac Child	Un Child	Total	Total
AM		0.08	0.00	0.00	0.00	0.08
PM		0.00	0.00	0.00	0.00	0.00
6 Hrs		0.04	0.00	0.00	0.04	0.04

		Direction Westbound				Total
		Adult	Ac Child	Un Child	Total	Total
AM		0.08	0.00	0.00	0.00	0.08
PM		0.00	0.00	0.00	0.00	0.00
6 Hrs		0.04	0.00	0.00	0.04	0.04

		Direction : Eastbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 2	AM	20.92	4.25	1.58	0.08	0.75	0.25	0.00	27.83
	PM	81.50	6.83	0.92	0.00	0.42	1.75	1.25	92.67
	00:00-12:00	11.25	2.00	0.75	0.08	0.31	0.17	0.02	14.58
	12:00-24:00	43.40	3.81	0.73	0.02	0.38	0.77	0.60	49.71
	24 Hrs	27.32	2.91	0.74	0.05	0.34	0.47	0.31	32.15

		Direction : Westbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
	AM	94.17	8.25	1.08	0.08	0.67	1.25	0.58	106.08
	PM	33.33	3.00	0.83	0.08	0.75	0.50	0.33	38.83
	00:00-12:00	33.21	3.40	0.58	0.04	0.31	0.50	0.23	38.27
	12:00-24:00	25.08	2.56	0.94	0.04	0.42	0.35	0.25	29.65
	24 Hrs	29.15	2.98	0.76	0.04	0.36	0.43	0.24	33.96

		Direction Eastbound				Total
		Adult	Ac Child	Un Child	Total	Total
AM		0.08	0.00	0.00	0.00	0.08
PM		0.00	0.00	0.00	0.00	0.00
6 Hrs		0.04	0.00	0.00	0.04	0.04

		Direction Westbound				Total
		Adult	Ac Child	Un Child	Total	Total
AM		0.08	0.00	0.00	0.00	0.08
PM		0.00	0.00	0.00	0.00	0.00
6 Hrs		0.04	0.00	0.00	0.04	0.04

		Direction : Eastbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 3	AM	20.33	5.75	0.83	0.00	0.83	0.33	0.08	28.17
	PM	81.75	5.33	0.92	0.08	0.33	1.00	0.50	89.92
	00:00-12:00	10.85	2.31	0.52	0.04	0.33	0.17	0.04	14.27
	12:00-24:00	43.67	3.48	0.60	0.10	0.38	0.48	0.25	48.96
	24 Hrs	27.26	2.90	0.56	0.07	0.35	0.32	0.15	31.61

		Direction : Westbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
	AM	93.67	8.08	0.92	0.08	0.83	0.83	0.33	104.75
	PM	28.33	3.17	0.17	0.25	0.58	0.33	0.00	32.83
	00:00-12:00	33.06	3.17	0.50	0.04	0.38	0.27	0.21	37.63
	12:00-24:00	23.96	2.29	0.42	0.15	0.40	0.35	0.06	27.63
	24 Hrs	28.51	2.73	0.46	0.09	0.39	0.31	0.14	32.63

		Direction Eastbound				Total
		Adult	Ac Child	Un Child	Total	Total
AM		0.00	0.00	0.00	0.00	0.00
PM		0.00	0.00	0.00	0.00	0.00
6 Hrs		0.00	0.00	0.00	0.00	0.00

		Direction Westbound				Total
		Adult	Ac Child	Un Child	Total	Total
AM		0.08	0.00	0.00	0.00	0.08
PM		0.00	0.00	0.00	0.00	0.00
6 Hrs		0.04	0.00	0.00	0.04	0.04

		Direction : Eastbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 4	AM	20.00	4.42	1.42	0.08	0.75	0.08	0.17	26.92
	PM	75.75	4.75	1.33	0.08	0.33	1.33	0.92	84.50
	00:00-12:00	12.10	2.21	0.63	0.04	0.31	0.21	0.13	15.63
	12:00-24:00	42.92	3.04	0.77	0.06	0.42	0.92	0.46	48.58
	24 Hrs	27.51	2.63	0.70	0.05	0.36	0.56	0.29	32.10

		Direction : Westbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
	AM	94.42	7.33	1.42	0.17	0.83	1.50	0.33	106.00
	PM	31.58	3.58	0.75	0.17	0.58	0.58	0.25	37.50
	00:00-12:00	33.23	2.79	0.83	0.04	0.33	0.46	0.19	37.88
	12:00-24:00	25.21	2.56	0.77	0.10	0.46	0.48	0.17	29.75
	24 Hrs	29.22	2.68	0.80	0.07	0.40	0.47	0.18	33.81

		Direction Eastbound				Total
		Adult	Ac Child	Un Child	Total	Total
AM		0.08	0.00	0.00	0.00	0.08
PM		0.00	0.00	0.00	0.00	0.00
6 Hrs		0.04	0.00	0.00	0.04	0.04

		Direction Westbound				Total
		Adult	Ac Child	Un Child	Total	Total
AM		0.08	0.00	0.00	0.00	0.08
PM		0.00	0.00	0.00	0.00	0.00
6 Hrs		0.04	0.00	0.00	0.04	0.04

		Direction : Eastbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 5	AM	23.50	4.33	1.42	0.17	0.83	0.33	0.17	30.75
	PM	72.92	6.83	0.67	0.00	0.33	2.08	1.17	84.00
	00:00-12:00	13.08	1.94	0.69	0.08	0.33	0.17	0.13	16.42
	12:00-24:00	45.81	3.48	0.54	0.10	0.42	0.96	0.48	51.79
	24 Hrs	29.45	2.71	0.61	0.09	0.38	0.56	0.30	34.10


		Direction : Westbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
	AM	88.58	8.33	1.08	0.00	0.75	1.67	0.83	101.25
	PM	34.50							



Sky High

Count On Us

Client : Lincolnshire County Council	Site plan for : EW3 - B1308 Greetwell Road
Project : 9320 / Lincoln By Pass	Date : Monday 2nd June - Saturday 7th June 2014





Sky High

Count On Us

Client:	Lincolnshire County Council
Project:	9320 / Lincoln By Pass
Site:	EW3 - B1308 Greetwell Road
Survey Date:	Monday 9th June - Saturday 14th June 2014
Survey Period:	07:00 - 19:00
Method:	Video Observation

Incidents / Observations:

There were no incidents reported over the survey period.



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 9th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	3	0	0	0	0	0	0	3
00:30	2	0	0	0	0	0	0	2
00:45	2	0	0	0	0	0	0	2
1 Hr	8	0	0	0	0	0	0	8
01:00	1	0	0	0	0	0	0	1
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	1	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	0	1	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	1	0	1	0	0	0	0	2
04:45	1	1	0	0	0	0	0	2
1 Hr	2	1	1	0	0	0	0	4
05:00	0	0	0	0	0	0	0	0
05:15	1	0	0	0	0	0	0	1
05:30	2	1	0	0	0	0	0	3
05:45	1	0	0	0	0	0	0	1
1 Hr	4	1	0	0	0	0	0	5
6 Hrs	18	3	1	0	0	0	0	22

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	1	0	0	0	0	0	0	1
00:30	2	0	0	0	0	0	0	2
00:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
02:00	0	0	0	0	0	0	0	0
02:15	1	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
03:00	1	0	0	0	0	0	0	1
03:15	0	0	0	0	0	1	0	1
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	1	0	2
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	2	0	0	0	0	0	0	2
04:45	2	0	0	0	0	0	0	2
1 Hr	4	0	0	0	0	0	0	4
05:00	4	0	1	0	0	0	0	5
05:15	7	3	0	0	0	0	0	10
05:30	12	2	0	0	0	0	0	14
05:45	14	3	0	0	0	0	0	17
1 Hr	37	8	1	0	0	0	0	46
6 Hrs	49	8	1	0	0	1	0	59

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	2	0	0	2
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	2	0	0	2

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	2	0	0	2
07:45	0	0	0	0
1 Hr	2	0	0	2
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	1	0	0	1
1 Hr	1	0	0	1
3 Hr	3	0	0	3
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	3	0	0	3



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 9th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	0	1	1	0	1	0	1	4
06:15	4	1	0	0	0	0	0	5
06:30	14	1	0	0	0	1	1	17
06:45	9	1	1	0	0	0	0	11
1 Hr	27	4	2	0	1	1	2	37

14	1	1	0	0	0	0	0	16
16	5	0	0	0	0	0	0	21
24	1	0	0	1	1	1	1	28
29	6	1	0	0	0	0	2	38
83	13	2	0	1	1	3	103	

07:00	14	1	0	0	1	0	0	16
07:15	19	5	3	0	3	0	2	32
07:30	19	1	0	0	0	2	0	22
07:45	23	2	3	0	1	0	0	29
1 Hr	75	9	6	0	5	2	2	99

46	7	2	0	0	4	1	1	60
67	12	0	0	0	1	1	1	81
86	9	1	0	1	4	2	2	103
121	11	1	0	1	1	2	2	137
320	39	4	0	2	10	6	381	

08:00	25	2	0	0	0	1	0	28
08:15	19	4	1	0	1	0	0	25
08:30	22	3	4	0	0	0	0	29
08:45	27	3	2	0	1	0	0	33
1 Hr	93	12	7	0	2	1	0	115

157	11	1	0	2	2	0	0	173
134	4	1	0	0	1	0	0	140
124	6	1	0	2	2	0	0	135
100	3	3	0	1	2	2	2	111
515	24	6	0	5	7	2	2	559

09:00	26	4	0	0	0	0	0	30
09:15	23	1	0	0	1	0	1	26
09:30	14	6	2	0	2	0	0	24
09:45	27	5	0	0	0	0	0	32
1 Hr	90	16	2	0	3	0	1	112

103	7	0	0	0	0	0	0	110
73	2	0	0	1	0	0	0	76
62	6	1	0	1	0	0	0	70
48	5	1	0	1	1	0	0	56
286	20	2	0	3	1	0	0	312

10:00	28	0	0	0	1	0	0	29
10:15	35	7	2	0	0	2	0	46
10:30	32	3	3	0	1	0	1	40
10:45	38	5	1	0	0	0	0	44
1 Hr	133	15	6	0	2	2	1	159

54	4	0	0	1	0	0	0	59
48	3	1	0	1	1	0	0	54
39	7	1	0	0	0	2	0	49
58	8	4	0	1	0	0	0	71
199	22	6	0	3	1	2	2	233

11:00	49	4	4	0	1	0	0	58
11:15	34	3	1	0	1	0	0	39
11:30	48	6	0	1	1	0	0	56
11:45	38	7	3	0	0	0	0	48
1 Hr	169	20	8	1	3	0	0	201

42	10	2	0	0	2	0	0	56
38	7	1	0	1	1	0	0	48
45	3	2	0	0	0	0	0	50
35	8	1	0	1	1	0	0	46
160	28	6	0	2	4	0	0	200

6 Hrs	587	76	31	1	16	6	6	723
-------	-----	----	----	---	----	---	---	-----

1563	146	26	0	16	24	13	13	1788
------	-----	----	---	----	----	----	----	------

12 Hrs	605	79	32	1	16	6	6	745
--------	-----	----	----	---	----	---	---	-----

1612	154	27	0	16	25	13	13	1847
------	-----	----	---	----	----	----	----	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 9th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	45	4	2	0	1	0	0	52
12:15	35	3	0	1	0	1	0	40
12:30	43	3	0	0	1	2	0	49
12:45	47	6	2	0	1	0	1	57
1 Hr	170	16	4	1	3	3	1	198

12:00	53	2	0	0	0	0	0	55
12:15	36	3	2	0	1	0	0	42
12:30	44	4	0	0	0	0	0	48
12:45	47	5	1	0	2	1	1	57
1 Hr	180	14	3	0	3	1	1	202

13:00	34	2	0	0	1	0	0	37
13:15	57	2	2	0	0	0	0	61
13:30	33	7	1	0	1	1	0	43
13:45	41	7	0	0	0	0	0	48
1 Hr	165	18	3	0	2	1	0	189

13:00	38	8	2	0	0	1	1	50
13:15	39	6	1	0	1	3	1	51
13:30	33	6	0	0	0	0	1	40
13:45	37	8	3	0	1	1	0	50
1 Hr	147	28	6	0	2	5	3	191

14:00	40	4	2	0	0	1	0	47
14:15	47	7	0	0	1	0	0	55
14:30	58	5	2	1	4	1	0	71
14:45	50	4	0	0	0	0	0	54
1 Hr	195	20	4	1	5	2	0	227

14:00	38	5	0	0	0	0	0	43
14:15	32	5	2	0	1	0	1	41
14:30	35	1	1	0	0	2	0	39
14:45	36	3	1	0	1	0	0	41
1 Hr	141	14	4	0	2	2	1	164

15:00	69	4	1	0	0	3	1	78
15:15	67	8	1	0	1	2	0	79
15:30	59	7	0	0	1	1	1	69
15:45	51	4	0	0	2	2	0	59
1 Hr	246	23	2	0	4	8	2	285

15:00	25	4	0	0	1	0	0	30
15:15	44	3	0	0	2	0	1	50
15:30	66	2	2	0	1	0	1	72
15:45	26	3	0	0	1	0	0	30
1 Hr	161	12	2	0	5	0	2	182

16:00	80	5	0	0	1	0	0	86
16:15	73	7	1	0	0	2	0	83
16:30	93	10	2	0	1	1	0	107
16:45	120	8	0	0	1	2	0	131
1 Hr	366	30	3	0	3	5	0	407

16:00	38	4	0	0	0	1	0	43
16:15	23	6	0	0	2	1	1	33
16:30	41	7	2	0	0	0	0	50
16:45	35	2	0	0	0	0	0	37
1 Hr	137	19	2	0	2	2	1	163

17:00	124	9	1	0	0	2	1	137
17:15	105	9	1	0	0	3	1	119
17:30	110	10	0	0	1	2	1	124
17:45	82	6	0	0	0	2	1	91
1 Hr	421	34	2	0	1	9	4	471

17:00	36	4	1	0	3	1	0	45
17:15	23	5	0	0	0	1	1	30
17:30	29	4	0	0	1	0	0	34
17:45	34	3	0	0	1	0	1	39
1 Hr	122	16	1	0	5	2	2	148

6 Hrs	1563	141	18	2	18	28	7	1777
-------	------	-----	----	---	----	----	---	------

6 Hrs	888	103	18	0	19	12	10	1050
-------	-----	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 9th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	60	6	1	0	1	1	1	70
18:15	35	2	0	0	0	1	2	40
18:30	41	3	0	0	0	1	0	45
18:45	33	2	0	0	0	0	1	36
1 Hr	169	13	1	0	1	3	4	191

18:00	28	3	0	0	1	0	0	32
18:15	34	2	1	0	0	1	0	38
18:30	19	3	0	0	1	0	0	23
18:45	27	2	0	0	0	0	1	30
1 Hr	108	10	1	0	2	1	1	123

19:00	30	4	1	0	0	1	1	37
19:15	33	1	0	0	0	0	2	36
19:30	36	1	0	0	0	0	0	37
19:45	26	4	1	0	0	0	2	33
1 Hr	125	10	2	0	0	1	5	143

19:00	36	2	1	0	0	0	1	40
19:15	28	1	0	0	0	0	0	29
19:30	22	1	1	0	0	1	1	26
19:45	19	2	0	0	1	0	1	23
1 Hr	105	6	2	0	1	1	3	118

20:00	31	0	0	0	0	0	1	32
20:15	26	0	0	0	0	0	4	30
20:30	20	1	1	0	0	0	1	23
20:45	26	2	0	0	0	0	0	28
1 Hr	103	3	1	0	0	0	6	113

20:00	11	0	0	0	0	0	0	11
20:15	12	2	1	0	0	0	0	15
20:30	11	1	0	0	0	0	0	12
20:45	7	0	0	0	0	1	0	8
1 Hr	41	3	1	0	0	1	0	46

21:00	23	1	0	0	0	2	0	26
21:15	21	1	0	0	0	0	0	22
21:30	15	0	0	0	0	0	0	15
21:45	11	0	0	0	0	0	0	11
1 Hr	70	2	0	0	0	2	0	74

21:00	17	1	0	0	0	0	0	18
21:15	6	0	0	0	0	0	0	6
21:30	7	0	0	0	0	1	0	8
21:45	8	1	0	0	0	0	0	9
1 Hr	38	2	0	0	0	1	0	41

22:00	14	1	0	0	0	1	0	16
22:15	12	1	0	0	0	1	0	14
22:30	5	0	0	0	0	0	0	5
22:45	10	1	0	0	0	0	0	11
1 Hr	41	3	0	0	0	2	0	46

22:00	11	0	0	0	0	0	0	11
22:15	8	0	0	0	0	0	0	8
22:30	7	0	0	0	0	0	0	7
22:45	4	0	0	0	0	0	0	4
1 Hr	30	0	0	0	0	0	0	30

23:00	6	0	0	0	0	0	0	6
23:15	7	0	0	0	0	0	0	7
23:30	5	0	0	0	0	0	0	5
23:45	0	0	0	0	0	0	0	0
1 Hr	18	0	0	0	0	0	0	18

23:00	2	0	0	0	0	0	0	2
23:15	2	0	0	0	0	0	0	2
23:30	1	0	0	0	0	0	0	1
23:45	3	0	0	0	0	0	0	3
1 Hr	8	0	0	0	0	0	0	8

6 Hrs	526	31	4	0	1	8	15	585
-------	-----	----	---	---	---	---	----	-----

6 Hrs	330	21	4	0	3	4	4	366
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2089	172	22	2	19	36	22	2362
--------	------	-----	----	---	----	----	----	------

12 Hrs	1218	124	22	0	22	16	14	1416
--------	------	-----	----	---	----	----	----	------

Total	2694	251	54	3	35	42	28	3107
-------	------	-----	----	---	----	----	----	------

Total	2830	278	49	0	38	41	27	3263
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 10th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	3	0	0	0	0	0	0	3
00:15	2	0	0	0	0	0	0	2
00:30	2	0	0	0	0	0	0	2
00:45	2	0	0	0	0	0	0	2
1 Hr	9	0	0	0	0	0	0	9

01:00	3	0	0	0	0	0	0	3
01:15	0	0	0	0	0	0	0	0
01:30	1	0	0	0	0	0	0	1
01:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4

02:00	0	0	0	0	0	0	0	0
02:15	1	0	0	0	0	0	0	1
02:30	3	0	0	0	0	0	0	3
02:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4

03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	1	0	0	0	0	0	0	1
03:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3

04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	1	1	1	0	0	0	0	3
04:45	0	0	0	0	0	0	0	0
1 Hr	2	1	1	0	0	0	0	4

05:00	0	0	0	0	0	0	0	0
05:15	2	0	0	0	0	0	0	2
05:30	2	2	0	0	0	0	0	4
05:45	1	0	0	0	0	0	0	1
1 Hr	5	2	0	0	0	0	0	7

6 Hrs	27	3	1	0	0	0	0	31
-------	----	---	---	---	---	---	---	----

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	2	0	0	0	0	0	0	2
00:15	1	0	0	0	0	0	0	1
00:30	2	0	0	0	0	0	0	2
00:45	1	0	0	0	0	0	0	1
1 Hr	6	0	0	0	0	0	0	6

01:00	3	0	0	0	0	0	0	3
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3

02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0

03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	1	0	0	0	0	0	2
1 Hr	1	1	0	0	0	0	0	2

04:00	0	0	0	0	0	0	0	0
04:15	2	1	0	0	0	0	0	3
04:30	3	1	0	0	0	0	0	4
04:45	0	0	0	0	0	0	0	0
1 Hr	5	2	0	0	0	0	0	7

05:00	3	0	1	0	0	0	0	4
05:15	9	1	0	0	0	0	0	10
05:30	9	0	0	0	0	1	0	10
05:45	15	3	1	0	0	0	0	19
1 Hr	36	4	2	0	0	1	0	43

6 Hrs	51	7	2	0	0	1	0	61
-------	----	---	---	---	---	---	---	----

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	1	0	0	1
-------	---	---	---	---

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

17:00	0	0	0	0
17:15	0	0	0	0
17:30	1	0	0	1
17:45	0	0	0	0
1 Hr	1	0	0	1

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	2	0	0	2
-------	---	---	---	---



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 10th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	2	1	0	0	1	0	0	4
06:15	3	1	1	0	0	1	0	6
06:30	7	0	0	0	0	0	0	7
06:45	13	1	0	0	0	0	2	16
1 Hr	25	3	1	0	1	1	2	33

11	1	2	0	0	0	1	15
19	2	0	0	0	1	0	22
30	3	1	0	1	1	1	37
21	7	1	0	0	0	2	31
81	13	4	0	1	2	4	105

07:00	8	1	1	0	1	1	0	12
07:15	25	4	2	0	3	0	1	35
07:30	19	6	2	0	0	1	0	28
07:45	16	3	0	0	1	0	0	20
1 Hr	68	14	5	0	5	2	1	95

52	8	2	0	0	2	2	66
81	10	0	0	0	2	0	93
97	13	2	0	1	1	0	114
120	3	1	0	0	2	0	126
350	34	5	0	1	7	2	399

08:00	17	2	4	0	0	1	0	24
08:15	21	5	1	0	1	0	0	28
08:30	24	2	2	1	0	3	0	32
08:45	31	6	1	0	1	0	0	39
1 Hr	93	15	8	1	2	4	0	123

140	10	0	0	2	1	1	154
134	9	0	0	0	2	1	146
120	8	2	0	1	1	1	133
102	5	1	0	0	4	0	112
496	32	3	0	3	8	3	545

09:00	17	2	0	1	1	0	1	22
09:15	26	2	1	0	0	1	0	30
09:30	20	4	5	0	1	2	3	35
09:45	25	8	3	0	0	1	0	37
1 Hr	88	16	9	1	2	4	4	124

120	5	1	0	0	1	1	128
73	3	3	0	1	0	0	80
56	8	0	0	1	1	0	66
43	5	2	1	2	0	0	53
292	21	6	1	4	2	1	327

10:00	29	6	1	0	1	0	0	37
10:15	31	2	2	0	1	2	0	38
10:30	27	3	1	0	2	0	0	33
10:45	47	7	1	0	0	1	0	56
1 Hr	134	18	5	0	4	3	0	164

34	4	0	0	0	0	0	38
41	3	0	0	1	1	0	46
48	5	1	0	0	0	0	54
41	3	2	0	1	0	0	47
164	15	3	0	2	1	0	185

11:00	34	6	0	0	1	4	1	46
11:15	39	7	1	0	0	0	0	47
11:30	41	2	0	0	1	0	2	46
11:45	43	8	2	0	0	0	0	53
1 Hr	157	23	3	0	2	4	3	192

68	4	2	0	0	0	0	74
35	5	2	0	1	1	0	44
29	3	1	0	0	0	0	33
34	6	1	0	1	0	0	42
166	18	6	0	2	1	0	193

6 Hrs	565	89	31	2	16	18	10	731
-------	-----	----	----	---	----	----	----	-----

1549	133	27	1	13	21	10	1754
------	-----	----	---	----	----	----	------

12 Hrs	592	92	32	2	16	18	10	762
--------	-----	----	----	---	----	----	----	-----

1600	140	29	1	13	22	10	1815
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 10th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	36	4	2	0	2	0	0	44
12:15	48	3	3	1	0	0	0	55
12:30	35	2	1	0	0	0	0	38
12:45	44	5	3	0	1	2	0	55
1 Hr	163	14	9	1	3	2	0	192

12:00	32	5	4	0	1	1	1	44
12:15	27	6	0	0	1	0	0	34
12:30	37	1	2	0	0	1	0	41
12:45	40	3	2	1	1	1	0	48
1 Hr	136	15	8	1	3	3	1	167

13:00	38	3	2	0	1	1	0	45
13:15	37	4	0	0	0	2	0	43
13:30	32	5	0	0	1	0	0	38
13:45	50	4	2	0	0	1	0	57
1 Hr	157	16	4	0	2	4	0	183

13:00	37	4	3	0	0	1	0	45
13:15	39	7	1	1	1	1	0	50
13:30	41	3	4	0	0	2	2	52
13:45	40	3	0	0	1	1	0	45
1 Hr	157	17	8	1	2	5	2	192

14:00	45	4	3	0	0	0	0	52
14:15	34	2	0	0	2	0	0	38
14:30	40	4	1	0	3	0	0	48
14:45	58	2	3	0	0	0	0	63
1 Hr	177	12	7	0	5	0	0	201

14:00	29	8	1	0	0	0	0	38
14:15	45	3	1	1	2	1	0	53
14:30	40	2	2	1	0	0	0	45
14:45	33	8	2	0	1	2	1	47
1 Hr	147	21	6	2	3	3	1	183

15:00	73	6	0	0	1	2	1	83
15:15	61	5	2	0	0	4	0	72
15:30	73	3	1	0	1	2	0	80
15:45	68	6	1	0	0	0	1	76
1 Hr	275	20	4	0	2	8	2	311

15:00	29	6	0	0	0	1	0	36
15:15	39	4	0	0	2	1	0	46
15:30	45	2	3	0	0	1	0	51
15:45	42	4	1	0	1	1	0	49
1 Hr	155	16	4	0	3	4	0	182

16:00	86	7	0	0	0	0	3	96
16:15	91	7	2	0	1	0	0	101
16:30	86	7	2	0	0	2	0	97
16:45	94	4	0	0	1	4	1	104
1 Hr	357	25	4	0	2	6	4	398

16:00	41	3	1	0	0	0	0	45
16:15	34	5	0	0	1	1	1	42
16:30	36	7	2	0	0	1	0	46
16:45	30	2	1	0	0	1	0	34
1 Hr	141	17	4	0	1	3	1	167

17:00	122	7	1	0	0	4	0	134
17:15	124	14	1	0	2	2	2	145
17:30	98	4	2	0	0	5	2	111
17:45	87	6	2	0	1	1	2	99
1 Hr	431	31	6	0	3	12	6	489

17:00	40	3	0	0	3	1	0	47
17:15	23	2	0	0	1	0	1	27
17:30	33	5	0	0	1	0	0	39
17:45	39	0	3	0	0	1	0	43
1 Hr	135	10	3	0	5	2	1	156

6 Hrs	1560	118	34	1	17	32	12	1774
-------	------	-----	----	---	----	----	----	------

6 Hrs	871	96	33	4	17	20	6	1047
-------	-----	----	----	---	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 10th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	77	5	1	0	0	1	3	87
18:15	43	3	0	0	0	1	1	48
18:30	57	5	1	0	0	2	1	66
18:45	36	2	1	0	0	0	0	39
1 Hr	213	15	3	0	0	4	5	240

18:00	41	0	1	0	1	1	1	45
18:15	34	0	1	0	0	1	1	37
18:30	33	2	1	0	1	0	0	37
18:45	41	3	1	0	0	1	1	47
1 Hr	149	5	4	0	2	3	3	166

19:00	38	1	1	0	1	2	1	44
19:15	34	1	1	0	0	1	0	37
19:30	26	0	1	0	0	0	0	27
19:45	29	0	1	0	0	0	0	30
1 Hr	127	2	4	0	1	3	1	138

19:00	37	2	0	0	0	2	0	41
19:15	27	0	1	0	0	1	2	31
19:30	18	1	1	0	1	1	0	22
19:45	17	1	1	0	0	0	0	19
1 Hr	99	4	3	0	1	4	2	113

20:00	34	2	0	0	0	1	1	38
20:15	32	0	1	0	0	0	0	33
20:30	30	2	0	0	0	0	0	32
20:45	24	0	0	0	0	1	0	25
1 Hr	120	4	1	0	0	2	1	128

20:00	24	1	0	0	0	0	0	25
20:15	15	1	0	0	0	0	0	16
20:30	16	0	1	0	0	1	0	18
20:45	16	0	0	0	0	0	0	16
1 Hr	71	2	1	0	0	1	0	75

21:00	26	0	0	0	0	1	0	27
21:15	17	0	0	0	0	1	0	18
21:30	19	0	1	0	0	1	0	21
21:45	21	1	0	0	0	0	0	22
1 Hr	83	1	1	0	0	3	0	88

21:00	16	0	0	0	0	0	0	16
21:15	13	1	0	0	0	0	0	14
21:30	6	0	0	0	0	1	0	7
21:45	11	0	0	0	0	1	0	12
1 Hr	46	1	0	0	0	2	0	49

22:00	10	0	0	0	0	1	0	11
22:15	19	0	0	0	0	0	0	19
22:30	13	0	1	0	0	0	0	14
22:45	5	0	0	0	0	0	0	5
1 Hr	47	0	1	0	0	1	0	49

22:00	10	0	0	0	0	0	0	10
22:15	5	0	0	0	0	0	0	5
22:30	7	0	1	0	0	0	0	8
22:45	3	0	0	0	0	1	0	4
1 Hr	25	0	1	0	0	1	0	27

23:00	5	0	0	0	0	0	0	5
23:15	9	0	0	0	0	0	0	9
23:30	5	0	0	0	0	0	0	5
23:45	6	0	0	0	0	0	0	6
1 Hr	25	0	0	0	0	0	0	25

23:00	4	0	0	0	0	0	0	4
23:15	7	0	0	0	0	1	0	8
23:30	5	0	0	0	0	0	0	5
23:45	3	0	0	0	0	0	0	3
1 Hr	19	0	0	0	0	1	0	20

6 Hrs	615	22	10	0	1	13	7	668
-------	-----	----	----	---	---	----	---	-----

6 Hrs	409	12	9	0	3	12	5	450
-------	-----	----	---	---	---	----	---	-----

12 Hrs	2175	140	44	1	18	45	19	2442
--------	------	-----	----	---	----	----	----	------

12 Hrs	1280	108	42	4	20	32	11	1497
--------	------	-----	----	---	----	----	----	------

Total	2767	232	76	3	34	63	29	3204
-------	------	-----	----	---	----	----	----	------

Total	2880	248	71	5	33	54	21	3312
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Wednesday 11th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	2	0	0	0	0	0	0	2
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4

01:00	1	0	0	0	0	0	0	1
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4

02:00	1	0	0	0	0	0	0	1
02:15	1	0	0	0	0	0	0	1
02:30	3	0	0	0	0	0	0	3
02:45	0	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	0	5

03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2

04:00	1	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0
04:30	0	0	1	0	0	0	0	1
04:45	2	0	0	0	0	0	0	2
1 Hr	3	0	1	0	0	0	0	4

05:00	2	0	0	0	0	0	0	2
05:15	0	0	0	0	0	0	0	0
05:30	2	1	1	0	0	0	0	4
05:45	0	0	0	0	0	0	0	0
1 Hr	4	1	1	0	0	0	0	6

6 Hrs	22	1	2	0	0	0	0	25
-------	----	---	---	---	---	---	---	----

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	1	0	0	0	0	0	0	1
00:15	1	0	0	0	0	0	0	1
00:30	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2

01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	2	0	0	0	0	0	0	2
1 Hr	3	0	0	0	0	0	0	3

02:00	0	0	0	0	0	0	0	0
02:15	1	0	0	0	0	0	0	1
02:30	1	0	0	0	0	0	0	1
02:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3

03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1

04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	2	0	0	0	0	0	0	2
04:45	3	0	0	0	0	0	0	3
1 Hr	5	0	0	0	0	0	0	5

05:00	5	0	0	0	0	0	0	5
05:15	6	1	0	0	0	0	0	7
05:30	17	1	2	0	0	1	0	21
05:45	11	3	1	0	0	0	0	15
1 Hr	39	5	3	0	0	1	0	48

6 Hrs	53	5	3	0	0	1	0	62
-------	----	---	---	---	---	---	---	----

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	

07:00	1	0	0	1
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	1	0	0	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1

16:00	0	0	0	0
16:15	0	0	0	0
16:30	1	0	0	1
16:45	0	0	0	0
1 Hr	1	0	0	1

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

3 Hrs	1	0	0	1
-------	---	---	---	---

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	

07:00	1	0	0	1
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

16:00	2	0	0	2
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	2	0	0	2

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	3	0	0	3
-------	---	---	---	---



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Wednesday 11th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	0	0	0	0	1	0	1	2
06:15	7	0	0	0	0	0	0	7
06:30	10	1	0	0	0	1	1	13
06:45	11	0	0	0	0	0	0	11
1 Hr	28	1	0	0	1	1	2	33

14	2	0	0	0	0	1	17
26	1	1	0	0	0	0	28
28	0	0	0	1	1	1	31
30	5	1	0	0	1	4	41
98	8	2	0	1	2	6	117

07:00	13	2	1	0	1	0	1	18
07:15	24	4	2	0	2	1	0	33
07:30	19	7	0	0	1	0	0	27
07:45	21	2	2	0	1	0	0	26
1 Hr	77	15	5	0	5	1	1	104

50	9	1	0	0	3	0	63
74	10	2	0	0	2	0	88
89	11	1	0	1	3	2	107
134	5	1	0	0	3	2	145
347	35	5	0	1	11	4	403

08:00	20	4	3	0	0	0	0	27
08:15	18	4	2	0	1	1	0	26
08:30	24	3	2	0	0	1	1	31
08:45	33	6	0	0	1	0	2	42
1 Hr	95	17	7	0	2	2	3	126

124	8	2	0	2	2	2	140
154	10	0	0	0	1	0	165
116	8	1	0	0	0	1	126
94	9	2	1	1	0	0	107
488	35	5	1	3	3	3	538

09:00	25	5	0	0	0	0	0	30
09:15	27	3	0	1	2	0	1	34
09:30	22	8	0	0	1	0	0	31
09:45	30	1	1	0	0	0	0	32
1 Hr	104	17	1	1	3	0	1	127

109	8	1	0	0	0	0	118
82	7	0	0	1	0	0	90
49	7	1	0	2	3	0	62
49	8	1	0	2	0	2	62
289	30	3	0	5	3	2	332

10:00	31	6	0	0	1	0	0	38
10:15	21	3	1	0	0	1	0	26
10:30	31	6	2	0	1	0	0	40
10:45	31	3	0	0	0	0	0	34
1 Hr	114	18	3	0	2	1	0	138

38	4	0	0	0	0	0	42
38	6	3	0	1	0	0	48
48	6	4	1	0	0	0	59
35	3	2	0	1	0	0	41
159	19	9	1	2	0	0	190

11:00	40	5	2	0	1	0	0	48
11:15	32	3	1	0	0	0	0	36
11:30	47	4	0	0	2	0	0	53
11:45	40	5	0	0	1	2	1	49
1 Hr	159	17	3	0	4	2	1	186

37	4	2	0	0	0	0	43
42	1	2	1	1	0	0	47
32	1	0	0	1	1	1	36
41	4	0	0	1	2	0	48
152	10	4	1	3	3	1	174

6 Hrs	577	85	19	1	17	7	8	714
-------	-----	----	----	---	----	---	---	-----

1533	137	28	3	15	22	16	1754
------	-----	----	---	----	----	----	------

12 Hrs	599	86	21	1	17	7	8	739
--------	-----	----	----	---	----	---	---	-----

1586	142	31	3	15	23	16	1816
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 11th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	44	4	1	0	1	4	0	54
12:15	34	3	0	0	0	4	0	41
12:30	39	3	1	0	1	2	0	46
12:45	44	3	2	0	0	1	0	50
1 Hr	161	13	4	0	2	11	0	191

12:00	37	6	1	0	1	0	1	46
12:15	41	0	0	0	1	0	3	45
12:30	39	6	1	0	0	4	0	50
12:45	33	5	1	0	1	0	0	40
1 Hr	150	17	3	0	3	4	4	181

13:00	37	6	2	0	1	0	2	48
13:15	28	2	2	0	0	0	0	32
13:30	40	3	4	1	1	0	0	49
13:45	44	2	0	0	0	1	0	47
1 Hr	149	13	8	1	2	1	2	176

13:00	30	2	1	0	0	1	0	34
13:15	34	1	1	0	1	2	0	39
13:30	45	5	2	0	0	0	1	53
13:45	48	1	2	0	1	2	0	54
1 Hr	157	9	6	0	2	5	1	180

14:00	41	4	1	0	1	1	0	48
14:15	41	5	1	0	1	2	0	50
14:30	39	7	0	0	5	1	0	52
14:45	66	5	1	0	0	6	1	79
1 Hr	187	21	3	0	7	10	1	229

14:00	31	2	2	0	0	0	0	35
14:15	38	0	0	0	2	0	0	40
14:30	38	5	0	0	3	2	0	48
14:45	35	6	1	1	1	0	0	44
1 Hr	142	13	3	1	6	2	0	167

15:00	76	3	0	1	1	2	2	85
15:15	57	4	1	0	1	1	0	64
15:30	70	7	0	0	1	0	0	78
15:45	56	3	0	0	1	2	0	62
1 Hr	259	17	1	1	4	5	2	289

15:00	32	3	1	1	0	2	0	39
15:15	41	3	1	0	2	4	0	51
15:30	56	1	1	0	0	0	0	58
15:45	40	6	0	0	1	1	0	48
1 Hr	169	13	3	1	3	7	0	196

16:00	60	7	0	0	0	0	2	69
16:15	76	8	1	0	1	0	0	86
16:30	103	5	0	0	0	4	1	113
16:45	111	12	0	0	1	3	0	127
1 Hr	350	32	1	0	2	7	3	395

16:00	34	8	1	1	0	2	0	46
16:15	27	3	1	1	1	2	1	36
16:30	34	5	0	0	0	0	0	39
16:45	29	7	2	0	3	0	1	42
1 Hr	124	23	4	2	4	4	2	163

17:00	122	7	3	0	0	4	1	137
17:15	107	8	1	0	1	5	3	125
17:30	84	10	1	0	0	4	1	100
17:45	75	6	0	0	0	0	0	81
1 Hr	388	31	5	0	1	13	5	443

17:00	32	5	2	0	0	2	1	42
17:15	30	3	1	0	0	2	3	39
17:30	30	7	0	1	1	0	0	39
17:45	36	2	0	0	0	0	0	38
1 Hr	128	17	3	1	1	4	4	158

6 Hrs	1494	127	22	2	18	47	13	1723
-------	------	-----	----	---	----	----	----	------

6 Hrs	870	92	22	5	19	26	11	1045
-------	-----	----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Wednesday 11th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	49	7	3	0	0	3	4	66
18:15	41	8	1	0	0	7	3	60
18:30	40	1	1	1	0	0	0	43
18:45	44	2	1	0	0	1	0	48
1 Hr	174	18	6	1	0	11	7	217

18:00	31	5	2	0	0	2	1	41
18:15	38	2	0	0	0	2	0	42
18:30	41	2	1	0	1	2	0	47
18:45	35	2	0	0	0	2	0	39
1 Hr	145	11	3	0	1	8	1	169

19:00	34	2	0	0	1	1	1	39
19:15	29	2	0	0	0	1	0	32
19:30	45	1	2	0	0	3	0	51
19:45	25	0	0	0	0	0	0	25
1 Hr	133	5	2	0	1	5	1	147

19:00	34	2	0	0	0	0	0	36
19:15	22	5	1	0	0	1	0	29
19:30	24	1	0	0	1	2	1	29
19:45	19	0	0	0	0	0	0	19
1 Hr	99	8	1	0	1	3	1	113

20:00	28	2	0	0	0	1	1	32
20:15	30	4	0	0	0	0	0	34
20:30	39	3	0	0	0	3	0	45
20:45	25	3	0	0	0	1	2	31
1 Hr	122	12	0	0	0	5	3	142

20:00	21	2	1	0	0	1	2	27
20:15	15	0	0	0	0	1	0	16
20:30	11	0	0	0	0	0	0	11
20:45	12	0	0	0	0	2	0	14
1 Hr	59	2	1	0	0	4	2	68

21:00	19	2	0	0	0	5	0	26
21:15	22	1	0	0	0	0	0	23
21:30	16	0	0	0	0	1	0	17
21:45	19	1	0	0	0	0	0	20
1 Hr	76	4	0	0	0	6	0	86

21:00	16	0	0	0	0	0	0	16
21:15	19	0	0	0	0	1	0	20
21:30	9	0	0	0	0	0	0	9
21:45	11	2	0	0	0	1	0	14
1 Hr	55	2	0	0	0	2	0	59

22:00	18	0	0	0	0	3	0	21
22:15	21	0	0	0	0	1	0	22
22:30	8	0	0	0	0	0	0	8
22:45	12	0	0	0	0	0	0	12
1 Hr	59	0	0	0	0	4	0	63

22:00	16	0	0	0	0	1	0	17
22:15	8	0	0	0	0	1	0	9
22:30	6	0	0	0	0	0	0	6
22:45	4	0	0	0	0	0	0	4
1 Hr	34	0	0	0	0	2	0	36

23:00	7	0	0	0	0	0	0	7
23:15	1	0	0	0	0	0	0	1
23:30	5	0	0	0	0	0	0	5
23:45	5	0	0	0	0	0	0	5
1 Hr	18	0	0	0	0	0	0	18

23:00	0	0	0	0	0	0	0	0
23:15	0	0	0	0	0	0	0	0
23:30	0	0	0	0	0	0	0	0
23:45	4	0	0	0	0	0	0	4
1 Hr	4	0	0	0	0	0	0	4

6 Hrs	582	39	8	1	1	31	11	673
-------	-----	----	---	---	---	----	----	-----

6 Hrs	396	23	5	0	2	19	4	449
-------	-----	----	---	---	---	----	---	-----

12 Hrs	2076	166	30	3	19	78	24	2396
--------	------	-----	----	---	----	----	----	------

12 Hrs	1266	115	27	5	21	45	15	1494
--------	------	-----	----	---	----	----	----	------

Total	2675	252	51	4	36	85	32	3135
-------	------	-----	----	---	----	----	----	------

Total	2852	257	58	8	36	68	31	3310
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 12th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	4	0	0	0	0	0	0	4
00:15	2	0	0	0	0	0	0	2
00:30	1	0	0	0	0	0	0	1
00:45	1	0	0	0	0	0	0	1
1 Hr	8	0	0	0	0	0	0	8
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
02:00	2	0	0	0	0	0	0	2
02:15	0	0	1	0	0	0	0	1
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	3	0	1	0	0	0	0	4
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	1	0	0	0	2
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	1	0	0	0	3
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	1	0	1	0	0	0	0	2
04:45	0	0	1	0	0	0	0	1
1 Hr	2	0	2	0	0	0	0	4
05:00	0	0	0	0	0	0	0	0
05:15	1	0	0	0	0	0	0	1
05:30	0	1	0	0	0	0	0	1
05:45	2	1	0	0	0	0	0	3
1 Hr	3	2	0	0	0	0	0	5
6 Hrs	20	2	3	1	0	0	0	26

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
01:00	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
02:00	1	0	0	0	0	0	0	1
02:15	1	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	1	0	0	0	0	0	1
1 Hr	0	1	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	3	0	0	0	0	0	0	3
04:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4
05:00	6	0	0	0	0	0	0	6
05:15	3	2	1	0	0	0	0	6
05:30	12	1	0	0	0	0	0	13
05:45	10	5	1	0	0	0	0	16
1 Hr	31	8	2	0	0	0	0	41
6 Hrs	40	9	2	0	0	0	0	51

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Thursday 12th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	4	2	0	0	1	1	0	8
06:15	1	1	1	0	0	0	0	3
06:30	3	0	0	0	0	1	0	4
06:45	15	0	1	0	0	0	0	16
1 Hr	23	3	2	0	1	2	0	31

11	2	1	0	0	0	1	15
23	1	0	0	0	0	0	24
19	3	0	0	1	1	1	25
33	4	2	0	0	0	3	42
86	10	3	0	1	1	5	106

07:00	10	4	2	0	1	0	0	17
07:15	19	3	0	0	3	0	1	26
07:30	14	6	3	0	0	1	0	24
07:45	22	5	1	0	1	0	0	29
1 Hr	65	18	6	0	5	1	1	96

56	14	5	0	0	1	1	77
67	9	2	0	0	2	1	81
75	13	1	0	1	0	1	91
130	12	1	0	0	4	0	147
328	48	9	0	1	7	3	396

08:00	18	3	5	0	0	1	0	27
08:15	18	4	0	0	1	0	0	23
08:30	31	6	2	1	0	0	0	40
08:45	29	2	3	1	1	1	0	37
1 Hr	96	15	10	2	2	2	0	127

129	7	0	0	2	0	1	139
140	5	4	0	0	4	0	153
102	7	2	0	1	2	1	115
124	7	1	0	0	1	2	135
495	26	7	0	3	7	4	542

09:00	32	2	2	1	2	0	0	39
09:15	22	4	1	0	0	1	0	28
09:30	26	3	2	0	1	0	1	33
09:45	35	5	3	0	0	0	1	44
1 Hr	115	14	8	1	3	1	2	144

111	9	2	0	1	1	0	124
79	3	1	0	1	0	0	84
57	4	2	0	1	0	0	64
55	1	1	0	1	2	0	60
302	17	6	0	4	3	0	332

10:00	32	5	3	0	1	0	0	41
10:15	27	2	1	0	0	0	1	31
10:30	42	6	0	0	1	0	1	50
10:45	34	3	2	1	0	0	1	41
1 Hr	135	16	6	1	2	0	3	163

43	3	2	0	1	3	0	52
51	6	1	0	1	0	0	59
42	3	2	0	0	1	1	49
24	3	1	0	1	2	1	32
160	15	6	0	3	6	2	192

11:00	32	1	1	0	1	1	0	36
11:15	35	4	0	0	0	1	0	40
11:30	36	1	2	0	1	0	0	40
11:45	49	5	3	0	0	3	0	60
1 Hr	152	11	6	0	2	5	0	176

35	11	4	0	0	0	1	51
42	4	3	0	1	1	0	51
36	4	3	0	0	0	0	43
38	1	3	0	1	0	0	43
151	20	13	0	2	1	1	188

6 Hrs	586	77	38	4	15	11	6	737
-------	-----	----	----	---	----	----	---	-----

1522	136	44	0	14	25	15	1756
------	-----	----	---	----	----	----	------

12 Hrs	606	79	41	5	15	11	6	763
--------	-----	----	----	---	----	----	---	-----

1562	145	46	0	14	25	15	1807
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 12th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	41	5	2	0	1	0	0	49
12:15	51	6	0	0	0	0	0	57
12:30	40	5	0	0	1	3	1	50
12:45	34	7	2	0	0	0	0	43
1 Hr	166	23	4	0	2	3	1	199

12:00	41	6	2	1	0	0	0	50
12:15	39	4	1	0	1	1	0	46
12:30	44	8	0	0	0	0	1	53
12:45	32	5	0	0	1	0	0	38
1 Hr	156	23	3	1	2	1	1	187

13:00	34	8	0	0	1	0	0	43
13:15	34	3	2	0	0	0	0	39
13:30	41	3	0	0	2	1	0	47
13:45	31	5	1	1	0	1	0	39
1 Hr	140	19	3	1	3	2	0	168

13:00	34	8	3	0	0	2	0	47
13:15	40	5	3	0	1	3	0	52
13:30	50	1	1	0	0	3	0	55
13:45	36	6	1	0	1	1	0	45
1 Hr	160	20	8	0	2	9	0	199

14:00	50	4	1	0	2	0	0	57
14:15	50	6	1	0	1	1	0	59
14:30	44	5	0	0	3	1	0	53
14:45	53	6	1	0	0	7	0	67
1 Hr	197	21	3	0	6	9	0	236

14:00	39	3	1	0	0	0	0	43
14:15	41	1	1	1	3	1	0	48
14:30	41	2	2	0	0	1	0	46
14:45	45	6	3	0	1	0	0	55
1 Hr	166	12	7	1	4	2	0	192

15:00	70	11	2	0	2	1	1	87
15:15	59	6	1	0	0	0	0	66
15:30	54	6	2	0	1	2	1	66
15:45	66	8	2	1	1	1	0	79
1 Hr	249	31	7	1	4	4	2	298

15:00	25	5	2	0	0	2	0	34
15:15	27	3	0	0	3	1	0	34
15:30	48	6	1	0	0	2	0	57
15:45	36	5	4	0	1	1	0	47
1 Hr	136	19	7	0	4	6	0	172

16:00	71	6	0	0	0	1	1	79
16:15	93	5	5	2	0	2	1	108
16:30	98	10	1	0	0	2	1	112
16:45	96	6	0	0	0	2	2	106
1 Hr	358	27	6	2	0	7	5	405

16:00	36	7	2	0	0	0	0	45
16:15	20	2	0	1	1	1	1	26
16:30	32	6	1	1	0	2	0	42
16:45	26	6	3	0	3	0	0	38
1 Hr	114	21	6	2	4	3	1	151

17:00	129	11	1	0	1	4	3	149
17:15	91	5	3	0	1	3	2	105
17:30	95	8	0	0	0	3	0	106
17:45	67	4	3	0	1	3	0	78
1 Hr	382	28	7	0	3	13	5	438

17:00	50	8	0	0	0	1	0	59
17:15	32	0	0	0	0	0	1	33
17:30	22	7	0	0	1	0	1	31
17:45	29	0	0	0	1	0	1	31
1 Hr	133	15	0	0	2	1	3	154

6 Hrs	1492	149	30	4	18	38	13	1744
-------	------	-----	----	---	----	----	----	------

6 Hrs	865	110	31	4	18	22	5	1055
-------	-----	-----	----	---	----	----	---	------

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	60	1	0	0	0	1	1	63
18:15	51	2	0	0	0	0	3	56
18:30	47	2	1	0	0	0	1	51
18:45	41	6	0	0	0	0	3	50
1 Hr	199	11	1	0	0	1	8	220

18:00	44	2	1	0	1	1	1	50
18:15	37	1	2	0	0	0	1	41
18:30	40	3	1	0	1	0	0	45
18:45	30	1	0	0	0	0	0	31
1 Hr	151	7	4	0	2	1	2	167

19:00	27	2	0	0	1	2	0	32
19:15	39	2	1	0	0	1	0	43
19:30	35	1	1	0	0	0	0	37
19:45	40	4	0	0	0	2	1	47
1 Hr	141	9	2	0	1	5	1	159

19:00	28	0	0	0	0	0	0	28
19:15	39	3	0	0	0	0	2	44
19:30	28	2	1	0	0	0	1	32
19:45	31	1	0	0	1	1	0	34
1 Hr	126	6	1	0	1	1	3	138

20:00	32	1	0	0	0	2	0	35
20:15	36	1	0	1	0	0	0	38
20:30	21	0	0	0	0	0	0	21
20:45	26	2	1	0	0	0	1	30
1 Hr	115	4	1	1	0	2	1	124

20:00	24	0	0	0	0	0	0	24
20:15	11	1	0	0	0	0	0	12
20:30	16	2	0	0	0	0	3	21
20:45	21	0	1	0	0	1	0	23
1 Hr	72	3	1	0	0	1	3	80

21:00	18	0	0	0	0	0	0	18
21:15	17	1	0	0	0	0	0	18
21:30	18	1	0	0	0	0	0	19
21:45	17	0	0	0	0	0	0	17
1 Hr	70	2	0	0	0	0	0	72

21:00	14	0	0	0	0	1	0	15
21:15	11	1	0	0	0	0	0	12
21:30	9	0	1	0	0	0	0	10
21:45	12	0	0	0	0	0	0	12
1 Hr	46	1	1	0	0	1	0	49

22:00	34	0	0	0	0	3	0	37
22:15	13	2	0	0	0	1	0	16
22:30	15	0	0	0	0	0	0	15
22:45	13	0	0	0	0	0	0	13
1 Hr	75	2	0	0	0	4	0	81

22:00	8	0	0	0	0	1	1	10
22:15	6	1	0	0	0	0	0	7
22:30	4	0	0	0	0	1	0	5
22:45	9	0	0	0	0	0	0	9
1 Hr	27	1	0	0	0	2	1	31

23:00	13	0	0	0	0	0	0	13
23:15	4	0	0	0	0	0	0	4
23:30	3	0	1	0	0	0	0	4
23:45	4	0	0	0	0	0	0	4
1 Hr	24	0	1	0	0	0	0	25

23:00	8	0	0	0	0	1	0	9
23:15	2	0	0	0	0	0	0	2
23:30	3	0	0	0	0	0	0	3
23:45	1	0	0	0	0	0	0	1
1 Hr	14	0	0	0	0	1	0	15

6 Hrs	624	28	5	1	1	12	10	681
-------	-----	----	---	---	---	----	----	-----

6 Hrs	436	18	7	0	3	7	9	480
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2116	177	35	5	19	50	23	2425
--------	------	-----	----	---	----	----	----	------

12 Hrs	1301	128	38	4	21	29	14	1535
--------	------	-----	----	---	----	----	----	------

Total	2722	256	76	10	34	61	29	3188
-------	------	-----	----	----	----	----	----	------

Total	2863	273	84	4	35	54	29	3342
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Friday 13th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	4	0	0	0	0	0	0	4
00:15	3	0	0	0	0	0	0	3
00:30	2	0	0	0	0	0	0	2
00:45	2	0	0	0	0	0	0	2
1 Hr	11	0	0	0	0	0	0	11

01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2

02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	2	0	0	0	0	0	0	2
02:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3

03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0

04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	2	0	1	0	0	0	0	3
04:45	2	0	0	0	0	0	0	2
1 Hr	4	0	1	0	0	0	0	5

05:00	1	0	0	0	0	1	0	2
05:15	0	0	0	0	0	0	0	0
05:30	2	1	0	0	0	0	0	3
05:45	4	0	0	0	0	0	0	4
1 Hr	7	1	0	0	0	1	0	9

6 Hrs	27	1	1	0	0	1	0	30
-------	----	---	---	---	---	---	---	----

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	2	0	0	0	0	0	0	2
00:15	0	0	0	0	0	0	0	0
00:30	1	0	0	0	0	0	0	1
00:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4

01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1

02:00	0	0	0	0	0	0	0	0
02:15	1	0	0	0	0	0	0	1
02:30	2	0	0	0	0	0	0	2
02:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4

03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1

04:00	1	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0
04:30	1	0	0	0	0	0	0	1
04:45	0	1	0	0	0	0	0	1
1 Hr	2	1	0	0	0	0	0	3

05:00	4	0	1	0	0	0	0	5
05:15	5	2	0	0	0	0	0	7
05:30	9	0	0	0	0	0	0	9
05:45	10	2	1	0	0	0	0	13
1 Hr	28	4	2	0	0	0	0	34

6 Hrs	40	5	2	0	0	0	0	47
-------	----	---	---	---	---	---	---	----

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	1	1
07:45	0	0	0	0
1 Hr	0	0	1	1

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	0	0	1	1
-------	---	---	---	---

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	1	1
07:45	0	0	0	0
1 Hr	0	0	1	1

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	1	0	0	1
1 Hr	1	0	0	1

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	1	0	1	2
-------	---	---	---	---



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Friday 13th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	1	1	0	0	1	0	1	4
06:15	1	0	0	0	0	0	0	1
06:30	10	1	0	0	0	0	1	12
06:45	10	2	1	0	0	0	2	15
1 Hr	22	4	1	0	1	0	4	32

10	4	0	0	0	0	0	0	14
25	3	0	0	0	0	0	0	28
20	2	1	1	1	2	1	1	28
32	7	2	0	0	1	0	0	42
87	16	3	1	1	3	1	1	112

07:00	10	3	3	0	1	0	0	17
07:15	20	2	0	0	0	0	1	23
07:30	19	6	4	0	3	1	1	34
07:45	24	2	3	1	1	0	0	31
1 Hr	73	13	10	1	5	1	2	105

45	11	2	0	0	2	1	1	61
64	12	0	0	0	4	1	1	81
96	15	4	0	1	2	0	0	118
105	11	2	0	0	3	2	2	123
310	49	8	0	1	11	4	4	383

08:00	16	5	0	0	0	1	0	22
08:15	22	4	1	0	1	0	0	28
08:30	28	2	1	0	0	0	0	31
08:45	38	5	2	0	1	1	0	47
1 Hr	104	16	4	0	2	2	0	128

115	8	2	0	1	0	1	1	127
144	7	4	0	1	4	0	0	160
115	6	1	0	0	2	2	2	126
103	5	3	0	1	1	1	0	113
477	26	10	0	3	7	3	3	526

09:00	30	1	2	0	1	0	0	34
09:15	28	2	1	1	0	0	0	32
09:30	28	5	0	0	1	0	0	34
09:45	26	6	1	0	0	1	0	34
1 Hr	112	14	4	1	2	1	0	134

98	4	0	0	0	0	0	0	102
87	4	2	0	0	1	1	1	95
56	5	3	1	1	1	0	0	67
67	3	0	0	2	0	0	0	72
308	16	5	1	3	2	1	1	336

10:00	34	6	2	0	1	0	0	43
10:15	40	5	1	0	0	1	0	47
10:30	39	6	1	0	1	2	0	49
10:45	33	7	1	0	0	1	0	42
1 Hr	146	24	5	0	2	4	0	181

44	5	1	0	0	1	0	0	51
39	2	1	0	1	2	0	0	45
38	4	1	0	0	0	0	0	43
50	2	1	0	1	0	0	0	54
171	13	4	0	2	3	0	0	193

11:00	43	4	1	0	1	0	0	49
11:15	51	7	0	0	1	1	0	60
11:30	38	5	1	0	1	0	2	47
11:45	40	10	1	0	1	1	1	54
1 Hr	172	26	3	0	4	2	3	210

53	1	1	0	0	1	1	1	57
36	7	2	0	2	0	0	0	47
40	3	1	0	0	2	0	0	46
38	2	0	0	1	1	0	0	42
167	13	4	0	3	4	1	1	192

6 Hrs	629	97	27	2	16	10	9	790
-------	-----	----	----	---	----	----	---	-----

1520	133	34	2	13	30	10	10	1742
------	-----	----	---	----	----	----	----	------

12 Hrs	656	98	28	2	16	11	9	820
--------	-----	----	----	---	----	----	---	-----

1560	138	36	2	13	30	10	10	1789
------	-----	----	---	----	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 13th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	38	2	1	0	1	1	0	43
12:15	40	5	0	0	1	1	0	47
12:30	45	9	0	0	1	2	3	60
12:45	44	6	1	0	0	1	0	52
1 Hr	167	22	2	0	3	5	3	202

12:00	41	7	2	0	1	0	1	52
12:15	46	5	4	2	1	2	0	60
12:30	42	7	3	0	1	5	0	58
12:45	32	5	1	0	1	0	0	39
1 Hr	161	24	10	2	4	7	1	209

13:00	38	0	2	0	1	0	0	41
13:15	37	4	3	0	0	1	1	46
13:30	52	4	4	0	1	1	0	62
13:45	45	3	3	0	0	2	0	53
1 Hr	172	11	12	0	2	4	1	202

13:00	53	7	3	0	0	4	0	67
13:15	49	7	1	0	1	3	0	61
13:30	56	5	0	0	0	0	1	62
13:45	38	3	0	0	1	0	0	42
1 Hr	196	22	4	0	2	7	1	232

14:00	49	4	1	0	1	2	0	57
14:15	41	5	0	0	0	4	0	50
14:30	53	4	2	0	2	1	0	62
14:45	67	1	1	0	1	0	0	70
1 Hr	210	14	4	0	4	7	0	239

14:00	36	3	3	0	0	1	0	43
14:15	36	3	2	0	1	1	1	44
14:30	47	5	1	0	1	2	0	56
14:45	37	6	1	0	1	2	0	47
1 Hr	156	17	7	0	3	6	1	190

15:00	86	7	2	0	1	3	1	100
15:15	78	4	2	0	0	0	0	84
15:30	67	12	1	0	1	3	1	85
15:45	69	8	1	0	0	0	0	78
1 Hr	300	31	6	0	2	6	2	347

15:00	24	4	2	0	0	1	0	31
15:15	25	4	0	0	2	1	0	32
15:30	45	8	2	0	1	0	0	56
15:45	48	3	1	1	0	0	0	53
1 Hr	142	19	5	1	3	2	0	172

16:00	88	8	0	0	4	0	2	102
16:15	95	8	0	0	0	2	2	107
16:30	92	3	1	0	1	2	1	100
16:45	84	8	1	0	1	1	0	95
1 Hr	359	27	2	0	6	5	5	404

16:00	58	8	2	0	1	1	0	70
16:15	36	8	0	0	1	1	1	47
16:30	27	7	0	0	0	0	0	34
16:45	31	2	0	0	0	2	1	36
1 Hr	152	25	2	0	2	4	2	187

17:00	74	2	0	0	0	7	0	83
17:15	93	12	0	0	0	1	0	106
17:30	69	5	0	0	1	1	3	79
17:45	70	4	1	0	2	1	2	80
1 Hr	306	23	1	0	3	10	5	348

17:00	25	3	0	0	1	0	0	29
17:15	22	3	2	0	1	1	1	30
17:30	27	1	2	0	1	1	0	32
17:45	33	1	0	0	0	0	0	34
1 Hr	107	8	4	0	3	2	1	125

6 Hrs	1514	128	27	0	20	37	16	1742
-------	------	-----	----	---	----	----	----	------

6 Hrs	914	115	32	3	17	28	6	1115
-------	-----	-----	----	---	----	----	---	------

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	61	6	0	0	0	2	0	69
18:15	64	7	0	0	0	2	0	73
18:30	51	7	0	0	0	1	0	59
18:45	33	2	0	0	0	1	0	36
1 Hr	209	22	0	0	0	6	0	237

18:00	37	1	0	0	2	1	0	41
18:15	52	0	0	0	0	0	0	52
18:30	36	1	1	0	1	0	1	40
18:45	35	2	0	0	0	0	0	37
1 Hr	160	4	1	0	3	1	1	170

19:00	40	6	0	0	1	1	0	48
19:15	39	1	0	0	0	0	0	40
19:30	38	2	1	0	0	0	0	41
19:45	28	2	0	0	0	0	0	30
1 Hr	145	11	1	0	1	1	0	159

19:00	33	2	0	0	0	2	1	38
19:15	30	2	0	0	0	1	0	33
19:30	30	2	0	0	1	1	0	34
19:45	21	1	0	0	0	0	2	24
1 Hr	114	7	0	0	1	4	3	129

20:00	34	0	0	0	0	1	0	35
20:15	26	1	0	0	0	0	0	27
20:30	19	2	0	0	0	0	0	21
20:45	17	0	2	0	0	0	0	19
1 Hr	96	3	2	0	0	1	0	102

20:00	24	2	0	0	0	1	0	27
20:15	15	0	0	0	0	1	0	16
20:30	8	0	0	0	0	0	0	8
20:45	22	1	0	0	0	0	0	23
1 Hr	69	3	0	0	0	2	0	74

21:00	22	1	0	0	0	0	0	23
21:15	12	1	0	0	0	0	0	13
21:30	19	0	0	0	0	2	0	21
21:45	25	0	0	0	0	1	0	26
1 Hr	78	2	0	0	0	3	0	83

21:00	7	0	0	0	0	0	0	7
21:15	10	0	1	0	0	0	0	11
21:30	12	0	1	0	0	0	0	13
21:45	11	0	0	0	0	1	0	12
1 Hr	40	0	2	0	0	1	0	43

22:00	13	0	0	0	0	0	0	13
22:15	15	0	1	0	0	1	0	17
22:30	14	0	0	0	0	0	0	14
22:45	18	0	0	0	0	0	0	18
1 Hr	60	0	1	0	0	1	0	62

22:00	12	0	0	0	0	0	0	12
22:15	10	1	0	0	0	0	0	11
22:30	10	0	0	0	0	0	0	10
22:45	7	0	0	0	0	0	0	7
1 Hr	39	1	0	0	0	0	0	40

23:00	17	0	0	0	0	0	0	17
23:15	14	0	0	0	0	0	0	14
23:30	8	0	0	0	0	0	0	8
23:45	9	0	0	0	0	0	0	9
1 Hr	48	0	0	0	0	0	0	48

23:00	5	0	0	0	0	0	0	5
23:15	7	0	0	0	0	0	0	7
23:30	6	0	0	0	0	0	1	7
23:45	4	0	0	0	0	0	0	4
1 Hr	22	0	0	0	0	0	1	23

6 Hrs	636	38	4	0	1	12	0	691
-------	-----	----	---	---	---	----	---	-----

6 Hrs	444	15	3	0	4	8	5	479
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2150	166	31	0	21	49	16	2433
--------	------	-----	----	---	----	----	----	------

12 Hrs	1358	130	35	3	21	36	11	1594
--------	------	-----	----	---	----	----	----	------

Total	2806	264	59	2	37	60	25	3253
-------	------	-----	----	---	----	----	----	------

Total	2918	268	71	5	34	66	21	3383
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 14th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	3	0	0	0	0	0	0	3
00:15	6	0	0	0	0	0	0	6
00:30	4	0	0	0	0	0	0	4
00:45	2	0	0	0	0	0	0	2
1 Hr	15	0	0	0	0	0	0	15

01:00	6	0	0	0	0	0	0	6
01:15	2	0	0	0	0	0	0	2
01:30	3	0	0	0	0	0	0	3
01:45	2	0	0	1	0	0	0	3
1 Hr	13	0	0	1	0	0	0	14

02:00	2	0	0	0	0	0	0	2
02:15	1	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3

03:00	4	0	0	0	0	0	1	5
03:15	1	0	0	0	0	0	0	1
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	6	0	0	0	0	0	1	7

04:00	2	0	0	0	0	0	0	2
04:15	1	0	0	0	0	0	0	1
04:30	3	0	1	0	0	0	0	4
04:45	2	0	0	0	0	0	0	2
1 Hr	8	0	1	0	0	0	0	9

05:00	2	0	0	0	0	0	0	2
05:15	0	0	0	0	0	0	0	0
05:30	0	1	0	0	0	0	0	1
05:45	1	0	0	0	0	0	0	1
1 Hr	3	1	0	0	0	0	0	4

6 Hrs	48	1	1	1	0	0	1	52
-------	----	---	---	---	---	---	---	----

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	3	0	0	0	0	0	0	3
00:15	3	0	0	0	0	0	0	3
00:30	5	0	0	0	0	0	0	5
00:45	2	0	0	0	0	0	0	2
1 Hr	13	0	0	0	0	0	0	13

01:00	2	0	0	0	0	0	0	2
01:15	4	0	0	0	0	0	0	4
01:30	2	0	0	0	0	0	0	2
01:45	0	0	0	0	0	0	0	0
1 Hr	8	0	0	0	0	0	0	8

02:00	2	0	0	0	0	0	0	2
02:15	1	0	0	0	0	0	0	1
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4

03:00	0	0	0	0	0	0	0	0
03:15	4	0	0	0	0	0	0	4
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	0	5

04:00	3	0	0	0	0	0	0	3
04:15	2	0	0	0	0	0	0	2
04:30	3	0	0	0	0	0	0	3
04:45	2	0	0	0	0	0	0	2
1 Hr	10	0	0	0	0	0	0	10

05:00	2	0	1	0	0	0	0	3
05:15	3	0	0	0	0	0	0	3
05:30	8	0	0	0	0	0	0	8
05:45	13	0	0	0	0	0	0	13
1 Hr	26	0	1	0	0	0	0	27

6 Hrs	66	0	1	0	0	0	0	67
-------	----	---	---	---	---	---	---	----

	Direction : Eastbound			Total
	Adult	Child	Accompanied	

07:00	0	0	0	0
07:15	1	0	0	1
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	1	1
1 Hr	0	0	1	1

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

3 Hr	1	0	1	2
------	---	---	---	---

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	1	0	1	2
-------	---	---	---	---

	Direction : Westbound			Total
	Adult	Child	Accompanied	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	1	1
1 Hr	0	0	1	1

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

3 Hr	0	0	1	1
------	---	---	---	---

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	0	0	1	1
-------	---	---	---	---



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 14th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	1	0	0	0	0	0	0	1
06:15	1	0	0	0	0	0	0	1
06:30	8	0	0	0	0	0	0	8
06:45	8	0	0	0	0	0	0	8
1 Hr	18	0	0	0	0	0	0	18

2	1	0	0	0	0	0	0	3
4	2	0	0	0	0	0	0	6
20	0	0	0	0	0	0	2	22
19	2	0	0	0	0	0	0	21
45	5	0	0	0	0	0	2	52

07:00	7	2	0	0	0	0	0	9
07:15	7	2	0	0	1	0	0	10
07:30	7	3	1	0	0	0	0	11
07:45	7	2	1	0	0	0	0	10
1 Hr	28	9	2	0	1	0	0	40

14	2	0	0	0	0	0	0	16
21	4	0	0	0	0	0	0	25
31	4	1	0	0	0	0	1	37
37	2	0	0	0	0	0	3	42
103	12	1	0	0	0	0	4	120

08:00	12	3	1	0	1	0	0	17
08:15	11	3	1	1	0	1	0	17
08:30	18	3	0	0	1	0	0	22
08:45	13	2	1	1	1	0	2	20
1 Hr	54	11	3	2	3	1	2	76

26	2	2	0	1	0	1	1	32
40	6	1	0	0	1	0	0	48
39	5	0	1	0	0	0	1	46
47	7	0	0	1	0	0	1	56
152	20	3	1	2	1	3	3	182

09:00	21	3	0	0	1	0	2	27
09:15	27	6	0	0	0	0	2	35
09:30	31	4	1	0	1	0	0	37
09:45	36	3	1	0	0	0	0	40
1 Hr	115	16	2	0	2	0	4	139

53	11	0	1	1	0	1	1	67
63	5	0	0	1	0	0	0	69
67	7	0	0	0	0	2	0	76
68	5	0	0	1	2	0	0	76
251	28	0	1	3	4	1	1	288

10:00	33	3	1	0	1	0	8	46
10:15	39	1	0	0	0	0	1	41
10:30	32	2	1	0	1	0	0	36
10:45	35	6	0	0	0	0	0	41
1 Hr	139	12	2	0	2	0	9	164

54	5	1	0	0	0	0	1	61
48	4	0	1	1	0	0	0	54
64	1	1	0	0	0	0	0	66
58	3	2	0	1	0	0	0	64
224	13	4	1	2	0	1	1	245

11:00	49	3	0	0	1	1	0	54
11:15	48	5	0	0	0	1	1	55
11:30	48	4	0	0	1	1	0	54
11:45	47	1	0	0	0	1	0	49
1 Hr	192	13	0	0	2	4	1	212

62	4	0	0	0	0	0	0	66
60	6	0	0	1	1	1	0	68
56	3	1	0	0	1	0	0	61
48	1	0	0	1	1	1	1	52
226	14	1	0	2	3	1	1	247

6 Hrs	546	61	9	2	10	5	16	649
-------	-----	----	---	---	----	---	----	-----

1001	92	9	3	9	8	12	1134
------	----	---	---	---	---	----	------

12 Hrs	594	62	10	3	10	5	17	701
--------	-----	----	----	---	----	---	----	-----

1067	92	10	3	9	8	12	1201
------	----	----	---	---	---	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 14th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	50	1	0	0	1	1	0	53
12:15	50	2	0	0	0	0	0	52
12:30	44	4	0	0	0	1	1	50
12:45	30	2	1	0	0	2	0	35
1 Hr	174	9	1	0	1	4	1	190

12:00	49	2	0	0	0	0	0	51
12:15	43	3	0	0	1	1	0	48
12:30	47	4	0	0	0	1	0	52
12:45	35	2	0	0	1	0	0	38
1 Hr	174	11	0	0	2	2	0	189

13:00	58	3	1	1	1	2	0	66
13:15	44	2	0	0	0	0	0	46
13:30	44	4	1	0	1	1	0	51
13:45	41	1	2	0	0	0	0	44
1 Hr	187	10	4	1	2	3	0	207

13:00	45	2	2	0	0	2	2	53
13:15	62	5	1	0	0	1	0	69
13:30	43	6	0	0	0	0	1	50
13:45	53	3	0	0	0	1	0	57
1 Hr	203	16	3	0	0	4	3	229

14:00	54	1	0	0	0	1	1	57
14:15	53	2	0	1	0	1	0	57
14:30	55	1	0	0	1	0	0	57
14:45	44	2	1	0	0	5	0	52
1 Hr	206	6	1	1	1	7	1	223

14:00	41	2	1	0	0	1	0	45
14:15	54	2	1	0	1	2	0	60
14:30	43	0	1	1	0	0	1	46
14:45	34	2	0	0	1	0	1	38
1 Hr	172	6	3	1	2	3	2	189

15:00	55	2	0	0	1	0	0	58
15:15	40	4	0	0	0	1	1	46
15:30	51	0	1	0	1	1	0	54
15:45	53	2	0	1	0	0	1	57
1 Hr	199	8	1	1	2	2	2	215

15:00	32	2	0	0	0	0	0	34
15:15	33	1	0	0	1	2	0	37
15:30	29	2	0	0	0	1	0	32
15:45	39	2	1	0	1	0	0	43
1 Hr	133	7	1	0	2	3	0	146

16:00	59	5	1	0	0	0	0	65
16:15	59	1	0	0	1	2	0	63
16:30	52	0	0	0	0	1	0	53
16:45	50	3	0	0	1	0	2	56
1 Hr	220	9	1	0	2	3	2	237

16:00	35	3	1	0	0	1	0	40
16:15	38	1	0	0	1	1	0	41
16:30	32	2	0	0	0	1	1	36
16:45	32	5	1	0	1	2	2	43
1 Hr	137	11	2	0	2	5	3	160

17:00	59	3	0	0	0	3	0	65
17:15	37	3	1	0	1	0	0	42
17:30	35	2	1	0	0	0	0	38
17:45	37	2	0	0	0	1	0	40
1 Hr	168	10	2	0	1	4	0	185

17:00	30	0	0	0	0	0	0	30
17:15	26	2	1	0	0	3	0	32
17:30	26	2	1	0	1	0	1	31
17:45	23	1	0	0	0	0	0	24
1 Hr	105	5	2	0	1	3	1	117

6 Hrs	1154	52	10	3	9	23	6	1257
-------	------	----	----	---	---	----	---	------

6 Hrs	924	56	11	1	9	20	9	1030
-------	-----	----	----	---	---	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 14th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	41	4	0	0	0	0	2	47
18:15	50	0	0	0	0	0	0	50
18:30	43	1	0	0	0	1	0	45
18:45	26	2	0	0	0	0	0	28
1 Hr	160	7	0	0	0	1	2	170

18:00	23	3	0	0	1	0	0	27
18:15	38	0	0	0	0	0	0	38
18:30	28	1	0	0	0	0	2	31
18:45	20	2	0	0	0	0	1	23
1 Hr	109	6	0	0	1	0	3	119

19:00	29	0	1	0	1	0	0	31
19:15	30	3	0	0	0	3	1	37
19:30	26	1	0	0	0	1	0	28
19:45	25	0	0	0	0	0	0	25
1 Hr	110	4	1	0	1	4	1	121

19:00	25	0	0	0	0	0	0	25
19:15	26	3	0	0	0	0	0	29
19:30	24	0	0	0	0	1	0	25
19:45	21	1	0	0	1	0	0	23
1 Hr	96	4	0	0	1	1	0	102

20:00	20	0	0	0	0	0	1	21
20:15	25	2	0	0	0	0	0	27
20:30	20	0	0	0	0	1	0	21
20:45	21	0	0	0	0	0	0	21
1 Hr	86	2	0	0	0	1	1	90

20:00	16	0	0	0	0	0	1	17
20:15	20	0	0	0	0	0	0	20
20:30	22	2	0	0	0	0	1	25
20:45	8	3	0	1	0	2	0	14
1 Hr	66	5	0	1	0	2	2	76

21:00	13	1	0	0	0	0	0	14
21:15	16	0	0	0	0	1	0	17
21:30	15	0	0	0	0	0	0	15
21:45	12	0	0	0	0	0	0	12
1 Hr	56	1	0	0	0	1	0	58

21:00	16	1	0	0	0	0	2	19
21:15	15	0	0	0	0	0	0	15
21:30	17	0	0	0	0	1	0	18
21:45	14	1	0	0	0	0	1	16
1 Hr	62	2	0	0	0	1	3	68

22:00	15	0	0	0	0	1	0	16
22:15	19	1	0	0	0	0	0	20
22:30	19	0	0	0	0	0	0	19
22:45	16	0	0	0	0	0	0	16
1 Hr	69	1	0	0	0	1	0	71

22:00	14	1	0	0	0	0	0	15
22:15	10	0	0	0	0	0	0	10
22:30	8	0	0	0	0	0	0	8
22:45	4	0	0	0	0	0	0	4
1 Hr	36	1	0	0	0	0	0	37

23:00	9	0	0	0	0	0	0	9
23:15	7	0	0	0	0	0	0	7
23:30	5	0	0	0	0	0	0	5
23:45	6	0	0	0	0	0	0	6
1 Hr	27	0	0	0	0	0	0	27

23:00	7	0	0	0	0	0	0	7
23:15	4	0	0	0	0	0	0	4
23:30	3	0	0	0	0	0	0	3
23:45	3	0	0	0	0	0	0	3
1 Hr	17	0	0	0	0	0	0	17

6 Hrs	508	15	1	0	1	8	4	537
-------	-----	----	---	---	---	---	---	-----

6 Hrs	386	18	0	1	2	4	8	419
-------	-----	----	---	---	---	---	---	-----

12 Hrs	1662	67	11	3	10	31	10	1794
--------	------	----	----	---	----	----	----	------

12 Hrs	1310	74	11	2	11	24	17	1449
--------	------	----	----	---	----	----	----	------

Total	2256	129	21	6	20	36	27	2495
-------	------	-----	----	---	----	----	----	------

Total	2377	166	21	5	20	32	29	2650
-------	------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 9th June - Saturday 14th June 2014

Summary of Counts

Direction :		Eastbound							Total	
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total	
Day 1	Monday	09/06/2014	2694	251	54	3	35	42	28	3107
Day 2	Tuesday	10/06/2014	2767	232	76	3	34	63	29	3204
Day 3	Wednesday	11/06/2014	2675	252	51	4	36	85	32	3135
Day 4	Thursday	12/06/2014	2722	256	76	10	34	61	29	3188
Day 5	Friday	13/06/2014	2806	264	59	2	37	60	25	3253
Day 6	Saturday	14/06/2014	2256	129	21	6	20	36	27	2495
			15920	1384	337	28	196	347	170	18392

Direction :		Westbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
		2830	278	49	0	38	41	27	3263
		2880	248	71	5	33	54	21	3312
		2852	257	58	8	36	68	31	3310
		2863	273	84	4	35	54	29	3342
		2918	268	71	5	34	66	21	3383
		2377	166	21	5	20	32	29	2650
		16720	1490	354	27	196	315	158	19260

Direction :		Eastbound				Total
		Unaccompanied Adult	Accompanied Child	Unaccompanied Child	Unaccompanied Adult	Total
		2	0	0	2	2
		1	0	0	1	1
		3	0	0	3	3
		1	0	0	1	1
		0	0	1	1	1
		1	0	1	2	2
		8	0	2	10	10

Direction :		Westbound				Total
		Unaccompanied Adult	Accompanied Child	Unaccompanied Child	Unaccompanied Adult	Total
		3	0	0	3	3
		2	0	0	2	2
		3	0	0	3	3
		1	0	0	1	1
		1	0	1	2	2
		0	0	1	1	1
		10	0	2	12	12

Direction :		Combined Counts							Total	
		Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	Total	
Day 1	Monday	09/06/2014	5524	529	103	3	73	83	55	6370
Day 2	Tuesday	10/06/2014	5647	480	147	8	67	117	50	6516
Day 3	Wednesday	11/06/2014	5527	509	109	12	72	153	63	6445
Day 4	Thursday	12/06/2014	5585	529	160	14	69	115	58	6530
Day 5	Friday	13/06/2014	5724	532	130	7	71	126	46	6636
Day 6	Saturday	14/06/2014	4633	295	42	11	40	68	56	5145
			32640	2874	691	55	392	662	328	37642

Direction :		Combined Counts							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	Total
		5	0	0	0	5	0	0	3
		3	0	0	0	3	0	0	6
		2	0	0	0	2	0	0	2
		1	0	2	3	1	0	2	3
		18	0	4	22	18	0	4	22

Direction :		Combined Counts				Total
		Unaccompanied Adult	Accompanied Child	Unaccompanied Child	Unaccompanied Adult	Total
		5	0	0	5	5
		3	0	0	3	3
		6	0	0	6	6
		2	0	0	2	2
		1	0	2	3	3
		1	0	2	3	3
		18	0	4	22	22

Averages Vehicles

Direction :		Eastbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 1	AM	21.50	3.08	1.25	0.00	0.83	0.25	0.25	27.17
	PM	79.67	6.42	0.50	0.00	0.42	1.42	0.67	89.08
	00:00-12:00	12.60	1.65	0.67	0.02	0.33	0.13	0.13	15.52
	12:00-24:00	43.52	3.58	0.46	0.04	0.40	0.75	0.46	49.21
	24 Hrs	28.06	2.61	0.56	0.03	0.36	0.44	0.29	32.36

Direction :		Westbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 1	AM	93.42	6.92	1.00	0.00	0.83	1.50	0.67	104.33
	PM	30.58	3.75	0.33	0.00	0.75	0.42	0.33	36.17
	00:00-12:00	33.58	3.21	0.56	0.00	0.33	0.52	0.27	38.48
	12:00-24:00	25.38	2.58	0.46	0.00	0.46	0.33	0.29	29.50
	24 Hrs	29.48	2.90	0.51	0.00	0.40	0.43	0.28	33.99

Pedestrians

Direction :		Eastbound				Total
		Adult	Acc Child	Un Child	Adult	Total
Day 1	AM	0.17	0.00	0.00	0.17	0.17
	PM	0.00	0.00	0.00	0.00	0.00
	6 Hrs	0.08	0.00	0.00	0.08	0.08

Direction :		Westbound				Total
		Adult	Acc Child	Un Child	Adult	Total
Day 1	AM	0.25	0.00	0.00	0.25	0.25
	PM	0.00	0.00	0.00	0.00	0.00
	6 Hrs	0.13	0.00	0.00	0.13	0.13

Direction :		Eastbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 2	AM	20.75	3.75	1.83	0.17	0.75	0.83	0.42	28.50
	PM	83.42	5.92	1.08	0.00	0.42	1.83	1.25	93.92
	00:00-12:00	12.33	1.92	0.67	0.04	0.33	0.38	0.21	15.88
	12:00-24:00	45.31	2.92	0.92	0.02	0.38	0.84	0.40	50.88
	24 Hrs	28.82	2.42	0.79	0.03	0.35	0.66	0.30	33.38

Direction :		Westbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 2	AM	94.83	7.25	1.17	0.08	0.67	1.42	0.50	105.92
	PM	35.42	2.67	0.92	0.00	0.67	0.67	0.42	40.75
	00:00-12:00	33.33	2.92	0.60	0.02	0.27	0.46	0.21	37.81
	12:00-24:00	26.67	2.25	0.88	0.08	0.42	0.67	0.23	31.19
	24 Hrs	30.00	2.58	0.74	0.05	0.34	0.56	0.22	34.50

Direction :		Eastbound				Total
		Adult	Acc Child	Un Child	Adult	Total
Day 2	AM	0.08	0.00	0.00	0.08	0.08
	PM	0.00	0.00	0.00	0.00	0.00
	6 Hrs	0.04	0.00	0.00	0.04	0.04

Direction :		Westbound				Total
		Adult	Acc Child	Un Child	Adult	Total
Day 2	AM	0.08	0.00	0.00	0.08	0.08
	PM	0.00	0.00	0.00	0.00	0.00
	6 Hrs	0.08	0.00	0.00	0.08	0.08

Direction :		Eastbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 3	AM	23.00	4.08	1.08	0.08	0.83	0.25	0.42	29.75
	PM	76.00	6.75	1.00	0.08	0.25	2.58	1.25	87.92
	00:00-12:00	12.48	1.79	0.44	0.02	0.35	0.15	0.17	15.40
	12:00-24:00	43.25	3.46	0.63	0.06	0.40	1.63	0.50	49.92
	24 Hrs	27.86	2.63	0.53	0.04	0.38	0.89	0.33	32.66

Direction :		Westbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 3	AM	93.67	8.33	1.08	0.08	0.75	1.42	0.75	106.08
	PM	33.08	4.25	0.83	0.25	0.50	1.33	0.58	40.83
	00:00-12:00	33.04	2.96	0.65	0.06	0.31	0.48	0.33	37.83
	12:00-24:00	26.38	2.40	0.56	0.10	0.44	0.94	0.31	31.13
	24 Hrs	29.71	2.68	0.60	0.08	0.38	0.71	0.32	34.48

Direction :		Eastbound				Total
		Adult	Acc Child	Un Child	Adult	Total
Day 3	AM	0.17	0.00	0.00	0.17	0.17
	PM	0.08	0.00	0.00	0.08	0.08
	6 Hrs	0.13	0.00	0.00	0.13	0.13

Direction :		Westbound				Total
		Adult	Acc Child	Un Child	Adult	Total
Day 3	AM	0.08	0.00	0.00	0.08	0.08
	PM	0.17	0.00	0.00	0.17	0.17
	6 Hrs	0.13	0.00	0.00	0.13	0.13

Direction :		Eastbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 4	AM	23.00	3.92	2.00	0.25	0.83	0.33	0.25	30.58
	PM	78.25	5.50	1.17	0.17	0.25	1.75	1.50	88.58
	00:00-12:00	12.63	1.65	0.85	0.10	0.31	0.23	0.13	15.90
	12:00-24:00	44.08	3.89	0.73	0.10	0.40	1.04	0.48	50.52
	24 Hrs	28.35	2.67	0.79	0.10	0.35	0.64	0.30	33.21


Direction :		Westbound							Total
		Car	Lgv	Ogv1	Ogv2	Psv	MC	P/C	Total
Day 4	AM	93.75	7.58	1.83	0.00	0.67	1.42	0.58	105.83
	PM	33.17	3.58	0.83	0.17	0.67	0.42	0.50	39.33
	00:00-12:00	32.54	3.02	0.96	0.00	0.29	0.52	0.31	37.65
	12:00-24:00	27.10	2.67	0.79	0.08	0.44	0.60		



Sky High

Count On Us

Client : Lincolnshire County Council	Site plan for : EW3 - B1308 Greetwell Road
Project : 9320 / Lincoln By Pass	Date : Monday 9th June - Saturday 14th June 2014





Sky High

Count On Us

Client:	Lincolnshire County Council
Project:	9320 / Lincoln By Pass
Site:	EW3 - B1308 Greetwell Road
Survey Date:	Monday 16th June - Saturday 21st June 2014
Survey Period:	07:00 - 19:00
Method:	Video Observation

Incidents / Observations:

There were no incidents reported over the survey period.



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 16th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	0	0	0	0	0	0	0	0
00:15	2	0	0	0	0	0	0	2
00:30	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	2	0	0	0	0	0	0	2
1 Hr	2	0	0	0	0	0	0	2
04:00	0	2	0	0	0	0	0	2
04:15	0	0	0	0	0	0	0	0
04:30	1	0	1	0	0	0	0	2
04:45	0	0	0	0	0	0	0	0
1 Hr	1	2	1	0	0	0	0	4
05:00	0	0	0	0	0	0	0	0
05:15	2	1	0	0	0	0	0	3
05:30	0	0	0	0	0	0	0	0
05:45	2	1	0	0	0	0	0	3
1 Hr	4	2	0	0	0	0	0	6
6 Hrs	12	4	1	0	0	0	0	17

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	0	0	0	0	0	0	0	0
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
01:00	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	0	0	0	0	0	0	0	0
04:45	3	0	0	0	0	0	0	3
1 Hr	4	0	0	0	0	0	0	4
05:00	3	2	1	0	0	0	0	6
05:15	5	0	0	0	0	0	0	5
05:30	11	1	0	0	0	0	0	12
05:45	10	1	1	0	0	0	0	12
1 Hr	29	4	2	0	0	0	0	35
6 Hrs	37	4	2	0	0	0	0	43

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	1	1
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	1	1
3 Hr	0	0	1	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	1	1

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	1	1
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	1	1
3 Hr	0	0	1	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	1	1



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 16th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	1	0	0	0	1	0	0	2
06:15	0	0	0	0	0	0	0	0
06:30	3	0	0	0	0	2	1	6
06:45	10	1	0	0	0	0	0	11
1 Hr	14	1	0	0	1	2	1	19

14	3	1	0	0	1	2	21
22	1	0	0	0	0	0	23
20	4	0	0	1	1	2	28
29	2	1	0	0	0	1	33
85	10	2	0	1	2	5	105

07:00	18	2	2	0	1	0	0	23
07:15	20	4	0	0	0	0	1	25
07:30	20	6	0	0	3	1	0	30
07:45	25	4	1	0	1	0	0	31
1 Hr	83	16	3	0	5	1	1	109

47	8	2	1	0	0	1	59
67	15	0	0	0	0	0	82
103	11	2	0	1	2	2	121
110	11	2	0	0	2	3	128
327	45	6	1	1	4	6	390

08:00	16	7	0	1	0	0	0	24
08:15	19	4	3	0	1	1	0	28
08:30	31	4	2	1	0	0	0	38
08:45	36	4	1	0	1	0	0	42
1 Hr	102	19	6	2	2	1	0	132

146	7	0	0	2	4	2	161
111	13	1	0	0	2	0	127
127	5	2	0	1	0	1	136
114	9	1	0	1	1	1	127
498	34	4	0	4	7	4	551

09:00	18	7	0	0	1	0	3	29
09:15	27	3	2	1	0	0	0	33
09:30	20	7	1	0	1	0	0	29
09:45	24	3	1	0	0	0	1	29
1 Hr	89	20	4	1	2	0	4	120

98	5	0	0	0	0	0	103
55	3	0	0	0	2	0	60
49	3	2	0	2	0	0	56
45	2	0	0	2	0	0	49
247	13	2	0	4	2	0	268

10:00	33	10	2	0	1	2	0	48
10:15	27	6	0	1	0	0	0	34
10:30	37	2	2	0	1	0	0	42
10:45	29	3	1	0	0	0	0	33
1 Hr	126	21	5	1	2	2	0	157

52	4	0	0	0	0	0	56
40	6	3	0	1	0	0	50
49	5	1	1	0	0	0	56
38	3	0	2	1	1	0	45
179	18	4	3	2	1	0	207

11:00	30	8	2	0	1	0	0	41
11:15	39	3	2	1	1	0	0	46
11:30	27	4	0	1	1	2	0	35
11:45	50	5	3	0	0	0	0	58
1 Hr	146	20	7	2	3	2	0	180

34	5	1	0	0	0	0	40
50	7	1	0	1	0	0	59
40	3	2	0	0	0	0	45
43	4	2	0	1	1	0	51
167	19	6	0	2	1	0	195

6 Hrs	560	97	25	6	15	8	6	717
-------	-----	----	----	---	----	---	---	-----

1503	139	24	4	14	17	15	1716
------	-----	----	---	----	----	----	------

12 Hrs	572	101	26	6	15	8	6	734
--------	-----	-----	----	---	----	---	---	-----

1540	143	26	4	14	17	15	1759
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 16th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	37	4	0	0	1	0	0	42
12:15	37	5	0	0	0	0	0	42
12:30	41	4	0	0	1	0	0	46
12:45	49	5	2	0	0	0	0	56
1 Hr	164	18	2	0	2	0	0	186

12:00	33	10	1	0	0	0	0	44
12:15	37	10	5	0	1	0	0	53
12:30	29	4	1	0	0	0	0	34
12:45	41	4	0	0	1	0	0	46
1 Hr	140	28	7	0	2	0	0	177

13:00	33	1	0	0	1	0	0	35
13:15	31	4	1	0	0	1	0	37
13:30	35	1	1	0	1	0	0	38
13:45	47	5	2	0	0	0	1	55
1 Hr	146	11	4	0	2	1	1	165

13:00	37	4	2	0	0	1	1	45
13:15	38	2	2	0	1	0	0	43
13:30	47	7	1	0	0	1	0	56
13:45	50	2	1	0	1	0	0	54
1 Hr	172	15	6	0	2	2	1	198

14:00	30	4	0	0	1	1	0	36
14:15	42	9	1	0	0	2	0	54
14:30	46	1	1	0	3	1	0	52
14:45	63	4	1	0	0	1	0	69
1 Hr	181	18	3	0	4	5	0	211

14:00	37	4	3	0	0	0	0	44
14:15	40	7	2	0	1	1	0	51
14:30	42	6	0	0	0	2	0	50
14:45	31	2	0	0	1	0	0	34
1 Hr	150	19	5	0	2	3	0	179

15:00	69	3	1	0	2	1	1	77
15:15	61	4	1	0	0	1	0	67
15:30	65	4	1	0	1	1	1	73
15:45	64	4	0	0	0	0	2	70
1 Hr	259	15	3	0	3	3	4	287

15:00	27	4	3	0	0	0	0	34
15:15	45	4	1	0	3	1	0	54
15:30	55	7	2	0	0	0	0	64
15:45	40	4	1	0	0	0	0	45
1 Hr	167	19	7	0	3	1	0	197

16:00	72	5	0	0	0	0	0	77
16:15	85	9	0	0	1	0	1	96
16:30	88	8	1	0	0	0	0	97
16:45	104	6	0	0	1	1	1	113
1 Hr	349	28	1	0	2	1	2	383

16:00	33	4	2	0	0	0	0	39
16:15	29	6	0	0	2	1	1	39
16:30	34	6	1	0	0	0	0	41
16:45	31	6	0	0	3	1	0	41
1 Hr	127	22	3	0	5	2	1	160

17:00	125	8	1	0	0	5	0	139
17:15	113	14	0	0	0	3	2	132
17:30	90	5	0	0	1	5	3	104
17:45	64	3	3	0	1	0	4	75
1 Hr	392	30	4	0	2	13	9	450

17:00	28	3	0	0	0	0	0	31
17:15	29	8	0	1	0	0	1	39
17:30	21	4	0	0	1	0	0	26
17:45	27	4	0	0	0	1	0	32
1 Hr	105	19	0	1	1	1	1	128

6 Hrs	1491	120	17	0	15	23	16	1682
-------	------	-----	----	---	----	----	----	------

6 Hrs	861	122	28	1	15	9	3	1039
-------	-----	-----	----	---	----	---	---	------

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	68	2	0	0	0	0	2	72
18:15	41	4	1	0	0	0	0	46
18:30	30	3	1	0	0	0	0	34
18:45	24	2	2	0	0	0	3	31
1 Hr	163	11	4	0	0	0	5	183

18:00	28	4	0	0	1	1	1	35
18:15	32	1	1	0	0	0	0	34
18:30	36	1	1	0	0	0	1	39
18:45	28	3	1	0	0	0	0	32
1 Hr	124	9	3	0	1	1	2	140

19:00	41	4	0	0	1	0	0	46
19:15	39	3	1	0	0	0	1	44
19:30	25	3	0	0	0	0	0	28
19:45	23	1	1	0	0	0	0	25
1 Hr	128	11	2	0	1	0	1	143

19:00	36	4	1	0	0	0	2	43
19:15	26	2	2	0	0	0	0	30
19:30	18	0	0	0	0	0	0	18
19:45	13	2	0	0	1	0	0	16
1 Hr	93	8	3	0	1	0	2	107

20:00	39	0	0	0	0	0	0	39
20:15	35	0	0	0	0	1	0	36
20:30	20	1	0	0	0	0	0	21
20:45	15	1	0	0	0	0	0	16
1 Hr	109	2	0	0	0	1	0	112

20:00	16	1	0	0	0	0	0	17
20:15	14	1	0	0	0	0	0	15
20:30	8	0	0	0	0	0	0	8
20:45	7	1	0	0	0	0	0	8
1 Hr	45	3	0	0	0	0	0	48

21:00	10	0	0	0	0	0	0	10
21:15	22	2	0	0	0	0	0	24
21:30	11	1	0	0	0	1	0	13
21:45	13	0	0	0	0	0	0	13
1 Hr	56	3	0	0	0	1	0	60

21:00	13	1	0	0	0	3	0	17
21:15	13	0	0	0	0	0	0	13
21:30	11	0	0	0	0	0	0	11
21:45	9	0	0	0	0	0	0	9
1 Hr	46	1	0	0	0	3	0	50

22:00	19	0	0	0	0	0	0	19
22:15	6	0	0	0	0	0	0	6
22:30	8	0	0	0	0	0	0	8
22:45	7	0	0	0	0	0	0	7
1 Hr	40	0	0	0	0	0	0	40

22:00	11	0	0	0	0	0	0	11
22:15	6	0	0	0	0	0	0	6
22:30	5	0	0	0	0	0	0	5
22:45	3	0	0	0	0	0	0	3
1 Hr	25	0	0	0	0	0	0	25

23:00	6	0	0	0	0	0	0	6
23:15	6	0	0	0	0	0	0	6
23:30	7	0	0	0	0	0	0	7
23:45	4	0	0	0	0	0	0	4
1 Hr	23	0	0	0	0	0	0	23

23:00	3	0	0	0	0	0	0	3
23:15	2	0	0	0	0	0	0	2
23:30	1	0	0	0	0	0	0	1
23:45	1	0	0	0	0	0	0	1
1 Hr	7	0	0	0	0	0	0	7

6 Hrs	519	27	6	0	1	2	6	561
-------	-----	----	---	---	---	---	---	-----

6 Hrs	340	21	6	0	2	4	4	377
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2010	147	23	0	16	25	22	2243
--------	------	-----	----	---	----	----	----	------

12 Hrs	1201	143	34	1	17	13	7	1416
--------	------	-----	----	---	----	----	---	------

Total	2582	248	49	6	31	33	28	2977
-------	------	-----	----	---	----	----	----	------

Total	2741	286	60	5	31	30	22	3175
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 17th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	4	0	0	0	0	0	0	4
00:15	1	0	1	0	0	0	0	2
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	6	0	1	0	0	0	0	7
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	1	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	1	0	3
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	1	0	0	0	0	1
1 Hr	0	0	1	0	0	0	0	1
04:00	1	1	0	0	0	0	0	2
04:15	0	0	0	0	0	0	0	0
04:30	0	0	1	0	0	0	0	1
04:45	0	0	0	0	0	0	0	0
1 Hr	1	1	1	0	0	0	0	3
05:00	0	1	0	0	0	0	0	1
05:15	0	0	0	0	0	0	0	0
05:30	0	0	0	0	0	0	0	0
05:45	0	0	0	0	0	0	0	0
1 Hr	0	1	0	0	0	0	0	1
6 Hrs	10	2	3	0	0	1	0	16

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	0	0	0	0	0	0	0	0
00:15	0	0	0	0	0	1	0	1
00:30	4	0	0	0	0	0	0	4
00:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	1	0	5
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	1	0	1
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	1	0	2
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
04:00	1	1	0	0	0	0	0	2
04:15	0	0	0	0	0	0	0	0
04:30	1	0	0	0	0	0	0	1
04:45	2	1	0	0	0	0	0	3
1 Hr	4	2	0	0	0	0	0	6
05:00	2	0	1	0	0	0	0	3
05:15	6	0	0	0	0	0	0	6
05:30	13	1	1	0	0	1	0	16
05:45	11	1	0	0	0	0	0	12
1 Hr	32	2	2	0	0	1	0	37
6 Hrs	43	4	2	0	0	3	0	52

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	1	1
07:45	0	0	0	0
1 Hr	0	0	1	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	1	1
1 Hr	0	0	1	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	2	2
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	2	2

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	1	1
07:45	0	0	0	0
1 Hr	0	0	1	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	1	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	1	1



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 17th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	0	0	0	0	0	0	0
06:15	0	0	0	0	1	0	1
06:30	8	0	0	0	0	1	9
06:45	9	0	0	0	0	0	9
1 Hr	17	0	0	0	1	1	19

11	2	0	0	0	1	1	15
19	1	0	0	0	0	0	20
17	3	0	0	0	2	1	23
25	3	1	0	1	0	2	32
72	9	1	0	1	3	4	90

07:00	16	5	3	0	1	1	27
07:15	23	4	0	0	1	0	28
07:30	27	5	0	0	2	1	36
07:45	23	3	1	0	2	0	29
1 Hr	89	17	4	0	6	2	120

45	12	0	0	0	1	1	59
79	11	0	0	0	0	0	90
94	8	1	0	1	6	0	110
120	13	2	0	1	3	2	141
338	44	3	0	2	10	3	400

08:00	10	4	3	0	0	1	18
08:15	30	6	2	0	1	0	39
08:30	30	6	3	0	0	0	40
08:45	37	5	1	0	1	0	44
1 Hr	107	21	9	0	2	1	141

146	10	3	0	2	1	2	164
126	4	1	0	0	3	0	134
127	10	1	0	2	2	1	143
113	9	0	0	0	1	1	124
512	33	5	0	4	7	4	565

09:00	27	7	1	0	1	0	36
09:15	32	3	1	0	0	0	36
09:30	21	6	1	0	1	0	29
09:45	31	3	1	0	0	1	36
1 Hr	111	19	4	0	2	1	137

102	6	1	0	0	0	0	109
57	1	3	0	1	1	0	63
56	5	1	0	1	1	0	64
46	2	0	0	2	2	0	52
261	14	5	0	4	4	0	288

10:00	36	5	1	0	1	1	44
10:15	30	9	3	0	0	0	43
10:30	26	5	2	0	1	0	34
10:45	36	2	0	0	0	0	38
1 Hr	128	21	6	0	2	1	159

47	5	0	0	0	0	0	52
36	2	1	0	0	0	0	39
48	3	1	0	1	3	0	56
61	3	2	0	1	1	0	68
192	13	4	0	2	4	0	215

11:00	35	11	3	0	2	0	51
11:15	41	4	1	0	1	0	47
11:30	32	0	3	0	2	0	37
11:45	49	9	1	0	1	2	62
1 Hr	157	24	8	0	6	2	197

45	9	2	0	0	0	0	56
48	4	3	0	3	1	0	59
27	8	1	0	1	0	0	37
42	6	3	0	1	2	0	54
162	27	9	0	5	3	0	206

6 Hrs	609	102	31	0	19	8	4	773
-------	-----	-----	----	---	----	---	---	-----

1537	140	27	0	18	31	11	1764
------	-----	----	---	----	----	----	------

12 Hrs	619	104	34	0	19	9	4	789
--------	-----	-----	----	---	----	---	---	-----

1580	144	29	0	18	34	11	1816
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 17th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	40	3	3	0	1	1	0	48
12:15	40	3	2	0	0	1	0	46
12:30	40	4	1	0	2	0	0	47
12:45	46	1	0	0	0	0	0	47
1 Hr	166	11	6	0	3	2	0	188

12:00	40	4	2	0	1	0	1	48
12:15	28	5	2	0	1	0	1	37
12:30	50	5	2	0	1	0	0	58
12:45	44	4	1	0	1	1	0	51
1 Hr	162	18	7	0	4	1	2	194

13:00	42	3	1	0	1	1	0	48
13:15	36	9	1	0	0	0	0	46
13:30	38	1	2	0	0	3	1	45
13:45	40	5	1	0	1	0	0	47
1 Hr	156	18	5	0	2	4	1	186

13:00	36	2	1	0	0	0	0	39
13:15	29	2	2	0	1	2	0	36
13:30	42	4	3	0	0	0	1	50
13:45	32	3	4	0	1	2	0	42
1 Hr	139	11	10	0	2	4	1	167

14:00	43	1	1	1	1	0	0	47
14:15	51	1	0	0	0	1	0	53
14:30	34	4	0	0	3	0	0	41
14:45	55	4	0	0	0	1	0	60
1 Hr	183	10	1	1	4	2	0	201

14:00	42	2	3	0	0	0	0	47
14:15	27	0	1	0	1	0	0	29
14:30	48	4	3	0	0	0	0	55
14:45	34	4	0	0	1	0	0	39
1 Hr	151	10	7	0	2	0	0	170

15:00	73	5	0	0	1	1	2	82
15:15	66	2	0	0	0	2	0	70
15:30	61	7	3	0	1	1	1	74
15:45	49	3	0	0	0	0	1	53
1 Hr	249	17	3	0	2	4	4	279

15:00	31	8	4	0	0	0	0	43
15:15	32	2	1	0	3	0	0	38
15:30	43	8	2	0	0	1	0	54
15:45	37	2	1	0	0	0	0	40
1 Hr	143	20	8	0	3	1	0	175

16:00	100	7	1	0	0	0	0	108
16:15	79	5	1	0	2	4	0	91
16:30	89	5	0	0	0	5	0	99
16:45	90	6	2	0	1	1	0	100
1 Hr	358	23	4	0	3	10	0	398

16:00	44	6	4	0	0	1	0	55
16:15	30	3	1	0	2	1	1	38
16:30	35	5	2	0	0	2	0	44
16:45	33	3	0	0	2	0	0	38
1 Hr	142	17	7	0	4	4	1	175

17:00	122	5	0	1	0	4	1	133
17:15	121	3	4	0	1	3	2	134
17:30	85	6	0	0	0	4	4	99
17:45	78	4	0	0	1	2	1	86
1 Hr	406	18	4	1	2	13	8	452

17:00	28	0	0	0	1	1	1	31
17:15	28	1	0	0	0	0	1	30
17:30	29	2	1	0	1	1	2	36
17:45	38	4	1	0	0	0	0	43
1 Hr	123	7	2	0	2	2	4	140

6 Hrs	1518	97	23	2	16	35	13	1704
-------	------	----	----	---	----	----	----	------

6 Hrs	860	83	41	0	17	12	8	1021
-------	-----	----	----	---	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 17th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	55	4	0	0	0	2	0	61
18:15	46	1	2	0	0	0	3	52
18:30	41	6	3	0	0	0	3	53
18:45	36	2	0	0	0	0	0	38
1 Hr	178	13	5	0	0	2	6	204

18:00	29	2	1	0	1	1	1	35
18:15	36	1	2	0	0	0	0	39
18:30	36	2	0	0	1	0	1	40
18:45	31	2	0	0	0	0	2	35
1 Hr	132	7	3	0	2	1	4	149

19:00	37	1	0	0	1	1	2	42
19:15	37	1	0	0	0	1	0	39
19:30	33	2	0	0	0	1	1	37
19:45	27	1	0	0	0	0	0	28
1 Hr	134	5	0	0	1	3	3	146

19:00	28	1	0	0	0	1	2	32
19:15	26	3	0	0	0	0	0	29
19:30	20	1	0	0	1	0	1	24
19:45	17	0	0	0	0	0	0	17
1 Hr	91	5	0	1	1	1	3	102

20:00	32	2	1	0	0	0	0	35
20:15	23	1	0	0	0	0	0	24
20:30	19	1	0	0	0	0	0	20
20:45	22	0	0	0	0	0	0	22
1 Hr	96	4	1	0	0	0	0	101

20:00	15	2	0	0	0	0	0	17
20:15	11	0	0	0	0	0	0	11
20:30	11	0	0	0	0	0	0	11
20:45	10	1	0	0	0	0	0	11
1 Hr	47	3	0	0	0	0	0	50

21:00	22	0	0	0	0	3	0	25
21:15	23	0	0	0	0	0	0	23
21:30	21	0	0	0	0	0	0	21
21:45	11	0	0	0	0	0	0	11
1 Hr	77	0	0	0	0	3	0	80

21:00	6	0	0	0	0	1	0	7
21:15	16	0	1	0	0	0	0	17
21:30	7	0	0	0	0	0	0	7
21:45	6	0	1	0	0	0	0	7
1 Hr	35	0	2	0	0	1	0	38

22:00	10	0	0	0	0	0	0	10
22:15	17	0	0	0	0	0	0	17
22:30	17	0	0	0	0	0	0	17
22:45	13	0	0	0	0	0	0	13
1 Hr	57	0	0	0	0	0	0	57

22:00	13	0	0	0	0	0	0	13
22:15	6	0	0	0	0	0	0	6
22:30	3	0	0	0	0	0	0	3
22:45	5	0	0	0	0	0	0	5
1 Hr	27	0	0	0	0	0	0	27

23:00	10	0	0	0	0	0	0	10
23:15	2	0	0	0	0	0	0	2
23:30	3	0	0	0	0	0	0	3
23:45	8	0	0	0	0	0	0	8
1 Hr	23	0	0	0	0	0	0	23

23:00	7	0	0	0	0	0	0	7
23:15	4	0	0	0	0	0	0	4
23:30	1	0	0	0	0	0	0	1
23:45	1	0	0	0	0	0	0	1
1 Hr	13	0	0	0	0	0	0	13

6 Hrs	565	22	6	0	1	8	9	611
-------	-----	----	---	---	---	---	---	-----

6 Hrs	345	15	5	1	3	3	7	379
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2083	119	29	2	17	43	22	2315
--------	------	-----	----	---	----	----	----	------

12 Hrs	1205	98	46	1	20	15	15	1400
--------	------	----	----	---	----	----	----	------

Total	2702	223	63	2	36	52	26	3104
-------	------	-----	----	---	----	----	----	------

Total	2785	242	75	1	38	49	26	3216
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Wednesday 18th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	4	0	0	0	0	0	0	4
00:15	1	0	0	0	0	0	0	1
00:30	2	0	0	0	0	0	0	2
00:45	1	0	0	0	0	0	0	1
1 Hr	8	0	0	0	0	0	0	8
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	2	0	0	0	0	0	0	2
02:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
03:00	1	0	0	0	0	0	0	1
03:15	2	0	0	0	0	0	0	2
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
04:00	1	0	0	0	0	0	0	1
04:15	2	0	0	0	0	0	0	2
04:30	0	0	0	1	0	0	0	1
04:45	1	0	0	1	0	0	0	2
1 Hr	4	0	0	2	0	0	0	6
05:00	0	1	0	0	0	0	0	1
05:15	0	0	0	0	0	0	0	0
05:30	1	0	0	0	0	0	0	1
05:45	1	0	0	0	0	0	0	1
1 Hr	2	1	0	0	0	0	0	3
6 Hrs	23	1	0	2	0	0	0	26

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
01:00	2	0	0	0	0	0	0	2
01:15	0	0	0	0	0	0	0	0
01:30	2	0	0	0	0	0	0	2
01:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
03:00	1	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	0	1	0	0	0	0	0	1
04:45	2	0	0	0	0	0	0	2
1 Hr	3	1	0	0	0	0	0	4
05:00	3	0	0	0	0	0	0	3
05:15	4	0	0	1	0	0	0	5
05:30	11	1	0	0	0	1	0	13
05:45	13	1	1	0	0	0	0	15
1 Hr	31	2	1	1	0	1	0	36
6 Hrs	43	3	1	1	0	1	0	49

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	1	1
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	1	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	1	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	1	1

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	1	1
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	1	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	1	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	1	1



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Wednesday 18th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	3	0	0	0	1	1	0	5
06:15	2	0	0	0	0	0	0	2
06:30	5	0	0	0	0	1	1	7
06:45	11	1	0	0	0	0	0	12
1 Hr	21	1	0	0	1	2	1	26

12	2	0	0	0	1	1	1	16
20	3	1	0	0	1	0	0	25
21	2	0	0	1	1	2	2	27
29	6	2	0	0	0	2	2	39
82	13	3	0	1	3	5	107	

07:00	15	4	0	0	1	1	0	21
07:15	24	3	0	0	3	0	1	31
07:30	23	4	0	0	0	0	0	27
07:45	28	4	1	1	1	0	0	35
1 Hr	90	15	1	1	5	1	1	114

49	7	0	0	0	2	1	1	59
74	12	0	0	0	1	0	0	87
87	8	2	0	1	3	4	4	105
125	12	1	0	0	3	0	0	141
335	39	3	0	1	9	5	392	

08:00	16	8	2	0	0	1	0	27
08:15	20	6	3	1	1	0	0	31
08:30	18	10	2	0	0	0	0	30
08:45	29	9	2	0	1	0	0	41
1 Hr	83	33	9	1	2	1	0	129

140	10	0	1	1	1	2	1	155
147	7	1	3	0	3	0	0	161
126	14	0	1	0	2	0	0	143
106	3	1	1	1	0	1	1	113
519	34	2	6	2	6	3	572	

09:00	16	13	0	0	1	1	0	31
09:15	30	4	3	1	1	0	0	39
09:30	31	3	1	1	1	0	0	37
09:45	25	3	1	0	0	0	0	29
1 Hr	102	23	5	2	3	1	0	136

94	7	1	0	1	0	0	0	103
73	6	2	1	1	1	0	0	84
73	5	2	0	1	1	1	1	83
55	4	2	0	2	0	0	0	63
295	22	7	1	5	2	1	333	

10:00	23	4	3	0	0	0	1	31
10:15	32	3	3	1	1	0	0	40
10:30	32	5	0	0	1	1	0	39
10:45	30	9	1	1	0	0	0	41
1 Hr	117	21	7	2	2	1	1	151

66	3	0	1	0	1	0	0	71
50	9	3	2	1	0	0	0	65
48	5	2	1	0	1	0	0	57
44	6	1	0	1	2	0	0	54
208	23	6	4	2	4	0	247	

11:00	35	4	0	1	2	0	0	42
11:15	29	5	3	1	0	0	0	38
11:30	48	5	0	1	1	1	0	56
11:45	29	3	1	0	0	2	0	35
1 Hr	141	17	4	3	3	3	0	171

49	5	0	1	1	2	0	0	58
51	9	1	3	1	3	2	0	70
42	4	0	0	0	1	0	0	47
41	6	0	1	1	0	1	0	50
183	24	1	5	3	6	3	225	

6 Hrs	554	110	26	9	16	9	3	727
-------	-----	-----	----	---	----	---	---	-----

1622	155	22	16	14	30	17	1876
------	-----	----	----	----	----	----	------

12 Hrs	577	111	26	11	16	9	3	753
--------	-----	-----	----	----	----	---	---	-----

1665	158	23	17	14	31	17	1925
------	-----	----	----	----	----	----	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Wednesday 18th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound								
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total	

Direction : Westbound								
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total	

12:00	48	10	3	2	2	0	0	65
12:15	44	2	2	1	1	1	0	51
12:30	47	1	1	0	1	3	0	53
12:45	45	7	1	1	0	0	0	54
1 Hr	184	20	7	4	4	4	0	223

12:00	21	6	0	0	1	0	1	29
12:15	37	4	1	1	2	0	1	46
12:30	58	5	1	1	0	3	0	68
12:45	41	3	2	0	1	0	1	48
1 Hr	157	18	4	2	4	3	3	191

13:00	33	5	0	2	1	1	1	43
13:15	47	2	0	0	0	0	2	51
13:30	31	8	0	0	1	0	0	40
13:45	39	4	3	2	0	0	1	49
1 Hr	150	19	3	4	2	1	4	183

13:00	31	4	3	2	0	0	3	43
13:15	30	7	1	2	1	1	0	42
13:30	39	0	1	0	0	0	0	40
13:45	49	3	1	1	1	1	1	57
1 Hr	149	14	6	5	2	2	4	182

14:00	50	2	2	1	0	1	1	57
14:15	65	3	0	1	1	2	4	76
14:30	44	4	4	1	3	1	0	57
14:45	44	3	0	0	1	1	0	49
1 Hr	203	12	6	3	5	5	5	239

14:00	38	8	1	1	0	0	0	48
14:15	34	2	4	1	2	1	0	44
14:30	44	3	0	1	0	0	0	48
14:45	32	10	2	0	1	0	0	45
1 Hr	148	23	7	3	3	1	0	185

15:00	74	7	3	1	0	4	3	92
15:15	58	3	1	2	1	0	0	65
15:30	67	6	0	0	1	0	1	75
15:45	78	6	1	0	2	0	2	89
1 Hr	277	22	5	3	4	4	6	321

15:00	32	5	2	0	0	1	0	40
15:15	40	7	0	1	2	1	0	51
15:30	40	4	1	3	0	0	0	48
15:45	41	6	1	0	1	0	0	49
1 Hr	153	22	4	4	3	2	0	188

16:00	78	6	0	0	0	0	2	86
16:15	94	4	0	0	1	0	1	100
16:30	95	7	1	0	0	1	3	107
16:45	92	6	0	1	0	4	1	104
1 Hr	359	23	1	1	1	5	7	397

16:00	40	7	1	1	0	1	0	50
16:15	30	6	2	0	1	2	0	41
16:30	32	10	2	0	0	1	0	45
16:45	38	1	0	0	2	0	0	41
1 Hr	140	24	5	1	3	4	0	177

17:00	133	7	2	0	1	7	2	152
17:15	121	7	1	0	2	2	3	136
17:30	104	4	1	0	0	6	1	116
17:45	94	5	1	0	1	0	3	104
1 Hr	452	23	5	0	4	15	9	508

17:00	38	4	0	0	0	0	0	42
17:15	22	1	1	0	1	1	3	29
17:30	28	1	0	0	1	1	0	31
17:45	66	2	0	0	1	1	1	71
1 Hr	154	8	1	0	3	3	4	173

6 Hrs	1625	119	27	15	20	34	31	1871
-------	------	-----	----	----	----	----	----	------

6 Hrs	901	109	27	15	18	15	11	1096
-------	-----	-----	----	----	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Wednesday 18th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	74	6	0	0	0	4	0	84
18:15	63	8	0	0	0	1	3	75
18:30	42	4	1	0	0	3	0	50
18:45	43	0	0	0	0	0	0	43
1 Hr	222	18	1	0	0	8	3	252

18:00	25	1	1	0	0	0	0	27
18:15	39	0	1	0	2	1	0	43
18:30	34	3	0	0	0	0	0	37
18:45	35	2	0	0	0	0	0	37
1 Hr	133	6	2	0	2	1	0	144

19:00	41	3	2	0	1	0	3	50
19:15	40	5	1	0	0	1	1	48
19:30	33	4	0	0	0	0	5	42
19:45	36	1	0	0	0	0	3	40
1 Hr	150	13	3	0	1	1	12	180

19:00	48	3	0	0	0	0	1	52
19:15	30	1	0	0	0	1	1	33
19:30	18	1	2	0	1	0	0	22
19:45	26	2	0	0	0	1	0	29
1 Hr	122	7	2	0	1	2	2	136

20:00	26	1	0	0	0	1	0	28
20:15	38	3	0	0	0	0	0	41
20:30	26	1	0	0	0	1	0	28
20:45	17	2	0	0	0	2	0	21
1 Hr	107	7	0	0	0	4	0	118

20:00	13	2	1	0	0	0	0	16
20:15	13	2	0	0	0	1	2	18
20:30	13	1	0	0	0	0	0	14
20:45	15	0	0	0	0	0	0	15
1 Hr	54	5	1	0	0	1	2	63

21:00	20	0	0	0	0	0	0	20
21:15	18	2	0	0	0	0	0	20
21:30	20	0	0	0	0	0	0	20
21:45	21	0	0	0	0	0	0	21
1 Hr	79	2	0	0	0	0	0	81

21:00	28	0	0	0	0	2	1	31
21:15	9	0	0	0	0	0	0	9
21:30	9	0	0	0	0	1	0	10
21:45	7	0	0	0	0	1	0	8
1 Hr	53	0	0	0	0	4	1	58

22:00	14	0	0	0	0	1	0	15
22:15	16	0	0	0	0	0	0	16
22:30	14	0	0	0	0	0	0	14
22:45	14	0	0	0	0	0	0	14
1 Hr	58	0	0	0	0	1	0	59

22:00	11	0	0	0	0	0	1	12
22:15	7	0	0	0	0	0	0	7
22:30	5	0	0	0	0	0	0	5
22:45	3	0	0	0	0	0	0	3
1 Hr	26	0	0	0	0	0	1	27

23:00	10	0	0	0	0	0	0	10
23:15	13	0	0	0	0	0	0	13
23:30	6	0	0	0	0	0	0	6
23:45	4	0	0	0	0	0	0	4
1 Hr	33	0	0	0	0	0	0	33

23:00	4	0	0	0	0	0	0	4
23:15	2	0	0	0	0	0	0	2
23:30	2	0	0	0	0	0	0	2
23:45	1	0	0	0	0	0	0	1
1 Hr	9	0	0	0	0	0	0	9

6 Hrs	649	40	4	0	1	14	15	723
-------	-----	----	---	---	---	----	----	-----

6 Hrs	397	18	5	0	3	8	6	437
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2274	159	31	15	21	48	46	2594
--------	------	-----	----	----	----	----	----	------

12 Hrs	1298	127	32	15	21	23	17	1533
--------	------	-----	----	----	----	----	----	------

Total	2851	270	57	26	37	57	49	3347
-------	------	-----	----	----	----	----	----	------

Total	2963	285	55	32	35	54	34	3458
-------	------	-----	----	----	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Thursday 19th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	0	0	1	1	0	0	0	2
00:15	1	0	0	0	0	0	0	1
00:30	3	0	0	0	0	0	0	3
00:45	1	0	0	0	0	0	0	1
1 Hr	5	0	1	1	0	0	0	7
01:00	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0
01:30	2	0	0	0	0	0	0	2
01:45	0	1	0	0	0	0	0	1
1 Hr	2	1	0	0	0	0	0	3
02:00	1	0	0	0	0	0	0	1
02:15	2	0	0	0	0	0	0	2
02:30	0	1	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	3	1	0	0	0	0	0	4
03:00	1	0	0	0	0	0	0	1
03:15	2	0	0	0	0	0	0	2
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
04:00	0	1	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0
04:30	0	0	1	0	0	0	0	1
04:45	1	0	0	0	0	0	0	1
1 Hr	1	1	1	0	0	0	0	3
05:00	1	0	1	0	0	0	0	2
05:15	1	0	0	0	0	0	0	1
05:30	1	1	0	0	0	0	0	2
05:45	1	0	0	0	0	0	0	1
1 Hr	4	1	1	0	0	0	0	6
6 Hrs	18	4	3	1	0	0	0	26

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	1	0	0	0	0	1	0	2
00:30	0	0	0	0	0	0	0	0
00:45	1	0	0	0	0	1	0	2
1 Hr	3	0	0	0	0	2	0	5
01:00	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	2	1	0	0	0	0	0	3
02:45	1	0	0	0	0	0	0	1
1 Hr	4	1	0	0	0	0	0	5
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
04:00	1	0	0	0	0	0	0	1
04:15	2	1	0	0	0	0	0	3
04:30	3	1	0	0	0	0	0	4
04:45	4	1	0	0	0	0	0	5
1 Hr	10	3	0	0	0	0	0	13
05:00	2	2	1	0	0	0	0	5
05:15	6	2	0	0	0	0	0	8
05:30	9	2	0	0	0	1	0	12
05:45	6	4	1	0	0	0	0	11
1 Hr	23	10	2	0	0	1	0	36
6 Hrs	40	14	2	0	0	3	0	59

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	1	1
1 Hr	0	0	1	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	1	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	1	1

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	1	1
1 Hr	0	0	1	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	1	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	1	0	0	1
1 Hr	1	0	0	1
3 Hrs	1	0	0	1
6 Hrs	1	0	1	2



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Thursday 19th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	1	1	0	0	0	1	0	3
06:15	2	0	0	0	0	0	1	3
06:30	5	0	0	0	0	1	1	7
06:45	16	2	0	0	0	0	0	18
1 Hr	24	3	0	0	0	2	2	31

15	4	0	0	0	2	1	22
20	1	0	0	0	1	0	22
21	1	0	0	1	2	1	26
36	4	3	0	0	0	1	44
92	10	3	0	1	5	3	114

07:00	15	3	1	0	1	0	0	20
07:15	16	6	0	0	2	0	2	26
07:30	21	3	2	0	1	0	0	27
07:45	36	3	1	1	1	1	0	43
1 Hr	88	15	4	1	5	1	2	116

45	6	0	0	0	1	0	52
85	5	1	0	0	0	2	93
90	10	2	0	1	4	1	108
136	8	1	0	0	3	2	150
356	29	4	0	1	8	5	403

08:00	17	2	3	0	0	1	0	23
08:15	26	5	0	0	1	0	3	35
08:30	27	6	4	0	0	0	0	37
08:45	31	8	2	0	1	0	0	42
1 Hr	101	21	9	0	2	1	3	137

142	6	0	0	1	3	1	153
152	12	3	0	0	2	1	170
107	12	3	0	1	0	2	125
97	10	0	0	1	2	0	110
498	40	6	0	3	7	4	558

09:00	31	6	2	0	2	0	0	41
09:15	25	3	3	0	0	0	0	31
09:30	28	4	3	0	1	0	2	38
09:45	40	3	3	0	0	0	0	46
1 Hr	124	16	11	0	3	0	2	156

119	11	2	0	1	0	0	133
66	3	1	0	0	0	0	70
71	4	0	1	2	1	0	79
72	4	3	0	2	0	0	81
328	22	6	1	5	1	0	363

10:00	33	3	0	0	1	1	0	38
10:15	37	2	0	0	0	1	0	40
10:30	28	4	2	0	1	1	0	36
10:45	26	3	2	0	0	1	0	32
1 Hr	124	12	4	0	2	4	0	146

39	4	1	0	0	0	0	44
41	4	2	1	1	1	0	50
101	7	2	0	0	0	0	110
40	10	2	1	1	0	0	54
221	25	7	2	2	1	0	258

11:00	44	4	1	0	1	2	0	52
11:15	38	5	0	0	0	1	1	45
11:30	45	4	2	0	1	1	0	53
11:45	41	4	0	0	0	0	0	45
1 Hr	168	17	3	0	2	4	1	195

48	3	1	0	0	0	0	52
34	3	2	0	1	0	0	40
38	3	0	0	0	0	0	41
36	3	0	1	1	0	0	41
156	12	3	1	2	0	0	174

6 Hrs	629	84	31	1	14	12	10	781
-------	-----	----	----	---	----	----	----	-----

1651	138	29	4	14	22	12	1870
------	-----	----	---	----	----	----	------

12 Hrs	647	88	34	2	14	12	10	807
--------	-----	----	----	---	----	----	----	-----

1691	152	31	4	14	25	12	1929
------	-----	----	---	----	----	----	------

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	48	7	1	0	1	1	0	58
12:15	38	1	2	0	0	3	0	44
12:30	38	4	1	0	1	1	0	45
12:45	48	5	2	0	0	0	0	55
1 Hr	172	17	6	0	2	5	0	202

12:00	38	4	0	0	0	0	0	42
12:15	44	3	1	0	1	5	0	54
12:30	32	2	0	0	0	0	2	36
12:45	31	9	0	0	1	0	0	41
1 Hr	145	18	1	0	2	5	2	173

13:00	38	0	3	0	1	0	0	42
13:15	39	4	0	0	0	1	1	45
13:30	29	9	0	0	1	0	0	39
13:45	57	3	2	0	1	0	0	63
1 Hr	163	16	5	0	3	1	1	189

13:00	31	7	2	0	0	1	0	41
13:15	53	2	2	1	1	1	0	60
13:30	28	3	0	0	0	0	0	31
13:45	54	5	2	1	2	1	0	65
1 Hr	166	17	6	2	3	3	0	197

14:00	72	2	0	0	1	1	0	76
14:15	52	4	1	0	0	1	0	58
14:30	38	6	0	0	3	1	0	48
14:45	61	2	0	0	0	3	0	66
1 Hr	223	14	1	0	4	6	0	248

14:00	33	5	2	0	0	0	1	41
14:15	38	6	1	0	1	0	0	46
14:30	34	3	1	0	0	3	2	43
14:45	33	6	3	1	1	0	0	44
1 Hr	138	20	7	1	2	3	3	174

15:00	64	9	1	0	2	1	2	79
15:15	50	5	1	1	0	1	0	58
15:30	58	4	0	0	1	0	0	63
15:45	47	2	0	0	0	0	0	49
1 Hr	219	20	2	1	3	2	2	249

15:00	35	5	1	0	0	1	0	42
15:15	31	4	1	1	3	5	0	45
15:30	37	1	2	0	0	0	0	40
15:45	30	5	5	0	0	1	1	42
1 Hr	133	15	9	1	3	7	1	169

16:00	94	4	1	1	0	0	1	101
16:15	99	7	2	0	0	4	1	113
16:30	96	3	2	0	1	3	1	106
16:45	89	2	1	0	0	3	3	98
1 Hr	378	16	6	1	1	10	6	418

16:00	34	8	1	0	0	0	1	44
16:15	28	11	2	0	1	2	0	44
16:30	41	4	0	0	0	2	0	47
16:45	45	3	1	0	3	1	0	53
1 Hr	148	26	4	0	4	5	1	188

17:00	143	11	1	0	1	5	1	162
17:15	122	8	1	0	1	3	3	138
17:30	100	7	1	0	0	5	1	114
17:45	78	6	0	0	0	0	3	87
1 Hr	443	32	3	0	2	13	8	501

17:00	43	2	1	2	0	0	2	50
17:15	44	5	2	0	0	0	0	51
17:30	40	2	0	0	1	0	0	43
17:45	28	3	1	0	0	0	1	33
1 Hr	155	12	4	2	1	0	3	177

6 Hrs	1598	115	23	2	15	37	17	1807
-------	------	-----	----	---	----	----	----	------

6 Hrs	885	108	31	6	15	23	10	1078
-------	-----	-----	----	---	----	----	----	------

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	88	5	1	0	1	0	0	95
18:15	64	4	0	0	0	2	2	72
18:30	57	2	1	0	0	1	0	61
18:45	40	3	1	0	0	1	0	45
1 Hr	249	14	3	0	1	4	2	273

18:00	28	1	1	0	1	2	1	34
18:15	28	2	0	0	0	1	0	31
18:30	32	0	1	0	1	0	0	34
18:45	38	3	0	0	0	0	0	41
1 Hr	126	6	2	0	2	3	1	140

19:00	51	3	2	1	1	0	0	58
19:15	54	4	0	0	0	0	0	58
19:30	46	4	0	0	0	0	0	50
19:45	40	2	0	0	0	0	0	42
1 Hr	191	13	2	1	1	0	0	208

19:00	37	5	0	0	0	1	1	44
19:15	27	0	0	0	0	0	0	27
19:30	20	3	0	0	1	0	0	24
19:45	19	1	0	0	0	0	0	20
1 Hr	103	9	0	0	1	1	1	115

20:00	23	1	0	0	0	1	0	25
20:15	15	0	0	0	0	0	0	15
20:30	15	0	1	0	0	0	0	16
20:45	16	1	0	0	0	0	0	17
1 Hr	69	2	1	0	0	1	0	73

20:00	15	2	1	0	0	0	0	18
20:15	13	0	0	0	0	0	0	13
20:30	11	0	1	0	0	0	0	12
20:45	11	0	0	0	0	0	0	11
1 Hr	50	2	2	0	0	0	0	54

21:00	21	0	0	0	0	0	0	21
21:15	12	1	0	0	0	0	0	13
21:30	13	0	0	0	0	0	1	14
21:45	13	1	0	0	0	0	0	14
1 Hr	59	2	0	0	0	0	1	62

21:00	16	0	0	0	0	0	0	16
21:15	11	0	0	0	0	0	0	11
21:30	6	0	0	0	0	1	0	7
21:45	5	0	0	0	0	0	0	5
1 Hr	38	0	0	0	0	1	0	39

22:00	19	0	0	0	0	0	2	21
22:15	17	0	0	0	0	0	0	17
22:30	17	0	0	0	0	0	1	18
22:45	7	1	0	0	0	0	0	8
1 Hr	60	1	0	0	0	0	3	64

22:00	16	0	0	0	0	0	1	17
22:15	9	0	0	0	0	0	0	9
22:30	8	0	0	0	0	0	1	9
22:45	5	0	0	0	0	0	0	5
1 Hr	38	0	0	0	0	0	2	40

23:00	5	0	0	0	0	0	0	5
23:15	8	0	0	0	0	0	0	8
23:30	5	0	0	0	0	0	0	5
23:45	5	0	0	0	0	0	0	5
1 Hr	23	0	0	0	0	0	0	23

23:00	6	0	0	0	0	0	0	6
23:15	4	0	0	0	0	0	0	4
23:30	3	0	0	0	0	0	0	3
23:45	2	0	0	0	0	0	0	2
1 Hr	15	0	0	0	0	0	0	15

6 Hrs	651	32	6	1	2	5	6	703
-------	-----	----	---	---	---	---	---	-----

6 Hrs	370	17	4	0	3	5	4	403
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2249	147	29	3	17	42	23	2510
--------	------	-----	----	---	----	----	----	------

12 Hrs	1255	125	35	6	18	28	14	1481
--------	------	-----	----	---	----	----	----	------

Total	2896	235	63	5	31	54	33	3317
-------	------	-----	----	---	----	----	----	------

Total	2946	277	66	10	32	53	26	3410
-------	------	-----	----	----	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 20th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	2	0	0	0	0	0	0	2
00:30	0	0	0	0	0	0	0	0
00:45	2	0	0	0	0	0	0	2
1 Hr	7	0	0	0	0	0	0	7
01:00	4	0	0	0	0	0	0	4
01:15	2	0	0	0	0	0	0	2
01:30	2	0	0	0	0	0	0	2
01:45	2	0	0	0	0	0	0	2
1 Hr	10	0	0	0	0	0	0	10
02:00	1	1	0	0	0	0	0	2
02:15	3	0	0	0	0	0	0	3
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	5	1	0	0	0	0	0	6
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	3	1	0	0	0	0	0	4
03:45	1	0	0	0	0	0	0	1
1 Hr	5	1	0	0	0	0	0	6
04:00	1	0	0	1	0	0	0	2
04:15	1	0	0	0	0	0	0	1
04:30	0	0	1	0	0	0	0	1
04:45	1	0	0	0	0	0	0	1
1 Hr	3	0	1	1	0	0	0	5
05:00	3	0	0	0	0	0	0	3
05:15	0	1	0	0	0	0	0	1
05:30	1	1	0	0	0	0	0	2
05:45	2	1	0	0	0	0	0	3
1 Hr	6	3	0	0	0	0	0	9
6 Hrs	36	5	1	1	0	0	0	43

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	4	0	0	0	0	0	0	4
00:30	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	0	5
01:00	1	0	0	0	0	0	0	1
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	2	0	0	0	0	0	0	2
1 Hr	5	0	0	0	0	0	0	5
02:00	2	0	0	0	0	0	0	2
02:15	0	0	0	0	0	0	0	0
02:30	3	0	0	0	0	0	0	3
02:45	0	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	0	5
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	1	2
1 Hr	1	0	0	0	0	0	1	2
04:00	0	0	0	0	0	0	0	0
04:15	2	0	0	0	0	0	0	2
04:30	1	0	0	0	0	0	0	1
04:45	1	1	0	0	0	0	0	2
1 Hr	4	1	0	0	0	0	0	5
05:00	4	1	1	0	0	0	0	6
05:15	5	0	0	0	0	0	1	6
05:30	12	2	0	0	0	0	2	16
05:45	11	2	1	0	0	0	0	14
1 Hr	32	5	2	0	0	0	3	42
6 Hrs	52	6	2	0	0	0	4	64

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	2	0	0	2
16:45	2	0	0	2
1 Hr	4	0	0	4
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	2	0	0	2
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	2	0	0	2
3 Hrs	6	0	0	6
6 Hrs	7	0	0	7

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	1	0	0	1
08:30	1	0	0	1
08:45	0	0	0	0
1 Hr	2	0	0	2
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	2	0	0	2
16:00	0	0	0	0
16:15	1	0	0	1
16:30	2	0	0	2
16:45	0	0	0	0
1 Hr	3	0	0	3
17:00	0	0	0	0
17:15	1	0	0	1
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	1	0	0	1
18:00	1	0	0	1
18:15	2	0	0	2
18:30	0	0	0	0
18:45	1	0	0	1
1 Hr	4	0	0	4
3 Hrs	8	0	0	8
6 Hrs	10	0	0	10



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Friday 20th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	0	0	0	0	1	0	0	1
06:15	1	1	0	0	0	0	0	2
06:30	7	1	0	0	0	1	1	10
06:45	12	2	0	0	0	0	0	14
1 Hr	20	4	0	0	1	1	1	27

8	2	1	0	0	1	0	12
28	0	0	0	0	0	0	28
22	3	0	0	1	2	1	29
22	8	1	0	0	0	1	32
80	13	2	0	1	3	2	101

07:00	16	4	2	0	1	1	0	24
07:15	16	1	0	1	2	0	1	21
07:30	30	6	1	0	1	2	1	41
07:45	26	3	1	0	1	0	0	31
1 Hr	88	14	4	1	5	3	2	117

56	13	2	0	0	3	0	74
72	7	1	0	0	0	0	80
106	9	1	1	1	6	1	125
105	6	2	0	0	4	1	118
339	35	6	1	1	13	2	397

08:00	21	4	6	0	0	0	0	31
08:15	22	2	1	0	1	0	0	26
08:30	25	3	2	0	0	0	0	30
08:45	31	6	4	0	1	0	0	42
1 Hr	99	15	13	0	2	0	0	129

117	7	1	1	1	0	1	128
116	8	3	0	0	1	1	129
99	6	3	0	0	2	0	110
106	5	5	0	1	4	1	122
438	26	12	1	2	7	3	489

09:00	26	4	2	1	2	1	0	36
09:15	24	6	0	0	0	0	0	30
09:30	31	2	0	0	1	1	0	35
09:45	40	5	1	0	0	0	1	47
1 Hr	121	17	3	1	3	2	1	148

99	4	3	0	0	0	0	106
67	2	0	0	1	0	0	70
57	5	0	0	0	1	0	63
48	9	1	0	3	0	0	61
271	20	4	0	4	1	0	300

10:00	33	2	0	0	1	1	0	37
10:15	31	4	1	0	0	0	2	38
10:30	37	6	1	0	1	1	0	46
10:45	35	13	0	0	1	0	0	49
1 Hr	136	25	2	0	3	2	2	170

57	5	1	1	1	2	0	67
48	6	2	0	1	0	0	57
59	4	1	0	0	0	1	65
48	9	0	0	1	0	0	58
212	24	4	1	3	2	1	247

11:00	28	3	0	0	2	0	0	33
11:15	48	3	2	0	1	0	0	54
11:30	36	4	2	0	1	0	0	43
11:45	42	7	4	0	0	1	0	54
1 Hr	154	17	8	0	4	1	0	184

39	4	2	0	1	0	0	46
45	4	0	0	2	0	0	51
49	4	0	0	0	2	0	55
40	7	3	0	1	0	0	51
173	19	5	0	4	2	0	203

6 Hrs	618	92	30	2	18	9	6	775
-------	-----	----	----	---	----	---	---	-----

1513	137	33	3	15	28	8	1737
------	-----	----	---	----	----	---	------

12 Hrs	654	97	31	3	18	9	6	818
--------	-----	----	----	---	----	---	---	-----

1565	143	35	3	15	28	12	1801
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 20th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound								
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total	

Direction : Westbound								
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total	

12:00	50	4	2	0	2	4	0	62
12:15	32	2	3	0	0	0	1	38
12:30	60	3	2	1	1	2	2	71
12:45	37	5	1	0	1	0	1	45
1 Hr	179	14	8	1	4	6	4	216

12:00	47	5	2	0	0	1	0	55
12:15	40	4	3	0	1	0	1	49
12:30	49	3	2	0	1	1	0	56
12:45	49	5	1	1	1	0	0	57
1 Hr	185	17	8	1	3	2	1	217

13:00	46	6	2	0	2	0	0	56
13:15	46	5	0	0	0	5	0	56
13:30	54	4	0	0	1	2	1	62
13:45	47	3	0	0	0	0	0	50
1 Hr	193	18	2	0	3	7	1	224

13:00	47	4	2	0	1	1	0	55
13:15	57	3	4	0	1	3	0	68
13:30	38	8	0	0	0	5	0	51
13:45	50	6	1	0	1	1	0	59
1 Hr	192	21	7	0	3	10	0	233

14:00	54	3	2	0	1	1	1	62
14:15	44	5	0	0	0	3	0	52
14:30	62	5	0	1	2	1	0	71
14:45	61	3	1	0	1	1	0	67
1 Hr	221	16	3	1	4	6	1	252

14:00	42	5	1	0	1	0	1	50
14:15	38	5	3	0	1	0	0	47
14:30	44	3	1	0	0	0	0	48
14:45	47	3	0	0	1	2	0	53
1 Hr	171	16	5	0	3	2	1	198

15:00	81	4	0	0	1	3	2	91
15:15	88	5	2	1	1	2	0	99
15:30	51	5	0	0	1	1	0	58
15:45	71	10	1	0	0	0	0	82
1 Hr	291	24	3	1	3	6	2	330

15:00	33	3	0	0	0	0	0	36
15:15	24	5	0	0	2	2	0	33
15:30	46	5	0	0	2	0	0	53
15:45	32	8	1	0	1	0	1	43
1 Hr	135	21	1	0	5	2	1	165

16:00	82	5	0	0	0	3	1	91
16:15	91	8	1	0	0	3	0	103
16:30	96	3	1	0	1	2	2	105
16:45	80	5	2	0	1	2	2	92
1 Hr	349	21	4	0	2	10	5	391

16:00	44	4	0	0	0	1	0	49
16:15	30	4	2	1	1	1	0	39
16:30	38	3	1	0	0	0	0	42
16:45	32	2	0	1	2	1	0	38
1 Hr	144	13	3	2	3	3	0	168

17:00	98	11	1	0	0	1	0	111
17:15	104	10	2	0	1	2	0	119
17:30	76	8	0	0	0	3	1	88
17:45	73	7	0	0	1	3	0	84
1 Hr	351	36	3	0	2	9	1	402

17:00	30	0	0	0	1	3	0	34
17:15	30	1	0	1	0	0	0	32
17:30	33	4	0	0	1	0	0	38
17:45	21	3	1	0	0	0	1	26
1 Hr	114	8	1	1	2	3	1	130

6 Hrs	1584	129	23	3	18	44	14	1815
-------	------	-----	----	---	----	----	----	------

6 Hrs	941	96	25	4	19	22	4	1111
-------	-----	----	----	---	----	----	---	------

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	59	3	1	0	0	1	0	64
18:15	49	4	0	0	0	1	0	54
18:30	46	3	1	0	0	1	2	53
18:45	45	1	0	0	0	3	0	49
1 Hr	199	11	2	0	0	6	2	220

18:00	42	0	0	0	1	1	1	45
18:15	41	3	0	0	0	1	2	47
18:30	32	3	0	0	1	1	0	37
18:45	30	4	0	0	0	0	2	36
1 Hr	145	10	0	0	2	3	5	165

19:00	34	4	1	0	1	0	1	41
19:15	35	1	0	0	0	0	0	36
19:30	50	1	0	0	0	0	0	51
19:45	33	2	0	0	0	0	0	35
1 Hr	152	8	1	0	1	0	1	163

19:00	29	2	0	0	0	0	1	32
19:15	30	1	0	0	0	0	1	32
19:30	24	1	0	0	1	0	2	28
19:45	22	1	0	0	0	1	0	24
1 Hr	105	5	0	0	1	1	4	116

20:00	37	1	0	0	0	0	0	38
20:15	23	4	0	0	0	2	0	29
20:30	22	2	1	0	0	0	0	25
20:45	17	0	0	0	0	1	0	18
1 Hr	99	7	1	0	0	3	0	110

20:00	22	1	0	0	0	0	1	24
20:15	14	0	0	0	0	0	0	14
20:30	14	1	0	0	0	0	0	15
20:45	13	0	0	0	0	0	0	13
1 Hr	63	2	0	0	0	0	1	66

21:00	28	1	0	0	0	1	0	30
21:15	12	1	0	0	0	0	0	13
21:30	21	0	0	0	0	0	0	21
21:45	15	0	0	0	0	0	0	15
1 Hr	76	2	0	0	0	1	0	79

21:00	15	1	1	0	0	0	0	17
21:15	20	0	0	0	0	0	1	21
21:30	16	0	0	0	0	0	0	16
21:45	8	0	0	0	0	0	0	8
1 Hr	59	1	1	0	0	0	1	62

22:00	15	1	0	0	0	1	0	17
22:15	17	0	0	0	0	0	0	17
22:30	15	0	0	0	0	0	0	15
22:45	13	0	0	0	0	1	0	14
1 Hr	60	1	0	0	0	2	0	63

22:00	19	0	0	0	0	0	0	19
22:15	14	0	0	0	0	0	0	14
22:30	10	0	0	0	0	0	0	10
22:45	13	0	0	0	0	0	0	13
1 Hr	56	0	0	0	0	0	0	56

23:00	20	0	0	0	0	0	0	20
23:15	7	0	0	0	0	0	0	7
23:30	8	0	0	0	0	0	0	8
23:45	8	0	0	0	0	0	0	8
1 Hr	43	0	0	0	0	0	0	43

23:00	4	0	0	0	0	0	0	4
23:15	7	0	0	0	0	0	0	7
23:30	3	0	0	0	0	0	0	3
23:45	5	0	0	0	0	0	0	5
1 Hr	19	0	0	0	0	0	0	19

6 Hrs	629	29	4	0	1	12	3	678
-------	-----	----	---	---	---	----	---	-----

6 Hrs	447	18	1	0	3	4	11	484
-------	-----	----	---	---	---	---	----	-----

12 Hrs	2213	158	27	3	19	56	17	2493
--------	------	-----	----	---	----	----	----	------

12 Hrs	1388	114	26	4	22	26	15	1595
--------	------	-----	----	---	----	----	----	------

Total	2867	255	58	6	37	65	23	3311
-------	------	-----	----	---	----	----	----	------

Total	2953	257	61	7	37	54	27	3396
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 21st June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	6	0	0	0	0	0	0	6
00:30	5	0	0	0	0	0	0	5
00:45	4	0	0	0	0	0	0	4
1 Hr	18	0	0	0	0	0	0	18
01:00	4	0	0	0	0	0	0	4
01:15	2	0	0	0	0	0	0	2
01:30	1	0	0	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	8	0	0	0	0	0	0	8
02:00	3	0	0	0	0	0	0	3
02:15	2	1	0	0	0	0	0	3
02:30	0	1	0	0	0	0	0	1
02:45	2	0	0	0	0	0	0	2
1 Hr	7	2	0	0	0	0	0	9
03:00	4	0	0	0	0	0	0	4
03:15	0	0	0	0	0	0	0	0
03:30	1	0	0	0	0	0	0	1
03:45	2	0	0	0	0	0	0	2
1 Hr	7	0	0	0	0	0	0	7
04:00	2	0	0	0	0	0	0	2
04:15	0	0	0	0	0	0	0	0
04:30	2	0	1	0	0	0	0	3
04:45	4	0	0	0	0	0	0	4
1 Hr	8	0	1	0	0	0	0	9
05:00	0	0	0	0	0	0	0	0
05:15	1	0	0	0	0	0	0	1
05:30	4	0	0	0	0	0	0	4
05:45	3	0	0	0	0	0	0	3
1 Hr	8	0	0	0	0	0	0	8
6 Hrs	56	2	1	0	0	0	0	59

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	9	0	0	0	0	0	0	9
00:15	7	0	0	0	0	0	0	7
00:30	6	0	0	0	0	0	0	6
00:45	3	0	0	0	0	0	0	3
1 Hr	25	0	0	0	0	0	0	25
01:00	5	0	0	0	0	0	0	5
01:15	2	0	0	0	0	0	0	2
01:30	2	0	0	0	0	0	0	2
01:45	0	0	0	0	0	0	0	0
1 Hr	9	0	0	0	0	0	0	9
02:00	3	0	0	0	0	0	0	3
02:15	1	0	0	0	0	0	0	1
02:30	2	0	0	0	0	0	0	2
02:45	1	0	0	0	0	0	0	1
1 Hr	7	0	0	0	0	0	0	7
03:00	2	0	0	0	0	0	0	2
03:15	1	0	0	0	0	0	0	1
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4
04:00	1	0	0	0	0	0	0	1
04:15	1	0	0	0	0	0	0	1
04:30	3	0	0	0	0	0	0	3
04:45	6	0	0	0	0	0	0	6
1 Hr	11	0	0	0	0	0	0	11
05:00	2	0	0	0	0	0	0	2
05:15	2	0	1	0	0	1	0	4
05:30	10	1	0	0	0	0	0	11
05:45	10	0	0	0	0	0	0	10
1 Hr	24	1	1	0	0	1	0	27
6 Hrs	80	1	1	0	0	1	0	83

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	1	0	0	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	2	0	0	2
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	2	0	0	2
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	2	0	0	2
6 Hrs	3	0	0	3

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	1	0	0	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	1	0	0	1
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	1	0	0	1
3 Hrs	1	0	0	1
6 Hrs	2	0	0	2



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 21st June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	2	0	0	0	0	0	2
06:15	3	0	0	0	0	0	3
06:30	2	1	0	0	0	0	3
06:45	10	0	0	0	0	0	10
1 Hr	17	1	0	0	0	0	18

06:00	5	1	0	0	0	0	6
06:15	8	2	0	0	0	0	10
06:30	14	1	0	0	0	2	17
06:45	16	2	0	0	0	0	18
1 Hr	43	6	0	0	0	2	51

07:00	7	0	0	0	0	0	7
07:15	7	4	0	0	1	0	14
07:30	9	1	2	0	0	0	12
07:45	9	4	0	0	0	1	14
1 Hr	32	9	2	0	1	1	47

07:00	15	4	0	0	0	0	19
07:15	19	3	1	0	0	0	23
07:30	30	5	0	0	0	2	37
07:45	47	4	0	0	0	1	52
1 Hr	111	16	1	0	0	1	131

08:00	12	4	1	0	1	0	18
08:15	13	2	1	0	0	0	16
08:30	11	4	1	0	1	0	18
08:45	22	4	1	0	0	0	27
1 Hr	58	14	4	0	2	0	79

08:00	30	2	0	0	1	0	33
08:15	34	6	0	0	0	1	41
08:30	46	2	0	0	0	0	48
08:45	58	4	1	0	1	2	66
1 Hr	168	14	1	0	2	2	188

09:00	18	4	0	0	1	1	24
09:15	25	1	1	0	0	4	31
09:30	34	8	0	0	1	0	43
09:45	33	3	1	0	0	1	39
1 Hr	110	16	2	0	2	6	137

09:00	47	7	0	0	0	1	55
09:15	50	5	0	0	1	1	57
09:30	57	6	2	0	0	0	65
09:45	69	6	0	0	1	3	79
1 Hr	223	24	2	0	2	5	256

10:00	41	4	1	0	1	2	50
10:15	29	6	1	0	0	0	38
10:30	39	3	0	0	1	2	45
10:45	43	3	0	0	0	0	46
1 Hr	152	16	2	0	2	4	179

10:00	61	2	0	0	0	3	66
10:15	48	4	1	0	1	0	55
10:30	46	5	0	0	0	0	51
10:45	45	7	1	0	1	2	56
1 Hr	200	18	2	0	2	5	228

11:00	59	2	2	0	1	5	69
11:15	62	1	0	0	0	0	63
11:30	49	1	0	0	1	2	53
11:45	62	3	0	1	0	1	67
1 Hr	232	7	2	1	2	8	252

11:00	45	5	0	0	0	1	51
11:15	64	5	0	0	1	0	70
11:30	58	2	0	0	0	2	62
11:45	46	6	0	0	1	2	55
1 Hr	213	18	0	0	2	5	238

6 Hrs	601	63	12	1	9	19	7	712
-------	-----	----	----	---	---	----	---	-----

6 Hrs	958	96	6	0	8	20	4	1092
-------	-----	----	---	---	---	----	---	------

12 Hrs	657	65	13	1	9	19	7	771
--------	-----	----	----	---	---	----	---	-----

12 Hrs	1038	97	7	0	8	21	4	1175
--------	------	----	---	---	---	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 21st June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	55	6	0	0	1	5	2	69
12:15	63	4	0	0	0	1	1	69
12:30	58	3	0	0	1	2	1	65
12:45	44	3	1	0	0	1	0	49
1 Hr	220	16	1	0	2	9	4	252

12:00	54	1	0	0	0	1	0	56
12:15	36	2	0	0	1	1	0	40
12:30	48	4	0	1	0	3	0	56
12:45	42	3	0	0	1	2	0	48
1 Hr	180	10	0	1	2	7	0	200

13:00	40	3	0	0	1	1	0	45
13:15	48	1	0	0	0	1	1	51
13:30	64	3	0	0	1	3	0	71
13:45	47	3	0	0	0	1	1	52
1 Hr	199	10	0	0	2	6	2	219

13:00	51	3	2	0	0	0	3	59
13:15	45	3	2	0	1	2	0	53
13:30	38	2	2	0	0	1	1	44
13:45	34	2	0	0	1	0	0	37
1 Hr	168	10	6	0	2	3	4	193

14:00	45	2	0	0	1	2	1	51
14:15	50	3	1	0	0	1	1	56
14:30	36	4	1	0	1	0	0	42
14:45	51	3	1	0	0	1	0	56
1 Hr	182	12	3	0	2	4	2	205

14:00	36	3	0	0	0	1	0	40
14:15	47	6	0	0	1	1	0	55
14:30	43	3	0	0	0	3	0	49
14:45	44	2	0	0	1	3	0	50
1 Hr	170	14	0	0	2	8	0	194

15:00	55	1	0	0	0	2	0	58
15:15	44	6	1	0	0	0	0	51
15:30	47	2	0	0	0	1	0	50
15:45	43	4	0	0	1	2	0	50
1 Hr	189	13	1	0	1	5	0	209

15:00	33	5	0	0	0	0	2	40
15:15	25	3	0	0	1	2	0	31
15:30	29	1	0	0	0	1	0	31
15:45	33	0	0	0	1	0	1	35
1 Hr	120	9	0	0	2	3	3	137

16:00	33	2	0	0	0	3	0	38
16:15	39	3	0	0	1	2	1	46
16:30	48	2	0	0	0	1	0	51
16:45	38	2	0	0	1	0	0	41
1 Hr	158	9	0	0	2	6	1	176

16:00	39	2	0	0	0	1	0	42
16:15	33	3	0	0	1	0	0	37
16:30	30	0	0	0	0	0	0	30
16:45	29	0	0	0	1	0	1	31
1 Hr	131	5	0	0	2	1	1	140

17:00	43	0	1	0	0	2	1	47
17:15	38	1	0	0	1	0	1	41
17:30	31	2	0	0	0	0	0	33
17:45	31	2	0	0	0	0	0	33
1 Hr	143	5	1	0	1	2	2	154

17:00	33	2	0	0	0	1	1	37
17:15	24	1	0	0	0	0	0	25
17:30	24	3	0	0	1	0	0	28
17:45	28	0	0	0	0	1	0	29
1 Hr	109	6	0	0	1	2	1	119

6 Hrs	1091	65	6	0	10	32	11	1215
-------	------	----	---	---	----	----	----	------

6 Hrs	878	54	6	1	11	24	9	983
-------	-----	----	---	---	----	----	---	-----



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 21st June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	34	3	0	0	0	0	0	37
18:15	31	1	0	0	0	1	0	33
18:30	35	2	1	0	0	2	2	42
18:45	26	1	0	0	0	0	0	27
1 Hr	126	7	1	0	0	3	2	139

18:00	19	1	0	0	1	0	0	21
18:15	21	0	0	0	0	0	0	21
18:30	30	3	0	0	0	1	0	34
18:45	29	3	0	0	0	0	0	32
1 Hr	99	7	0	0	1	1	0	108

19:00	29	2	0	0	1	1	1	34
19:15	27	1	0	0	0	0	1	29
19:30	18	1	0	0	0	0	0	19
19:45	23	1	2	0	0	2	1	29
1 Hr	97	5	2	0	1	3	3	111

19:00	23	0	0	0	0	0	0	23
19:15	19	0	0	0	0	2	0	21
19:30	23	1	0	0	0	0	1	25
19:45	37	1	0	0	1	0	1	40
1 Hr	102	2	0	0	1	2	2	109

20:00	22	1	0	0	0	0	0	23
20:15	19	0	0	0	0	1	0	20
20:30	24	0	0	0	0	0	0	24
20:45	18	0	0	0	0	0	0	18
1 Hr	83	1	0	0	0	1	0	85

20:00	14	0	0	0	0	0	0	14
20:15	17	1	0	0	0	0	2	20
20:30	11	0	0	0	0	0	0	11
20:45	15	0	0	0	0	0	1	16
1 Hr	57	1	0	0	0	0	3	61

21:00	16	1	0	0	0	0	0	17
21:15	14	2	0	0	0	0	1	17
21:30	5	0	0	0	0	0	0	5
21:45	7	0	1	0	0	0	0	8
1 Hr	42	3	1	0	0	0	1	47

21:00	18	2	0	0	0	0	1	21
21:15	10	0	0	0	0	0	0	10
21:30	8	0	0	0	0	0	2	10
21:45	10	1	0	0	0	0	0	11
1 Hr	46	3	0	0	0	0	3	52

22:00	10	0	0	0	0	0	0	10
22:15	14	1	0	0	0	1	0	16
22:30	12	0	0	0	0	0	0	12
22:45	9	0	0	0	0	0	0	9
1 Hr	45	1	0	0	0	1	0	47

22:00	13	0	0	0	0	1	1	15
22:15	11	0	0	0	0	0	0	11
22:30	7	0	0	0	0	0	0	7
22:45	7	1	0	0	0	0	0	8
1 Hr	38	1	0	0	0	1	1	41

23:00	7	0	0	0	0	0	0	7
23:15	8	0	0	0	0	0	0	8
23:30	7	0	0	0	0	0	0	7
23:45	5	0	0	0	0	0	0	5
1 Hr	27	0	0	0	0	0	0	27

23:00	8	0	0	0	0	0	0	8
23:15	9	0	0	0	0	0	0	9
23:30	9	0	0	0	0	0	0	9
23:45	4	0	0	0	0	0	0	4
1 Hr	30	0	0	0	0	0	0	30

6 Hrs	420	17	4	0	1	8	6	456
-------	-----	----	---	---	---	---	---	-----

6 Hrs	372	14	0	0	2	4	9	401
-------	-----	----	---	---	---	---	---	-----

12 Hrs	1511	82	10	0	11	40	17	1671
--------	------	----	----	---	----	----	----	------

12 Hrs	1250	68	6	1	13	28	18	1384
--------	------	----	---	---	----	----	----	------

Total	2168	147	23	1	20	59	24	2442
-------	------	-----	----	---	----	----	----	------


Total	2288	165	13	1	21	49	22	2559
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council	Site plan for : EW3 - B1308 Greetwell Road
Project : 9320 / Lincoln By Pass	Date : Monday 16th June - Saturday 21st June 2014





Sky High

Count On Us

Client:	Lincolnshire County Council
Project:	9320 / Lincoln By Pass
Site:	EW3 - B1308 Greetwell Road
Survey Date:	Monday 23rd June - Monday 30th June 2014
Survey Period:	07:00 - 19:00
Method:	Video Observation

Incidents / Observations:

There were no incidents reported over the survey period.



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 23rd June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	2	0	0	0	0	0	0	2
00:15	2	0	0	0	0	0	0	2
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	0	5
01:00	1	0	0	0	0	0	0	1
01:15	1	0	0	0	0	0	0	1
01:30	0	1	0	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	3	1	0	0	0	0	0	4
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	0	0
04:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
05:00	0	0	0	0	0	0	0	0
05:15	0	0	0	0	0	0	0	0
05:30	0	0	0	0	0	0	0	0
05:45	2	0	0	0	0	0	0	2
1 Hr	2	0	0	0	0	0	0	2
6 Hrs	11	1	0	0	0	0	0	12

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	0	0	0	0	0	0	0	0
00:15	0	0	0	0	0	0	0	0
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	2	0	0	0	0	0	0	2
03:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	2	1	0	0	0	0	0	3
04:45	4	0	0	0	0	0	0	4
1 Hr	6	1	0	0	0	0	0	7
05:00	5	0	1	0	0	0	0	6
05:15	8	1	0	0	0	0	0	9
05:30	12	1	0	0	0	1	0	14
05:45	11	0	0	0	0	0	0	11
1 Hr	36	2	1	0	0	1	0	40
6 Hrs	46	3	1	0	0	1	0	51

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	0	0
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	0	0

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	0	0
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	0	0



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 23rd June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	2	0	0	0	1	0	0	3
06:15	0	2	0	0	0	0	0	2
06:30	3	1	0	0	0	1	1	6
06:45	8	0	0	0	0	0	1	9
1 Hr	13	3	0	0	1	1	2	20

10	5	1	0	0	0	0	0	16
16	2	0	0	0	0	0	0	18
20	2	0	0	1	4	1	1	28
27	6	1	0	0	2	2	2	38
73	15	2	0	1	6	3	100	

07:00	14	2	0	0	1	0	1	18
07:15	11	2	0	0	1	0	0	14
07:30	28	7	3	0	2	0	1	41
07:45	29	1	0	1	1	0	0	32
1 Hr	82	12	3	1	5	0	2	105

52	14	0	0	0	1	1	1	68
85	9	0	0	0	0	0	1	95
91	4	1	0	1	3	4	1	104
105	8	3	0	0	3	2	2	121
333	35	4	0	1	7	8	388	

08:00	17	6	0	0	0	0	0	23
08:15	17	2	2	0	1	0	0	22
08:30	25	5	1	1	0	0	0	32
08:45	32	9	0	0	2	0	0	43
1 Hr	91	22	3	1	3	0	0	120

137	7	2	0	1	1	2	2	150
134	8	1	1	0	2	0	0	146
106	4	1	0	2	4	2	2	119
115	4	0	0	1	4	0	0	124
492	23	4	1	4	11	4	539	

09:00	21	5	2	0	1	1	0	30
09:15	24	5	1	0	0	0	0	30
09:30	31	4	0	0	1	1	0	37
09:45	30	4	0	0	0	0	0	34
1 Hr	106	18	3	0	2	2	0	131

97	4	0	0	0	1	2	2	104
73	5	2	0	1	1	0	0	82
59	5	0	0	1	1	0	0	66
48	4	0	0	2	1	1	1	56
277	18	2	0	4	4	3	308	

10:00	30	5	2	0	1	0	0	38
10:15	40	4	0	0	0	1	0	45
10:30	35	6	1	0	1	0	1	44
10:45	49	6	1	0	0	1	0	57
1 Hr	154	21	4	0	2	2	1	184

48	5	0	0	0	0	0	0	53
51	3	1	0	1	0	0	0	56
37	3	2	0	0	0	0	0	42
44	2	0	0	1	0	0	0	47
180	13	3	0	2	0	0	198	

11:00	30	2	1	0	1	0	0	34
11:15	27	7	3	0	1	1	0	39
11:30	33	1	3	0	1	3	0	41
11:45	35	0	0	0	0	0	1	36
1 Hr	125	10	7	0	3	4	1	150

43	4	1	0	0	0	0	0	48
40	4	1	0	1	0	0	0	46
44	4	1	0	0	2	0	0	51
47	2	1	0	1	0	0	0	51
174	14	4	0	2	2	0	196	

6 Hrs	571	86	20	2	16	9	6	710
-------	-----	----	----	---	----	---	---	-----

1529	118	19	1	14	30	18	1729
------	-----	----	---	----	----	----	------

12 Hrs	582	87	20	2	16	9	6	722
--------	-----	----	----	---	----	---	---	-----

1575	121	20	1	14	31	18	1780
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 23rd June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	44	8	0	0	1	1	1	55
12:15	38	4	0	0	0	1	0	43
12:30	39	2	2	1	1	0	0	45
12:45	50	2	0	0	0	1	0	53
1 Hr	171	16	2	1	2	3	1	196

12:00	36	6	1	0	0	1	0	44
12:15	38	2	0	0	1	1	0	42
12:30	38	4	0	0	0	1	0	43
12:45	39	1	0	0	1	0	0	41
1 Hr	151	13	1	0	2	3	0	170

13:00	37	2	0	0	1	0	0	40
13:15	32	3	1	0	0	2	0	38
13:30	43	2	2	0	1	2	0	50
13:45	34	3	1	0	1	0	0	39
1 Hr	146	10	4	0	3	4	0	167

13:00	35	4	1	0	0	2	0	42
13:15	42	3	3	0	1	2	2	53
13:30	36	5	2	0	0	2	0	45
13:45	38	2	2	1	2	2	0	47
1 Hr	151	14	8	1	3	8	2	187

14:00	42	1	1	0	1	2	0	47
14:15	40	2	1	0	0	3	0	46
14:30	51	4	1	0	3	0	0	59
14:45	51	6	1	1	1	1	0	61
1 Hr	184	13	4	1	5	6	0	213

14:00	36	2	1	0	0	0	0	39
14:15	42	5	0	1	1	0	0	49
14:30	31	4	3	0	0	1	0	39
14:45	28	3	0	0	2	0	0	33
1 Hr	137	14	4	1	3	1	0	160

15:00	72	3	1	0	2	3	2	83
15:15	64	3	0	0	0	1	3	71
15:30	45	7	0	0	2	1	2	57
15:45	61	5	1	0	0	4	0	71
1 Hr	242	18	2	0	4	9	7	282

15:00	28	4	0	0	0	5	0	37
15:15	47	2	0	0	2	0	0	51
15:30	55	4	0	1	1	2	0	63
15:45	32	3	2	0	0	1	0	38
1 Hr	162	13	2	1	3	8	0	189

16:00	88	8	0	0	0	0	0	96
16:15	84	7	1	0	1	4	0	97
16:30	111	8	1	0	0	3	1	124
16:45	97	6	0	0	1	2	1	107
1 Hr	380	29	2	0	2	9	2	424

16:00	44	5	0	0	0	0	0	49
16:15	37	4	1	0	1	1	1	45
16:30	27	5	1	0	0	0	1	34
16:45	29	6	0	0	3	0	0	38
1 Hr	137	20	2	0	4	1	2	166

17:00	120	1	1	0	0	6	0	128
17:15	98	9	0	0	0	0	2	109
17:30	93	7	0	0	1	5	2	108
17:45	72	4	0	0	1	1	1	79
1 Hr	383	21	1	0	2	12	5	424

17:00	24	7	1	0	0	0	0	32
17:15	21	7	1	0	0	2	0	31
17:30	23	2	0	0	1	0	2	28
17:45	41	0	1	0	0	0	0	42
1 Hr	109	16	3	0	1	2	2	133

6 Hrs	1506	107	15	2	18	43	15	1706
-------	------	-----	----	---	----	----	----	------

6 Hrs	847	90	20	3	16	23	6	1005
-------	-----	----	----	---	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 23rd June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	67	4	0	1	0	0	5	77
18:15	38	0	0	0	0	2	1	41
18:30	46	2	0	0	0	0	1	49
18:45	34	1	1	0	0	2	0	38
1 Hr	185	7	1	1	0	4	7	205

18:00	27	3	0	0	1	0	1	32
18:15	25	4	2	0	0	0	0	31
18:30	29	1	0	0	1	0	0	31
18:45	29	1	0	0	0	1	0	31
1 Hr	110	9	2	0	2	1	1	125

19:00	40	2	1	0	1	0	0	44
19:15	32	5	0	0	0	0	1	38
19:30	21	1	0	0	0	0	0	22
19:45	24	1	0	0	0	0	0	25
1 Hr	117	9	1	0	1	0	1	129

19:00	24	1	0	0	0	0	0	25
19:15	22	3	0	0	0	2	0	27
19:30	29	2	1	0	0	0	2	34
19:45	27	1	0	0	1	0	1	30
1 Hr	102	7	1	0	1	2	3	116

20:00	28	2	0	0	0	1	0	31
20:15	29	1	0	0	0	0	0	30
20:30	20	4	0	0	0	0	1	25
20:45	20	1	0	0	0	0	0	21
1 Hr	97	8	0	0	0	1	1	107

20:00	15	0	0	0	0	0	2	17
20:15	9	0	0	0	0	0	0	9
20:30	10	0	0	0	0	0	0	10
20:45	13	0	0	0	0	0	3	16
1 Hr	47	0	0	0	0	0	5	52

21:00	10	0	0	0	0	0	0	10
21:15	15	1	0	0	0	2	0	18
21:30	20	0	0	0	0	0	0	20
21:45	14	2	0	0	0	0	0	16
1 Hr	59	3	0	0	0	2	0	64

21:00	13	3	0	0	0	0	0	16
21:15	14	0	0	0	0	0	0	14
21:30	11	1	0	0	0	0	0	12
21:45	5	1	0	0	0	0	0	6
1 Hr	43	5	0	0	0	0	0	48

22:00	13	0	0	0	0	1	0	14
22:15	13	0	0	0	0	0	0	13
22:30	11	0	0	0	0	0	0	11
22:45	5	0	0	0	0	0	0	5
1 Hr	42	0	0	0	0	1	0	43

22:00	6	1	0	0	0	0	0	7
22:15	9	0	0	0	0	0	0	9
22:30	4	0	0	0	0	0	0	4
22:45	10	0	0	0	0	0	0	10
1 Hr	29	1	0	0	0	0	0	30

23:00	10	0	0	0	0	0	0	10
23:15	7	0	0	0	0	0	0	7
23:30	6	0	0	0	0	0	0	6
23:45	1	0	0	0	0	0	0	1
1 Hr	24	0	0	0	0	0	0	24

23:00	1	0	0	0	0	0	0	1
23:15	2	0	0	0	0	0	0	2
23:30	2	0	0	0	0	0	0	2
23:45	0	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	0	5

6 Hrs	524	27	2	1	1	8	9	572
-------	-----	----	---	---	---	---	---	-----

6 Hrs	336	22	3	0	3	3	9	376
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2030	134	17	3	19	51	24	2278
--------	------	-----	----	---	----	----	----	------

12 Hrs	1183	112	23	3	19	26	15	1381
--------	------	-----	----	---	----	----	----	------

Total	2612	221	37	5	35	60	30	3000
-------	------	-----	----	---	----	----	----	------

Total	2758	233	43	4	33	57	33	3161
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 24th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	3	0	0	0	0	0	0	3
00:15	2	0	0	0	0	0	0	2
00:30	2	0	0	0	0	0	0	2
00:45	0	0	0	0	0	0	0	0
1 Hr	7	0	0	0	0	0	0	7

01:00	3	0	0	0	0	0	0	3
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	2	0	0	0	0	0	0	2
1 Hr	6	0	0	0	0	0	0	6

02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2

03:00	1	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2

04:00	1	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0
04:30	0	2	0	0	0	0	0	2
04:45	1	0	0	0	0	0	0	1
1 Hr	2	2	0	0	0	0	0	4

05:00	1	1	0	0	0	0	0	2
05:15	0	0	0	0	0	0	0	0
05:30	0	0	1	0	0	0	0	1
05:45	0	0	0	0	0	0	0	0
1 Hr	1	1	1	0	0	0	0	3

6 Hrs	20	3	1	0	0	0	0	24
-------	----	---	---	---	---	---	---	----

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	1	0	0	0	0	0	0	1
00:15	3	0	0	0	0	0	0	3
00:30	2	0	0	0	0	0	0	2
00:45	4	0	0	0	0	0	0	4
1 Hr	10	0	0	0	0	0	0	10

01:00	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0

02:00	0	0	0	0	0	0	0	0
02:15	1	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1

03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	1	0	0	0	0	0	0	1
03:45	2	0	0	0	0	0	0	2
1 Hr	4	0	0	0	0	0	0	4

04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	1	1	0	0	0	0	0	2
04:45	4	1	0	0	0	0	0	5
1 Hr	6	2	0	0	0	0	0	8

05:00	3	1	0	0	0	0	0	4
05:15	5	0	0	0	0	0	0	5
05:30	12	1	0	0	0	1	0	14
05:45	13	1	2	0	0	0	0	16
1 Hr	33	3	2	0	0	1	0	39

6 Hrs	54	5	2	0	0	1	0	62
-------	----	---	---	---	---	---	---	----

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	1	0	0	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	1	0	0	1
-------	---	---	---	---

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	1	0	0	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	1	0	0	1
-------	---	---	---	---



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 24th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	2	0	0	0	1	0	0	3
06:15	4	1	0	0	0	0	0	5
06:30	10	2	0	0	0	1	0	13
06:45	10	1	1	0	0	0	0	12
1 Hr	26	4	1	0	1	1	0	33

8	3	0	0	0	0	1	12
22	1	1	0	0	0	1	25
19	3	0	0	1	4	1	28
26	5	3	0	0	0	2	36
75	12	4	0	1	4	5	101

07:00	8	3	0	0	1	0	0	12
07:15	16	4	0	0	2	0	0	22
07:30	22	4	1	0	1	0	1	29
07:45	19	1	0	0	1	2	0	23
1 Hr	65	12	1	0	5	2	1	86

42	4	0	0	0	2	2	50
74	12	2	0	0	1	0	89
104	7	1	0	1	3	0	116
28	4	1	0	0	4	1	38
248	27	4	0	1	10	3	293

08:00	25	8	1	0	0	0	0	34
08:15	24	6	0	0	1	0	0	31
08:30	14	7	1	0	0	0	0	22
08:45	37	8	2	0	2	0	0	49
1 Hr	100	29	4	0	3	0	0	136

132	7	1	0	1	3	2	146
126	9	0	0	0	1	0	136
109	3	1	0	1	1	2	117
128	7	2	0	1	2	1	141
495	26	4	0	3	7	5	540

09:00	25	3	2	0	1	0	0	31
09:15	22	6	0	0	0	0	0	28
09:30	29	10	0	0	1	0	0	40
09:45	42	8	2	0	1	0	0	53
1 Hr	118	27	4	0	3	0	0	152

108	3	0	0	1	0	0	112
64	7	2	1	1	0	0	75
53	4	0	0	1	0	0	58
61	5	1	1	3	0	0	71
286	19	3	2	6	0	0	316

10:00	37	5	1	0	1	0	0	44
10:15	31	2	0	1	0	0	0	34
10:30	34	6	0	0	1	1	0	42
10:45	32	7	1	0	0	0	0	40
1 Hr	134	20	2	1	2	1	0	160

33	2	1	0	0	1	0	37
47	9	2	0	1	1	0	60
48	8	1	0	0	1	1	59
61	5	0	0	1	0	0	67
189	24	4	0	2	3	1	223

11:00	38	4	3	0	3	1	0	49
11:15	43	3	0	0	0	3	1	50
11:30	42	3	1	0	1	1	0	48
11:45	37	3	2	0	0	3	2	47
1 Hr	160	13	6	0	4	8	3	194

57	7	2	0	1	0	0	67
31	1	1	0	2	0	0	35
32	6	1	0	0	0	0	39
45	3	2	0	1	0	0	51
165	17	6	0	4	0	0	192

6 Hrs	603	105	18	1	18	12	4	761
-------	-----	-----	----	---	----	----	---	-----

1458	125	25	2	17	24	14	1665
------	-----	----	---	----	----	----	------

12 Hrs	623	108	19	1	18	12	4	785
--------	-----	-----	----	---	----	----	---	-----

1512	130	27	2	17	25	14	1727
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Tuesday 24th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	44	4	3	0	1	0	0	52
12:15	42	6	1	0	0	1	1	51
12:30	46	2	1	0	1	1	0	51
12:45	40	4	3	0	0	0	0	47
1 Hr	172	16	8	0	2	2	1	201

12:00	44	4	1	0	0	0	0	49
12:15	31	7	0	0	1	0	0	39
12:30	41	6	0	0	0	0	0	47
12:45	28	5	2	0	1	0	0	36
1 Hr	144	22	3	0	2	0	0	171

13:00	46	3	2	0	1	1	0	53
13:15	51	2	3	0	0	0	0	56
13:30	39	4	2	0	2	0	2	49
13:45	35	3	1	0	0	0	0	39
1 Hr	171	12	8	0	3	1	2	197

13:00	33	7	3	0	0	2	0	45
13:15	30	3	0	0	1	0	0	34
13:30	47	4	1	0	0	4	0	56
13:45	37	3	2	0	2	0	0	44
1 Hr	147	17	6	0	3	6	0	179

14:00	37	1	1	0	0	1	0	40
14:15	46	5	1	0	1	2	0	55
14:30	51	3	2	0	2	1	0	59
14:45	55	5	1	0	2	0	0	63
1 Hr	189	14	5	0	5	4	0	217

14:00	33	2	0	0	0	0	1	36
14:15	32	5	0	0	1	1	2	41
14:30	47	5	1	0	0	2	0	55
14:45	36	2	0	0	1	2	0	41
1 Hr	148	14	1	0	2	5	3	173

15:00	61	3	2	1	0	2	0	69
15:15	74	5	0	0	1	0	0	80
15:30	56	5	0	0	0	0	0	61
15:45	58	6	1	0	1	1	0	67
1 Hr	249	19	3	1	2	3	0	277

15:00	30	7	1	0	0	0	0	38
15:15	56	6	0	0	3	1	0	66
15:30	52	5	0	0	0	0	0	57
15:45	36	8	1	0	0	0	0	45
1 Hr	174	26	2	0	3	1	0	206

16:00	70	11	0	0	0	1	1	83
16:15	83	6	0	0	1	1	0	91
16:30	104	5	2	0	0	3	1	115
16:45	89	9	0	0	0	4	1	103
1 Hr	346	31	2	0	1	9	3	392

16:00	44	6	1	0	0	0	0	51
16:15	30	6	1	0	1	1	0	39
16:30	30	4	0	0	0	0	0	34
16:45	32	2	0	0	3	0	2	39
1 Hr	136	18	2	0	4	1	2	163

17:00	118	9	2	0	0	2	2	133
17:15	129	5	0	0	0	1	1	136
17:30	88	3	1	0	1	3	2	98
17:45	55	3	0	0	1	0	0	59
1 Hr	390	20	3	0	2	6	5	426

17:00	25	3	0	0	0	0	0	28
17:15	17	5	0	0	0	0	0	22
17:30	22	1	0	0	1	0	0	24
17:45	30	2	1	0	0	0	0	33
1 Hr	94	11	1	0	1	0	0	107

6 Hrs	1517	112	29	1	15	25	11	1710
-------	------	-----	----	---	----	----	----	------

6 Hrs	843	108	15	0	15	13	5	999
-------	-----	-----	----	---	----	----	---	-----

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	52	2	0	0	0	2	1	57
18:15	64	4	1	0	0	1	2	72
18:30	27	1	0	0	0	1	1	30
18:45	27	3	0	0	0	2	0	32
1 Hr	170	10	1	0	0	6	4	191

22	1	0	0	2	0	0	25
27	2	0	0	0	0	0	29
20	3	1	0	1	0	0	25
19	1	1	0	0	0	0	21
1 Hr	88	7	2	0	3	0	100

19:00	24	2	1	0	1	2	0	30
19:15	33	0	0	0	0	0	1	34
19:30	32	2	0	0	0	0	0	34
19:45	32	2	1	0	0	0	0	35
1 Hr	121	6	2	0	1	2	1	133

27	2	0	0	0	1	0	30	
29	3	0	0	0	0	0	32	
30	2	0	0	1	0	0	33	
23	0	0	0	0	0	0	23	
1 Hr	109	7	0	0	1	1	0	118

20:00	30	3	0	0	0	1	0	34
20:15	38	1	0	0	0	1	0	40
20:30	27	1	0	0	0	0	0	28
20:45	26	0	1	0	0	0	0	27
1 Hr	121	5	1	0	0	2	0	129

22	2	0	0	0	0	0	24	
18	3	0	0	0	1	1	23	
13	2	0	0	0	0	0	15	
10	0	1	0	0	0	0	11	
1 Hr	63	7	1	0	0	1	1	73

21:00	25	0	0	0	0	3	0	28
21:15	27	2	0	0	0	1	0	30
21:30	24	0	0	0	0	0	0	24
21:45	16	2	1	0	0	0	0	19
1 Hr	92	4	1	0	0	4	0	101

16	0	1	0	0	2	1	20	
19	0	0	0	0	2	0	21	
7	0	0	0	0	0	0	7	
4	0	0	0	0	0	0	4	
1 Hr	46	0	1	0	0	4	1	52

22:00	16	0	0	0	0	0	0	16
22:15	11	0	0	0	0	0	1	12
22:30	17	0	0	0	0	0	0	17
22:45	5	0	0	0	0	0	0	5
1 Hr	49	0	0	0	0	0	1	50

6	0	0	0	0	0	0	6	
5	0	0	0	0	0	0	5	
4	0	0	0	0	0	0	4	
9	0	0	0	0	0	0	9	
1 Hr	24	0	0	0	0	0	0	24

23:00	9	0	0	0	0	0	0	9
23:15	9	0	0	0	0	0	0	9
23:30	2	0	0	0	0	0	0	2
23:45	1	0	0	0	0	0	0	1
1 Hr	21	0	0	0	0	0	0	21

1	0	0	0	0	0	0	1	
1	0	0	0	0	0	0	1	
3	0	0	0	0	0	0	3	
0	0	0	0	0	0	0	0	
1 Hr	5	0	0	0	0	0	0	5

6 Hrs	574	25	5	0	1	14	6	625
-------	-----	----	---	---	---	----	---	-----

335	21	4	0	4	6	2	372
-----	----	---	---	---	---	---	-----

12 Hrs	2091	137	34	1	16	39	17	2335
--------	------	-----	----	---	----	----	----	------

1178	129	19	0	19	19	7	1371
------	-----	----	---	----	----	---	------

Total	2714	245	53	2	34	51	21	3120
-------	------	-----	----	---	----	----	----	------

2690	259	46	2	36	44	21	3098
------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 25th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	7	0	0	0	0	0	0	7
00:15	7	0	0	0	0	0	0	7
00:30	3	0	0	0	0	0	0	3
00:45	3	0	0	0	0	0	0	3
1 Hr	20	0	0	0	0	0	0	20

01:00	3	0	0	0	0	0	0	3
01:15	2	0	0	0	0	0	0	2
01:30	0	0	0	0	0	0	0	0
01:45	2	0	0	0	0	0	0	2
1 Hr	7	0	0	0	0	0	0	7

02:00	0	0	0	0	0	0	0	0
02:15	1	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0
02:45	2	0	0	0	0	0	0	2
1 Hr	3	0	0	0	0	0	0	3

03:00	1	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1

04:00	0	0	0	0	0	0	0	0
04:15	1	1	0	0	0	0	0	2
04:30	0	0	1	0	0	0	0	1
04:45	1	1	0	0	0	0	0	2
1 Hr	2	2	1	0	0	0	0	5

05:00	1	1	0	0	0	0	0	2
05:15	0	0	0	0	0	0	0	0
05:30	1	0	0	0	0	0	0	1
05:45	2	0	0	0	0	0	0	2
1 Hr	4	1	0	0	0	0	0	5

6 Hrs	37	3	1	0	0	0	0	41
-------	----	---	---	---	---	---	---	----

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	2	0	0	0	0	0	0	2
00:15	4	0	0	0	0	0	0	4
00:30	3	0	0	0	0	0	0	3
00:45	2	0	0	0	0	0	0	2
1 Hr	11	0	0	0	0	0	0	11

01:00	2	0	0	0	0	0	0	2
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4

02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1

03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	1	0	0	0	0	0	0	1
03:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2

04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	1	0	0	0	0	0	0	1
04:45	2	0	0	0	0	0	0	2
1 Hr	3	0	0	0	0	0	0	3

05:00	3	1	1	0	0	0	0	5
05:15	9	0	0	0	0	0	0	9
05:30	7	1	0	0	0	0	0	8
05:45	13	1	1	0	0	0	0	15
1 Hr	32	3	2	0	0	0	0	37

6 Hrs	53	3	2	0	0	0	0	58
-------	----	---	---	---	---	---	---	----

Direction :	Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

17:00	0	0	0	0
17:15	1	0	0	1
17:30	2	0	0	2
17:45	0	0	0	0
1 Hr	3	0	0	3

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

3 Hrs	3	0	0	3
6 Hrs	4	0	0	4

Direction :	Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

17:00	0	0	0	0
17:15	1	0	0	1
17:30	1	0	0	1
17:45	0	0	0	0
1 Hr	2	0	0	2

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

3 Hrs	2	0	0	2
6 Hrs	3	0	0	3



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Wednesday 25th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	0	0	0	0	1	0	0	1
06:15	1	0	0	0	0	0	0	1
06:30	5	1	1	0	0	1	1	9
06:45	8	1	1	0	0	0	0	10
1 Hr	14	2	2	0	1	1	1	21

7	1	0	0	0	0	1	9
17	1	1	0	0	1	0	20
33	1	0	0	1	4	1	40
32	7	2	0	0	0	2	43
89	10	3	0	1	5	4	112

07:00	12	3	0	0	1	0	0	16
07:15	16	2	1	0	2	0	0	21
07:30	20	10	2	0	1	0	1	34
07:45	23	2	1	0	1	0	0	27
1 Hr	71	17	4	0	5	0	1	98

55	8	1	0	0	1	1	66
86	9	2	0	0	1	2	100
83	12	1	0	1	4	0	101
132	6	1	0	1	5	4	149
356	35	5	0	2	11	7	416

08:00	12	3	2	0	0	0	0	17
08:15	18	3	0	0	1	1	0	23
08:30	24	5	1	0	0	0	0	30
08:45	29	8	1	0	2	0	0	40
1 Hr	83	19	4	0	3	1	0	110

141	6	2	0	1	3	1	154
134	12	0	0	0	1	0	147
124	5	2	0	0	2	0	133
90	6	2	0	1	1	2	102
489	29	6	0	2	7	3	536

09:00	25	4	1	0	0	0	0	30
09:15	27	3	3	0	1	0	1	35
09:30	23	7	1	0	1	0	0	32
09:45	27	4	1	0	0	0	0	32
1 Hr	102	18	6	0	2	0	1	129

94	4	0	0	0	0	0	98
57	1	1	0	1	1	0	61
50	5	0	0	1	1	1	58
63	3	1	0	2	0	0	69
264	13	2	0	4	2	1	286

10:00	25	5	3	0	1	1	0	35
10:15	29	5	1	0	0	3	0	38
10:30	31	4	3	0	1	0	0	39
10:45	31	4	0	0	1	0	1	37
1 Hr	116	18	7	0	3	4	1	149

42	1	0	0	0	0	0	43
38	8	0	0	1	3	0	50
53	7	2	0	0	0	0	62
37	8	0	0	2	0	0	47
170	24	2	0	3	3	0	202

11:00	38	3	1	0	1	0	0	43
11:15	28	5	2	1	0	0	0	36
11:30	44	5	1	2	2	0	1	55
11:45	55	6	3	0	0	0	0	64
1 Hr	165	19	7	3	3	0	1	198

42	3	2	0	0	1	0	48
33	9	0	0	1	0	0	43
42	7	1	0	1	1	0	52
43	4	2	0	1	0	0	50
160	23	5	0	3	2	0	193

6 Hrs	551	93	30	3	17	6	5	705
-------	-----	----	----	---	----	---	---	-----

1528	134	23	0	15	30	15	1745
------	-----	----	---	----	----	----	------

12 Hrs	588	96	31	3	17	6	5	746
--------	-----	----	----	---	----	---	---	-----

1581	137	25	0	15	30	15	1803
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Wednesday 25th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	41	8	1	1	1	0	2	54
12:15	39	7	0	0	0	1	0	47
12:30	42	2	0	1	1	0	0	46
12:45	46	4	0	0	0	0	0	50
1 Hr	168	21	1	2	2	1	2	197

12:00	42	4	0	0	0	0	0	46
12:15	41	5	0	0	1	0	0	47
12:30	45	2	1	0	0	2	0	50
12:45	42	4	2	0	1	1	0	50
1 Hr	170	15	3	0	2	3	0	193

13:00	34	4	0	0	1	0	0	39
13:15	41	2	0	0	0	1	0	44
13:30	34	4	0	0	1	2	0	41
13:45	31	3	1	0	0	0	1	36
1 Hr	140	13	1	0	2	3	1	160

13:00	38	4	0	0	0	1	1	44
13:15	47	3	0	0	0	2	1	53
13:30	41	5	1	2	1	0	0	50
13:45	35	0	2	0	0	0	0	37
1 Hr	161	12	3	2	1	3	2	184

14:00	36	5	0	0	1	1	0	43
14:15	49	3	1	2	0	0	0	55
14:30	52	2	1	0	5	1	0	61
14:45	57	3	0	0	0	2	0	62
1 Hr	194	13	2	2	6	4	0	221

14:00	36	2	3	0	0	0	0	41
14:15	36	4	2	0	3	1	0	46
14:30	35	3	1	0	0	0	0	39
14:45	45	7	0	0	2	0	0	54
1 Hr	152	16	6	0	5	1	0	180

15:00	72	2	2	1	1	1	2	81
15:15	52	3	0	0	0	2	1	58
15:30	55	5	0	0	1	0	0	61
15:45	71	7	2	0	1	2	0	83
1 Hr	250	17	4	1	3	5	3	283

15:00	35	3	0	0	0	1	0	39
15:15	39	7	0	0	2	0	0	48
15:30	38	3	0	0	0	0	0	41
15:45	30	7	4	0	1	1	0	43
1 Hr	142	20	4	0	3	2	0	171

16:00	72	7	2	0	0	2	1	84
16:15	92	9	1	0	0	1	0	103
16:30	89	9	0	0	0	1	0	99
16:45	102	8	0	0	1	4	2	117
1 Hr	355	33	3	0	1	8	3	403

16:00	31	5	1	0	0	0	0	37
16:15	40	3	1	1	1	1	0	47
16:30	31	4	1	0	0	0	1	37
16:45	28	5	1	0	2	0	0	36
1 Hr	130	17	4	1	3	1	1	157

17:00	109	6	2	0	0	3	0	120
17:15	100	9	2	0	1	2	2	116
17:30	98	5	2	0	0	3	0	108
17:45	75	4	0	0	1	3	2	85
1 Hr	382	24	6	0	2	11	4	429

17:00	31	5	2	0	0	1	0	39
17:15	23	4	1	0	0	1	1	30
17:30	30	2	0	0	1	1	3	37
17:45	38	1	1	0	0	0	0	40
1 Hr	122	12	4	0	1	3	4	146

6 Hrs	1489	121	17	5	16	32	13	1693
-------	------	-----	----	---	----	----	----	------

6 Hrs	877	92	24	3	15	13	7	1031
-------	-----	----	----	---	----	----	---	------

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	63	4	1	0	0	4	1	73
18:15	46	4	0	0	0	0	2	52
18:30	45	2	1	0	0	6	1	55
18:45	33	3	0	0	0	1	0	37
1 Hr	187	13	2	0	0	11	4	217

18:00	21	3	0	0	1	0	1	26
18:15	27	1	0	0	0	4	0	32
18:30	33	4	1	0	1	0	2	41
18:45	28	1	0	0	0	3	0	32
1 Hr	109	9	1	0	2	7	3	131

19:00	41	3	0	0	1	2	0	47
19:15	22	2	0	0	0	1	0	25
19:30	37	0	0	0	0	2	1	40
19:45	21	1	0	0	0	1	0	23
1 Hr	121	6	0	0	1	6	1	135

19:00	40	4	0	0	0	1	0	45
19:15	25	1	0	0	0	0	1	27
19:30	23	2	0	0	1	0	0	26
19:45	15	1	0	0	0	0	1	17
1 Hr	103	8	0	0	1	1	2	115

20:00	32	4	0	0	0	1	0	37
20:15	32	2	0	0	0	0	1	35
20:30	31	3	0	0	0	0	1	35
20:45	16	1	0	0	0	3	0	20
1 Hr	111	10	0	0	0	4	2	127

20:00	16	0	0	0	0	0	0	16
20:15	19	2	1	0	0	3	1	26
20:30	14	1	0	0	0	0	0	15
20:45	14	3	0	0	0	1	1	19
1 Hr	63	6	1	0	0	4	2	76

21:00	21	1	0	0	0	0	0	22
21:15	33	0	0	0	0	3	0	36
21:30	26	2	0	0	0	2	0	30
21:45	20	1	0	0	0	0	0	21
1 Hr	100	4	0	0	0	5	0	109

21:00	10	0	0	0	0	0	0	10
21:15	21	1	0	0	0	0	0	22
21:30	13	1	0	0	0	2	0	16
21:45	7	0	0	0	0	0	0	7
1 Hr	51	2	0	0	0	2	0	55

22:00	17	0	0	0	0	4	0	21
22:15	20	0	0	0	0	0	0	20
22:30	14	0	0	0	0	0	0	14
22:45	10	0	0	0	0	0	0	10
1 Hr	61	0	0	0	0	4	0	65

22:00	12	0	0	0	0	0	0	12
22:15	1	0	0	0	0	0	0	1
22:30	3	0	0	0	0	0	0	3
22:45	5	0	0	0	0	0	0	5
1 Hr	21	0	0	0	0	0	0	21

23:00	7	0	0	0	0	0	0	7
23:15	6	0	0	0	0	0	0	6
23:30	3	0	0	0	0	0	0	3
23:45	3	0	0	0	0	0	0	3
1 Hr	19	0	0	0	0	0	0	19

23:00	1	0	0	0	0	0	0	1
23:15	2	0	0	0	0	0	0	2
23:30	2	0	0	0	0	0	0	2
23:45	1	0	0	0	0	0	0	1
1 Hr	6	0	0	0	0	0	0	6

6 Hrs	599	33	2	0	1	30	7	672
-------	-----	----	---	---	---	----	---	-----

6 Hrs	353	25	2	0	3	14	7	404
-------	-----	----	---	---	---	----	---	-----

12 Hrs	2088	154	19	5	17	62	20	2365
--------	------	-----	----	---	----	----	----	------

12 Hrs	1230	117	26	3	18	27	14	1435
--------	------	-----	----	---	----	----	----	------

Total	2676	250	50	8	34	68	25	3111
-------	------	-----	----	---	----	----	----	------

Total	2811	254	51	3	33	57	29	3238
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Thursday 26th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	9	0	0	0	0	0	0	9
00:15	2	0	0	0	0	0	0	2
00:30	3	0	0	0	0	0	0	3
00:45	0	0	0	0	0	0	0	0
1 Hr	14	0	0	0	0	0	0	14
01:00	2	0	0	0	0	0	0	2
01:15	2	0	0	0	0	0	0	2
01:30	0	0	1	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	5	0	1	0	0	0	0	6
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	1	0	0	0	0	0	1
1 Hr	0	1	0	0	0	0	0	1
04:00	1	0	0	0	0	0	0	1
04:15	2	0	0	0	0	0	0	2
04:30	1	0	1	0	0	0	0	2
04:45	1	0	0	0	0	0	0	1
1 Hr	5	0	1	0	0	0	0	6
05:00	0	1	0	0	0	0	0	1
05:15	2	0	0	0	0	0	0	2
05:30	0	0	0	0	0	0	0	0
05:45	1	0	0	0	0	0	0	1
1 Hr	3	1	0	0	0	0	0	4
6 Hrs	28	2	2	0	0	0	0	32

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	2	0	0	0	0	0	0	2
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	2	0	0	0	0	0	0	2
1 Hr	6	0	0	0	0	0	0	6
01:00	2	0	0	0	0	0	0	2
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	1	0	1
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	1	0	2
03:00	1	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
04:00	1	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0
04:30	4	0	0	0	0	0	0	4
04:45	3	1	0	0	0	0	0	4
1 Hr	8	1	0	0	0	0	0	9
05:00	4	0	0	0	0	0	0	4
05:15	6	1	1	0	0	0	0	8
05:30	13	2	1	0	0	0	0	16
05:45	15	1	0	0	0	0	0	16
1 Hr	38	4	2	0	0	0	0	44
6 Hrs	59	5	2	0	0	1	0	67

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	1	0	0	1
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	1	0	0	1
1 Hr	1	0	0	1
3 Hrs	1	0	0	1
6 Hrs	2	0	0	2

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Thursday 26th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	0	0	1	0	1	0	0	2
06:15	6	4	0	0	0	1	6	17
06:30	6	1	1	0	0	0	4	12
06:45	10	1	1	0	0	0	13	25
1 Hr	22	6	3	0	1	1	23	56

10	3	0	0	0	0	1	14
25	1	1	0	0	1	0	28
27	5	0	0	1	5	2	40
33	6	4	0	0	2	1	46
95	15	5	0	1	8	4	128

07:00	14	5	1	0	1	0	26	47
07:15	19	2	1	0	3	0	40	65
07:30	22	2	1	0	0	0	21	46
07:45	18	3	2	0	1	0	64	88
1 Hr	73	12	5	0	5	0	151	246

49	9	0	0	0	1	0	59
81	11	3	1	0	3	1	100
91	10	1	0	1	4	1	108
105	9	0	0	0	5	1	120
326	39	4	1	1	13	3	387

08:00	19	5	2	0	0	0	23	49
08:15	22	5	0	0	1	0	40	68
08:30	26	2	1	0	0	0	30	59
08:45	23	2	1	0	2	0	15	43
1 Hr	90	14	4	0	3	0	108	219

136	5	2	0	1	3	0	147
109	7	1	0	0	2	1	120
105	6	2	0	2	2	6	123
106	6	0	0	1	2	1	116
456	24	5	0	4	9	8	506

09:00	26	5	0	0	1	1	38	71
09:15	30	7	2	0	0	0	8	47
09:30	25	6	1	0	2	3	0	37
09:45	35	6	1	0	0	0	0	42
1 Hr	116	24	4	0	3	4	46	197

104	5	1	0	0	0	0	110
71	8	0	0	1	0	0	80
47	8	2	0	1	1	0	59
59	2	1	0	2	0	0	64
281	23	4	0	4	1	0	313

10:00	40	4	2	0	1	1	0	48
10:15	39	2	0	0	0	1	0	42
10:30	26	7	0	0	1	0	0	34
10:45	35	7	2	0	0	0	0	44
1 Hr	140	20	4	0	2	2	0	168

56	4	0	0	0	0	0	60
49	6	1	0	1	1	0	58
47	4	0	0	0	1	0	52
41	5	0	0	1	0	0	47
193	19	1	0	2	2	0	217

11:00	48	7	2	0	1	1	0	59
11:15	39	0	2	0	0	0	0	41
11:30	33	3	2	0	1	2	0	41
11:45	43	5	2	0	0	4	0	54
1 Hr	163	15	8	0	2	7	0	195

37	5	2	0	0	0	0	44
54	5	1	0	1	0	0	61
52	3	3	0	0	0	0	58
34	4	1	0	1	0	0	40
177	17	7	0	2	0	0	203

6 Hrs	604	91	28	0	16	14	328	1081
-------	-----	----	----	---	----	----	-----	------

1528	137	26	1	14	33	15	1754
------	-----	----	---	----	----	----	------

12 Hrs	632	93	30	0	16	14	328	1113
--------	-----	----	----	---	----	----	-----	------

1587	142	28	1	14	34	15	1821
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Thursday 26th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	39	2	2	0	1	1	1	46
12:15	45	7	1	0	0	2	0	55
12:30	50	8	0	0	1	1	0	60
12:45	44	5	1	0	0	2	0	52
1 Hr	178	22	4	0	2	6	1	213

12:00	41	7	2	0	0	3	1	54
12:15	25	3	2	0	1	1	0	32
12:30	42	3	0	0	0	0	0	45
12:45	45	10	0	1	1	0	0	57
1 Hr	153	23	4	1	2	4	1	188

13:00	47	3	1	0	1	2	0	54
13:15	37	2	1	0	1	1	2	44
13:30	49	2	0	0	1	0	0	52
13:45	48	10	2	0	0	1	0	61
1 Hr	181	17	4	0	3	4	2	211

13:00	43	2	3	0	0	0	0	48
13:15	38	5	0	0	1	0	1	45
13:30	54	5	1	0	0	2	1	63
13:45	33	4	1	0	1	1	6	46
1 Hr	168	16	5	0	2	3	8	202

14:00	42	7	1	0	1	1	1	53
14:15	51	5	1	0	3	1	1	62
14:30	54	7	0	0	0	1	0	62
14:45	53	7	0	0	0	1	0	61
1 Hr	200	26	2	0	4	4	2	238

14:00	46	7	2	1	0	2	23	81
14:15	43	7	0	0	2	2	4	58
14:30	38	5	3	0	0	0	26	72
14:45	24	3	2	0	1	1	16	47
1 Hr	151	22	7	1	3	5	69	258

15:00	69	8	0	0	2	2	1	82
15:15	50	3	0	0	0	0	0	53
15:30	61	9	0	0	1	1	0	72
15:45	51	10	0	0	0	1	1	63
1 Hr	231	30	0	0	3	4	2	270

15:00	29	5	1	0	0	1	43	79
15:15	49	3	0	0	3	0	33	88
15:30	46	1	0	0	0	0	31	78
15:45	26	13	0	0	0	0	34	73
1 Hr	150	22	1	0	3	1	141	318

16:00	73	4	0	0	0	2	1	80
16:15	96	10	0	0	0	1	3	110
16:30	85	12	1	0	0	1	0	99
16:45	106	5	0	0	1	5	1	118
1 Hr	360	31	1	0	1	9	5	407

16:00	41	5	2	1	0	0	20	69
16:15	27	4	0	0	1	3	17	52
16:30	35	8	0	0	1	1	14	59
16:45	37	3	0	0	2	0	11	53
1 Hr	140	20	2	1	4	4	62	233

17:00	130	3	4	0	0	2	4	143
17:15	109	7	0	0	1	1	1	119
17:30	84	4	2	0	0	5	1	96
17:45	75	4	0	0	1	3	3	86
1 Hr	398	18	6	0	2	11	9	444

17:00	41	4	2	0	0	0	22	69
17:15	24	6	1	1	0	1	8	41
17:30	27	1	0	0	1	0	2	31
17:45	28	3	2	0	0	0	2	35
1 Hr	120	14	5	1	1	1	34	176

6 Hrs	1548	144	17	0	15	38	21	1783
-------	------	-----	----	---	----	----	----	------

6 Hrs	882	117	24	4	15	18	315	1375
-------	-----	-----	----	---	----	----	-----	------

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	54	3	2	1	0	2	2	64
18:15	45	2	0	0	0	0	0	47
18:30	40	3	0	0	0	0	1	44
18:45	42	3	0	0	0	1	1	47
1 Hr	181	11	2	1	0	3	4	202

18:00	37	0	0	1	1	1	0	40
18:15	37	1	0	0	0	0	1	39
18:30	40	2	0	0	1	1	0	44
18:45	32	5	1	0	0	0	0	38
1 Hr	146	8	1	1	2	2	1	161

19:00	27	3	0	0	1	2	0	33
19:15	39	1	1	0	0	2	1	44
19:30	40	0	2	0	0	0	0	42
19:45	43	6	1	0	0	1	1	52
1 Hr	149	10	4	0	1	5	2	171

19:00	31	1	0	0	0	1	0	33
19:15	25	3	0	0	0	0	0	28
19:30	24	4	0	0	0	0	1	29
19:45	15	0	0	0	1	1	0	17
1 Hr	95	8	0	0	1	2	1	107

20:00	31	4	0	0	0	3	0	38
20:15	25	1	1	0	0	1	0	28
20:30	28	0	1	0	0	0	0	29
20:45	31	1	0	0	0	0	0	32
1 Hr	115	6	2	0	0	4	0	127

20:00	22	1	0	0	0	0	1	24
20:15	12	0	1	0	0	0	0	13
20:30	14	2	0	0	0	0	1	17
20:45	11	2	0	0	0	0	0	13
1 Hr	59	5	1	0	0	0	2	67

21:00	18	1	0	0	0	0	0	19
21:15	26	2	0	0	0	0	0	28
21:30	18	1	1	0	0	0	0	20
21:45	16	3	0	0	0	0	0	19
1 Hr	78	7	1	0	0	0	0	86

21:00	8	1	0	0	0	1	0	10
21:15	9	4	1	0	0	0	0	14
21:30	6	1	0	0	0	0	0	7
21:45	9	0	0	0	0	0	0	9
1 Hr	32	6	1	0	0	1	0	40

22:00	15	2	0	0	0	1	0	18
22:15	33	0	0	0	0	3	0	36
22:30	10	1	0	0	0	0	0	11
22:45	5	0	0	0	0	0	0	5
1 Hr	63	3	0	0	0	4	0	70

22:00	11	0	0	0	0	0	0	11
22:15	16	0	0	0	0	0	0	16
22:30	7	0	0	0	0	0	0	7
22:45	6	0	1	0	0	0	0	7
1 Hr	40	0	1	0	0	0	0	41

23:00	6	0	0	0	0	0	0	6
23:15	10	0	1	0	0	0	0	11
23:30	7	0	0	0	0	0	0	7
23:45	3	0	0	0	0	0	0	3
1 Hr	26	0	1	0	0	0	0	27

23:00	2	0	0	0	0	0	0	2
23:15	4	0	0	0	0	0	0	4
23:30	4	0	0	0	0	0	0	4
23:45	2	0	0	0	0	1	0	3
1 Hr	12	0	0	0	0	1	0	13

6 Hrs	612	37	10	1	1	16	6	683
-------	-----	----	----	---	---	----	---	-----

6 Hrs	384	27	4	1	3	6	4	429
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2160	181	27	1	16	54	27	2466
--------	------	-----	----	---	----	----	----	------

12 Hrs	1266	144	28	5	18	24	319	1804
--------	------	-----	----	---	----	----	-----	------

Total	2792	274	57	1	32	68	355	3579
-------	------	-----	----	---	----	----	-----	------

Total	2853	286	56	6	32	58	334	3625
-------	------	-----	----	---	----	----	-----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Friday 27th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Light Rain

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	6	0	0	0	0	0	0	6
00:15	3	1	1	0	0	0	0	5
00:30	3	0	0	0	0	0	0	3
00:45	3	1	0	0	0	0	0	4
1 Hr	15	2	1	0	0	0	0	18
01:00	1	0	0	0	0	0	0	1
01:15	3	0	0	0	0	0	0	3
01:30	1	0	0	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	6	0	0	0	0	0	0	6
02:00	2	0	0	0	0	0	0	2
02:15	3	0	0	0	0	0	0	3
02:30	1	0	0	0	0	0	0	1
02:45	1	0	0	0	0	0	0	1
1 Hr	7	0	0	0	0	0	0	7
03:00	1	0	0	0	0	0	0	1
03:15	1	0	0	0	0	0	0	1
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
04:00	1	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0
04:30	0	1	2	0	0	0	0	3
04:45	0	0	0	0	0	0	0	0
1 Hr	1	1	2	0	0	0	0	4
05:00	1	1	0	0	0	0	0	2
05:15	1	0	0	0	0	0	0	1
05:30	2	0	0	0	0	0	0	2
05:45	2	0	0	0	0	0	0	2
1 Hr	6	1	0	0	0	0	0	7
6 Hrs	38	4	3	0	0	0	0	45

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	0	0	0	1	0	0	0	1
00:30	2	1	1	0	0	0	0	4
00:45	0	0	1	0	0	0	0	1
1 Hr	3	1	2	1	0	0	0	7
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	3	0	0	0	0	0	0	3
02:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4
03:00	1	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
04:00	2	0	0	0	0	0	0	2
04:15	2	1	0	0	0	0	0	3
04:30	0	0	0	0	0	0	0	0
04:45	2	2	0	0	0	0	0	4
1 Hr	6	3	0	0	0	0	0	9
05:00	3	0	1	0	0	0	0	4
05:15	8	0	0	0	0	0	0	8
05:30	10	1	0	0	0	0	0	11
05:45	16	0	1	0	0	0	0	17
1 Hr	37	1	2	0	0	0	0	40
6 Hrs	53	5	4	1	0	0	0	63

	Direction : Eastbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	4	0	0	4
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	4	0	0	4
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	4	0	0	4
16:00	1	0	0	1
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	1	0	0	1
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	1	0	0	1
6 Hrs	5	0	0	5

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	1	0	0	1
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
1 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Friday 27th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Light Rain

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	6	0	0	0	0	0	6
06:15	4	0	0	0	1	1	6
06:30	13	0	0	0	0	1	14
06:45	6	3	0	0	0	0	9
1 Hr	29	3	0	0	1	1	35

11	1	1	0	0	0	0	13
26	2	0	0	0	1	0	29
34	5	1	0	1	4	2	47
25	9	2	0	0	0	1	37
96	17	4	0	1	5	3	126

07:00	13	2	1	0	1	0	17
07:15	21	2	0	0	2	0	25
07:30	25	3	1	0	0	0	29
07:45	17	1	1	1	1	0	21
1 Hr	76	8	3	1	4	0	92

42	8	1	0	0	1	1	53
69	9	0	0	0	1	0	79
94	11	0	0	1	2	0	108
101	9	1	0	0	3	1	115
306	37	2	0	1	7	2	355

08:00	19	0	1	0	0	0	20
08:15	24	3	1	0	1	0	29
08:30	25	6	0	0	0	0	31
08:45	41	6	3	0	2	0	52
1 Hr	109	15	5	0	3	0	132

132	7	3	0	1	1	2	146
114	8	0	0	1	2	0	125
109	4	3	0	1	3	0	120
86	4	0	0	0	0	0	90
441	23	6	0	3	6	2	481

09:00	27	2	1	0	1	0	31
09:15	24	3	1	0	0	0	28
09:30	34	2	1	0	2	0	39
09:45	31	3	1	0	0	0	35
1 Hr	116	10	4	0	3	0	133

99	5	1	1	0	0	0	106
72	5	0	0	1	0	0	78
64	0	0	0	1	2	0	67
63	5	1	0	2	0	0	71
298	15	2	1	4	2	0	322

10:00	37	3	2	0	0	1	43
10:15	36	3	4	0	0	0	43
10:30	30	7	0	0	1	0	38
10:45	20	6	3	0	0	1	30
1 Hr	123	19	9	0	1	2	154

53	2	1	0	0	0	0	56
38	1	1	0	1	1	0	42
52	2	0	0	0	0	0	54
43	8	3	0	1	0	0	55
186	13	5	0	2	1	0	207

11:00	43	4	0	0	0	0	47
11:15	32	4	1	0	1	1	39
11:30	48	5	1	0	1	0	55
11:45	49	4	0	0	0	1	54
1 Hr	172	17	2	0	2	2	195

53	3	2	0	0	1	0	59
48	3	0	0	1	0	1	53
49	6	0	0	0	0	0	55
41	1	2	0	0	0	0	44
191	13	4	0	1	1	1	211

6 Hrs	625	72	23	1	14	5	741
-------	-----	----	----	---	----	---	-----

1518	118	23	1	12	22	8	1702
------	-----	----	---	----	----	---	------

12 Hrs	663	76	26	1	14	5	786
--------	-----	----	----	---	----	---	-----

1571	123	27	2	12	22	8	1765
------	-----	----	---	----	----	---	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Friday 27th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Light Rain

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	39	2	0	0	1	0	0	42
12:15	55	2	0	0	1	1	0	59
12:30	58	3	1	0	1	4	0	67
12:45	43	4	0	0	0	3	0	50
1 Hr	195	11	1	0	3	8	0	218

12:00	45	6	1	0	1	0	0	53
12:15	57	6	1	0	1	1	0	66
12:30	64	5	2	0	1	2	0	74
12:45	49	4	1	0	1	0	0	55
1 Hr	215	21	5	0	4	3	0	248

13:00	54	7	1	0	1	1	0	64
13:15	46	3	2	0	0	0	0	51
13:30	39	3	3	0	1	2	0	48
13:45	42	3	0	0	0	1	0	46
1 Hr	181	16	6	0	2	4	0	209

13:00	44	5	1	0	0	2	0	52
13:15	39	9	1	0	1	0	0	50
13:30	51	6	1	0	0	0	0	58
13:45	36	0	3	0	1	0	0	40
1 Hr	170	20	6	0	2	2	0	200

14:00	54	2	2	0	1	1	0	60
14:15	52	6	2	0	0	0	0	60
14:30	63	4	2	0	3	0	0	72
14:45	61	3	0	0	0	1	0	65
1 Hr	230	15	6	0	4	2	0	257

14:00	28	3	1	0	0	0	0	32
14:15	40	3	2	0	3	1	0	49
14:30	49	2	1	1	0	0	0	53
14:45	37	4	0	0	1	1	0	43
1 Hr	154	12	4	1	4	2	0	177

15:00	85	2	1	0	0	1	0	89
15:15	62	5	1	0	0	0	1	69
15:30	67	11	1	0	1	1	0	81
15:45	63	4	0	0	2	2	0	71
1 Hr	277	22	3	0	3	4	1	310

15:00	27	4	1	0	1	0	0	33
15:15	45	4	0	0	3	1	0	53
15:30	57	2	1	0	0	0	0	60
15:45	31	8	2	0	0	0	1	42
1 Hr	160	18	4	0	4	1	1	188

16:00	83	5	1	0	0	1	0	90
16:15	95	7	0	0	0	1	1	104
16:30	102	7	0	0	1	1	0	111
16:45	96	2	1	0	1	3	2	105
1 Hr	376	21	2	0	2	6	3	410

16:00	35	4	0	0	1	0	0	40
16:15	23	3	1	0	1	0	1	29
16:30	35	4	0	0	0	0	0	39
16:45	41	4	1	0	0	0	0	46
1 Hr	134	15	2	0	2	0	1	154

17:00	91	8	0	0	0	1	0	100
17:15	99	4	1	0	1	1	0	106
17:30	63	8	2	0	0	3	1	77
17:45	71	4	0	0	0	1	0	76
1 Hr	324	24	3	0	1	6	1	359

17:00	32	6	0	0	2	1	0	41
17:15	20	5	1	0	0	0	0	26
17:30	29	3	0	0	1	0	0	33
17:45	31	1	0	0	0	0	0	32
1 Hr	112	15	1	0	3	1	0	132

6 Hrs	1583	109	21	0	15	30	5	1763
-------	------	-----	----	---	----	----	---	------

6 Hrs	945	101	22	1	19	9	2	1099
-------	-----	-----	----	---	----	---	---	------

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	66	1	1	0	1	1	1	71
18:15	54	3	0	0	0	0	0	57
18:30	59	7	2	0	0	0	1	69
18:45	49	3	0	0	0	1	1	54
1 Hr	228	14	3	0	1	2	3	251

18:00	33	3	0	0	1	0	0	37
18:15	28	2	0	0	0	0	0	30
18:30	46	0	0	0	0	0	0	46
18:45	32	2	0	0	0	0	0	34
1 Hr	139	7	0	0	1	0	0	147

19:00	36	3	1	0	1	1	0	42
19:15	42	1	1	0	0	0	0	44
19:30	32	2	0	0	0	0	0	34
19:45	32	1	0	0	0	0	1	34
1 Hr	142	7	2	0	1	1	1	154

19:00	26	1	0	0	0	0	0	27
19:15	35	1	0	0	0	0	0	36
19:30	31	0	1	0	0	0	0	32
19:45	18	3	0	0	1	0	0	22
1 Hr	110	5	1	0	1	0	0	117

20:00	30	1	0	0	0	1	0	32
20:15	30	2	0	0	0	0	0	32
20:30	31	2	0	0	0	2	0	35
20:45	27	1	0	0	0	0	0	28
1 Hr	118	6	0	0	0	3	0	127

20:00	17	1	0	0	0	1	0	19
20:15	15	1	0	0	0	0	0	16
20:30	14	1	0	0	0	0	0	15
20:45	14	0	0	0	0	0	0	14
1 Hr	60	3	0	0	0	1	0	64

21:00	21	0	0	0	0	0	0	21
21:15	20	2	0	0	0	1	0	23
21:30	18	0	0	0	0	0	0	18
21:45	20	0	0	0	0	0	0	20
1 Hr	79	2	0	0	0	1	0	82

21:00	18	0	0	0	0	0	0	18
21:15	13	0	0	0	0	1	0	14
21:30	14	2	0	0	0	1	0	17
21:45	9	2	0	0	0	0	0	11
1 Hr	54	4	0	0	0	2	0	60

22:00	9	0	0	0	0	1	0	10
22:15	18	0	0	0	0	0	0	18
22:30	21	0	0	0	0	0	0	21
22:45	13	0	0	0	0	0	0	13
1 Hr	61	0	0	0	0	1	0	62

22:00	10	0	0	0	0	0	0	10
22:15	11	0	0	0	0	0	0	11
22:30	6	0	0	0	0	0	0	6
22:45	4	0	0	0	0	0	0	4
1 Hr	31	0	0	0	0	0	0	31

23:00	14	0	0	0	0	0	0	14
23:15	15	0	0	0	0	0	0	15
23:30	13	0	0	0	0	0	0	13
23:45	10	0	0	0	0	0	0	10
1 Hr	52	0	0	0	0	0	0	52

23:00	5	0	0	0	0	0	0	5
23:15	8	0	0	0	0	0	0	8
23:30	5	0	0	0	0	0	0	5
23:45	4	0	0	0	0	0	0	4
1 Hr	22	0	0	0	0	0	0	22

6 Hrs	680	29	5	0	2	8	4	728
-------	-----	----	---	---	---	---	---	-----

6 Hrs	416	19	1	0	2	3	0	441
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2263	138	26	0	17	38	9	2491
--------	------	-----	----	---	----	----	---	------

12 Hrs	1361	120	23	1	21	12	2	1540
--------	------	-----	----	---	----	----	---	------

Total	2926	214	52	1	31	43	10	3277
-------	------	-----	----	---	----	----	----	------

Total	2932	243	50	3	33	34	10	3305
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 28th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	9	0	0	0	0	0	0	9
00:15	7	1	0	0	0	0	0	8
00:30	5	0	0	0	0	0	0	5
00:45	7	0	0	0	0	0	0	7
1 Hr	28	1	0	0	0	0	0	29
01:00	4	0	0	0	0	0	0	4
01:15	1	0	0	0	0	0	0	1
01:30	2	0	0	0	0	0	0	2
01:45	3	0	0	0	0	0	0	3
1 Hr	10	0	0	0	0	0	0	10
02:00	1	0	0	0	0	0	0	1
02:15	3	0	0	0	0	0	0	3
02:30	2	0	0	0	0	0	0	2
02:45	1	0	0	0	0	0	0	1
1 Hr	7	0	0	0	0	0	0	7
03:00	3	0	0	0	0	0	0	3
03:15	0	0	0	0	0	0	0	0
03:30	1	0	0	0	0	0	0	1
03:45	3	0	0	0	0	0	0	3
1 Hr	7	0	0	0	0	0	0	7
04:00	2	0	0	0	0	0	0	2
04:15	2	0	1	0	0	0	0	3
04:30	2	0	0	0	0	0	0	2
04:45	2	0	1	0	0	0	0	3
1 Hr	8	0	2	0	0	0	0	10
05:00	0	0	0	0	0	0	0	0
05:15	0	0	0	0	0	0	0	0
05:30	1	1	0	0	0	0	0	2
05:45	0	0	0	0	0	0	0	0
1 Hr	1	1	0	0	0	0	0	2
6 Hrs	61	2	2	0	0	0	0	65

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	6	0	0	0	0	0	0	6
00:15	8	0	0	0	0	0	0	8
00:30	1	0	0	0	0	0	0	1
00:45	4	0	0	0	0	0	0	4
1 Hr	19	0	0	0	0	0	0	19
01:00	2	0	0	0	0	0	0	2
01:15	2	0	0	0	0	0	0	2
01:30	1	0	0	0	0	0	0	1
01:45	3	0	0	0	0	0	0	3
1 Hr	8	0	0	0	0	0	0	8
02:00	0	0	0	0	0	0	0	0
02:15	2	0	0	0	0	0	0	2
02:30	2	0	0	0	0	0	0	2
02:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4
03:00	0	0	0	0	0	0	0	0
03:15	2	0	0	0	0	0	0	2
03:30	1	0	0	0	0	0	0	1
03:45	2	0	0	0	0	0	0	2
1 Hr	5	0	0	0	0	0	0	5
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	4	0	0	0	0	0	0	4
04:45	2	0	0	0	0	0	0	2
1 Hr	7	0	0	0	0	0	0	7
05:00	1	1	0	0	0	1	0	3
05:15	3	0	1	0	0	0	0	4
05:30	8	1	0	0	0	0	0	9
05:45	4	1	0	0	0	0	0	5
1 Hr	16	3	1	0	0	1	0	21
6 Hrs	59	3	1	0	0	1	0	64

	Direction : Eastbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	1	0	0	1
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	1	0	0	1
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	1	0	0	1
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	1	0	0	1
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	1	0	0	1
6 Hrs	2	0	0	2



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 28th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	1	0	0	0	0	0	0	1
06:15	2	0	0	0	0	0	0	2
06:30	1	0	0	0	0	0	0	1
06:45	5	0	0	0	0	0	0	5
1 Hr	9	0	0	0	0	0	0	9

06:00	3	0	0	0	0	0	0	3
06:15	8	0	0	0	0	1	0	9
06:30	11	1	0	0	0	0	0	12
06:45	18	3	1	0	0	0	0	22
1 Hr	40	4	1	0	0	1	0	46

07:00	5	1	0	0	1	0	0	7
07:15	5	1	0	0	1	0	0	7
07:30	10	1	1	0	0	0	0	12
07:45	13	3	0	0	0	0	0	16
1 Hr	33	6	1	0	2	0	0	42

07:00	8	2	2	0	0	0	0	12
07:15	12	3	0	0	0	0	0	15
07:30	36	3	1	0	0	0	0	40
07:45	41	3	1	0	0	0	1	46
1 Hr	97	11	4	0	0	0	1	113

08:00	7	4	0	1	1	0	0	13
08:15	9	2	0	0	0	0	0	11
08:30	13	3	1	0	1	0	2	20
08:45	15	4	2	0	0	0	1	22
1 Hr	44	13	3	1	2	0	3	66

08:00	29	3	0	0	1	0	0	33
08:15	35	6	0	0	0	1	0	42
08:30	50	5	0	0	0	0	0	55
08:45	42	9	0	0	1	2	1	55
1 Hr	156	23	0	0	2	3	1	185

09:00	11	6	0	0	1	0	0	18
09:15	36	3	2	0	0	0	2	43
09:30	30	7	0	0	1	1	0	39
09:45	22	4	0	0	0	1	0	27
1 Hr	99	20	2	0	2	2	2	127

09:00	52	3	1	0	0	1	0	57
09:15	59	3	1	0	1	0	1	65
09:30	47	6	1	0	0	2	0	56
09:45	72	7	0	0	1	0	0	80
1 Hr	230	19	3	0	2	3	1	258

10:00	33	1	1	0	1	0	0	36
10:15	36	7	0	0	0	0	2	45
10:30	43	2	1	0	1	0	1	48
10:45	38	8	2	0	1	2	2	53
1 Hr	150	18	4	0	3	2	5	182

10:00	61	7	0	0	0	1	0	69
10:15	56	6	0	0	1	0	0	63
10:30	62	4	0	0	0	1	0	67
10:45	57	3	1	0	2	2	0	65
1 Hr	236	20	1	0	3	4	0	264

11:00	49	1	0	0	1	0	0	51
11:15	55	3	0	0	0	1	0	59
11:30	49	3	1	0	1	1	1	56
11:45	61	4	1	0	0	4	0	70
1 Hr	214	11	2	0	2	6	1	236

11:00	54	6	1	1	0	2	1	65
11:15	62	6	1	0	1	2	1	73
11:30	59	1	0	0	0	1	0	61
11:45	51	4	0	0	1	0	1	57
1 Hr	226	17	2	1	2	5	3	256

6 Hrs	549	68	12	1	11	10	11	662
-------	-----	----	----	---	----	----	----	-----

6 Hrs	985	94	11	1	9	16	6	1122
-------	-----	----	----	---	---	----	---	------

12 Hrs	610	70	14	1	11	10	11	727
--------	-----	----	----	---	----	----	----	-----

12 Hrs	1044	97	12	1	9	17	6	1186
--------	------	----	----	---	---	----	---	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 28th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	45	2	0	0	1	4	0	52
12:15	56	7	1	0	0	0	2	66
12:30	65	2	0	0	1	4	0	72
12:45	64	4	1	0	1	1	0	71
1 Hr	230	15	2	0	3	9	2	261

12:00	57	4	1	0	0	4	1	67
12:15	53	5	0	0	1	0	0	59
12:30	41	2	0	0	0	1	0	44
12:45	48	1	0	0	1	0	6	56
1 Hr	199	12	1	0	2	5	7	226

13:00	49	5	1	0	1	0	1	57
13:15	52	4	0	0	0	0	0	56
13:30	46	0	0	0	1	1	0	48
13:45	48	3	1	0	1	0	3	56
1 Hr	195	12	2	0	3	1	4	217

13:00	46	7	0	0	0	0	5	58
13:15	35	1	2	0	1	0	1	40
13:30	48	1	1	0	0	0	0	50
13:45	43	2	0	0	2	3	0	50
1 Hr	172	11	3	0	3	3	6	198

14:00	44	1	0	0	1	3	0	49
14:15	56	1	0	0	0	2	0	59
14:30	71	5	0	0	1	0	0	77
14:45	55	3	0	0	0	1	0	59
1 Hr	226	10	0	0	2	6	0	244

14:00	42	4	0	0	0	0	0	46
14:15	40	0	0	0	1	5	0	46
14:30	34	6	0	0	0	2	0	42
14:45	58	2	0	1	1	1	0	63
1 Hr	174	12	0	1	2	8	0	197

15:00	52	5	0	0	1	1	1	60
15:15	43	3	0	0	0	2	1	49
15:30	60	2	0	0	1	1	0	64
15:45	46	1	0	0	0	0	0	47
1 Hr	201	11	0	0	2	4	2	220

15:00	41	4	0	0	0	0	0	45
15:15	37	3	0	0	1	1	0	42
15:30	41	2	0	0	0	0	0	43
15:45	40	3	0	0	1	0	1	45
1 Hr	159	12	0	0	2	1	1	175

16:00	63	3	1	0	0	0	0	67
16:15	64	7	0	0	1	0	0	72
16:30	54	2	0	0	0	1	0	57
16:45	52	3	0	0	1	0	1	57
1 Hr	233	15	1	0	2	1	1	253

16:00	50	2	0	0	0	0	2	54
16:15	34	2	2	0	1	1	0	40
16:30	39	1	0	0	0	1	0	41
16:45	31	1	0	0	1	0	0	33
1 Hr	154	6	2	0	2	2	2	168

17:00	53	2	1	0	0	3	0	59
17:15	51	1	0	0	1	0	0	53
17:30	52	3	0	0	0	0	1	56
17:45	41	1	0	0	0	0	1	43
1 Hr	197	7	1	0	1	3	2	211

17:00	28	2	1	0	0	0	0	31
17:15	31	3	0	0	0	1	0	35
17:30	28	2	0	0	1	0	0	31
17:45	26	3	0	0	0	1	0	30
1 Hr	113	10	1	0	1	2	0	127

6 Hrs	1282	70	6	0	13	24	11	1406
-------	------	----	---	---	----	----	----	------

6 Hrs	971	63	7	1	12	21	16	1091
-------	-----	----	---	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 28th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	45	2	0	0	0	1	0	48
18:15	47	2	0	0	0	1	0	50
18:30	21	1	0	0	0	1	0	23
18:45	35	3	0	0	0	0	0	38
1 Hr	148	8	0	0	0	3	0	159

18:00	28	2	0	0	1	1	0	32
18:15	18	0	0	0	0	0	0	18
18:30	35	0	0	0	0	0	0	35
18:45	34	1	0	0	0	0	0	35
1 Hr	115	3	0	0	1	1	0	120

19:00	25	2	0	0	1	0	0	28
19:15	15	1	0	0	0	0	0	16
19:30	27	0	0	0	0	0	0	27
19:45	19	0	0	0	0	0	1	20
1 Hr	86	3	0	0	1	0	1	91

19:00	26	1	0	0	0	0	0	27
19:15	24	0	0	0	0	0	0	24
19:30	19	0	0	0	1	0	0	20
19:45	18	0	0	0	0	0	0	18
1 Hr	87	1	0	0	1	0	0	89

20:00	23	1	0	0	0	1	0	25
20:15	27	0	0	0	0	2	1	30
20:30	11	0	0	0	0	0	0	11
20:45	27	0	0	0	0	0	0	27
1 Hr	88	1	0	0	0	3	1	93

20:00	20	2	0	0	0	0	1	23
20:15	26	0	0	0	0	0	0	26
20:30	21	1	0	0	0	0	0	22
20:45	15	0	0	0	0	0	0	15
1 Hr	82	3	0	0	0	0	1	86

21:00	17	0	0	0	0	0	0	17
21:15	21	0	0	0	0	0	0	21
21:30	14	1	0	0	0	0	0	15
21:45	17	2	0	0	0	0	0	19
1 Hr	69	3	0	0	0	0	0	72

21:00	12	1	0	0	0	0	0	13
21:15	15	0	0	0	0	0	0	15
21:30	14	1	0	0	0	0	0	15
21:45	11	0	0	0	0	0	0	11
1 Hr	52	2	0	0	0	0	0	54

22:00	14	1	0	0	0	0	0	15
22:15	13	1	0	0	0	1	0	15
22:30	13	0	0	0	0	0	1	14
22:45	14	0	0	0	0	0	0	14
1 Hr	54	2	0	0	0	1	1	58

22:00	7	0	0	0	0	0	0	7
22:15	7	1	0	0	0	1	1	10
22:30	7	0	0	0	0	0	0	7
22:45	1	0	0	0	0	0	0	1
1 Hr	22	1	0	0	0	1	1	25

23:00	16	0	0	0	0	0	0	16
23:15	8	0	0	0	0	0	0	8
23:30	11	0	0	0	0	0	0	11
23:45	7	0	0	0	0	0	0	7
1 Hr	42	0	0	0	0	0	0	42

23:00	5	0	0	0	0	0	0	5
23:15	5	0	0	0	0	0	0	5
23:30	5	0	0	0	0	0	0	5
23:45	7	0	0	0	0	0	0	7
1 Hr	22	0	0	0	0	0	0	22

6 Hrs	487	17	0	0	1	7	3	515
-------	-----	----	---	---	---	---	---	-----

6 Hrs	380	10	0	0	2	2	2	396
-------	-----	----	---	---	---	---	---	-----

12 Hrs	1769	87	6	0	14	31	14	1921
--------	------	----	---	---	----	----	----	------

12 Hrs	1351	73	7	1	14	23	18	1487
--------	------	----	---	---	----	----	----	------

Total	2379	157	20	1	25	41	25	2648
-------	------	-----	----	---	----	----	----	------

Total	2395	170	19	2	23	40	24	2673
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 30th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	1	0	0	0	0	0	0	1
00:15	2	0	0	0	0	0	0	2
00:30	3	0	0	0	0	0	0	3
00:45	3	0	0	0	0	0	0	3
1 Hr	9	0	0	0	0	0	0	9

01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	3	0	0	0	0	0	0	3
01:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5

02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0

03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	2	0	0	0	0	0	0	2
1 Hr	2	0	0	0	0	0	0	2

04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	0	0	1	0	0	0	0	1
04:45	0	0	0	0	0	0	0	0
1 Hr	0	0	1	0	0	0	0	1

05:00	0	1	0	0	0	0	0	1
05:15	1	0	0	0	0	0	0	1
05:30	2	0	0	0	0	0	0	2
05:45	0	0	0	0	0	0	0	0
1 Hr	3	1	0	0	0	0	0	4

6 Hrs	19	1	1	0	0	0	0	21
-------	----	---	---	---	---	---	---	----

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	

00:00	2	0	0	0	0	0	0	2
00:15	1	0	0	0	0	0	0	1
00:30	2	0	0	0	0	0	0	2
00:45	3	0	0	0	0	0	0	3
1 Hr	8	0	0	0	0	0	0	8

01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2

02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1

03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0

04:00	0	0	0	0	0	0	0	0
04:15	3	0	0	0	0	0	0	3
04:30	2	0	0	0	0	0	0	2
04:45	2	0	0	0	0	0	0	2
1 Hr	7	0	0	0	0	0	0	7

05:00	3	1	1	0	0	0	0	5
05:15	10	0	0	0	0	0	0	10
05:30	7	1	0	0	0	1	0	9
05:45	13	0	0	0	0	0	0	13
1 Hr	33	2	1	0	0	1	0	37

6 Hrs	51	2	1	0	0	1	0	55
-------	----	---	---	---	---	---	---	----

	Direction : Eastbound			Total
	Adult	Child	Accompanied	

07:00	1	0	0	1
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	1	0	0	1
1 Hr	1	0	0	1

3 Hr	2	0	0	2
------	---	---	---	---

16:00	0	0	0	0
16:15	0	0	0	0
16:30	1	0	0	1
16:45	0	0	0	0
1 Hr	1	0	0	1

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	3	0	0	3
-------	---	---	---	---

	Direction : Westbound			Total
	Adult	Child	Accompanied	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	1	0	0	1
1 Hr	1	0	0	1

3 Hr	1	0	0	1
------	---	---	---	---

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	1	0	0	1
-------	---	---	---	---



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 30th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	6	1	0	0	0	1	0	8
06:15	2	1	0	0	1	0	0	4
06:30	7	3	0	0	0	1	1	12
06:45	13	0	1	0	0	0	0	14
1 Hr	28	5	1	0	1	2	1	38

11	1	1	0	0	0	0	1	14
14	1	0	0	0	0	0	1	16
26	3	0	0	1	2	1	1	33
34	4	2	0	0	0	0	2	42
85	9	3	0	1	2	5	105	

07:00	12	1	0	0	1	0	0	14
07:15	16	4	2	0	2	0	1	25
07:30	21	3	0	0	1	0	2	27
07:45	15	4	2	0	1	0	0	22
1 Hr	64	12	4	0	5	0	3	88

40	9	0	0	0	2	0	0	51
79	14	1	0	0	1	1	1	96
88	7	2	0	1	3	1	1	102
126	10	1	0	0	6	2	2	145
333	40	4	0	1	12	4	394	

08:00	11	2	2	0	0	0	0	15
08:15	17	8	0	0	1	0	0	26
08:30	18	7	4	0	0	0	0	29
08:45	32	5	1	0	1	0	1	40
1 Hr	78	22	7	0	2	0	1	110

145	12	0	0	1	1	1	1	160
108	6	0	1	0	1	1	1	117
103	6	1	0	2	2	1	1	115
112	2	1	1	0	4	1	1	121
468	26	2	2	3	8	4	513	

09:00	21	9	0	1	1	0	0	32
09:15	20	5	0	0	0	0	0	25
09:30	23	5	2	0	1	0	0	31
09:45	23	4	0	0	0	1	0	28
1 Hr	87	23	2	1	2	1	0	116

90	7	1	0	0	0	0	0	98
65	4	3	0	0	0	0	0	72
56	8	0	0	2	2	0	0	68
45	7	2	0	2	2	0	0	58
256	26	6	0	4	4	0	296	

10:00	38	2	1	0	1	0	0	42
10:15	34	5	2	1	0	2	2	46
10:30	40	2	3	1	1	0	0	47
10:45	29	4	0	0	0	0	1	34
1 Hr	141	13	6	2	2	2	3	169

46	8	0	0	0	0	0	0	54
41	5	0	0	1	0	0	0	47
54	7	1	0	0	2	0	0	64
45	4	0	0	1	3	1	1	54
186	24	1	0	2	5	1	219	

11:00	36	9	1	0	1	0	0	47
11:15	37	4	1	0	1	1	0	44
11:30	32	8	0	0	2	0	0	42
11:45	34	6	0	0	1	3	0	44
1 Hr	139	27	2	0	5	4	0	177

49	4	2	0	0	3	3	0	61
45	6	0	0	1	1	0	0	53
46	3	3	0	1	1	2	0	56
39	4	2	0	2	0	1	0	48
179	17	7	0	4	5	6	218	

6 Hrs	537	102	22	3	17	9	8	698
-------	-----	-----	----	---	----	---	---	-----

1507	142	23	2	15	36	20	1745
------	-----	----	---	----	----	----	------

12 Hrs	556	103	23	3	17	9	8	719
--------	-----	-----	----	---	----	---	---	-----

1558	144	24	2	15	37	20	1800
------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 30th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	40	5	0	0	1	0	0	46
12:15	41	7	2	0	0	2	1	53
12:30	48	3	2	0	1	1	0	55
12:45	37	4	1	0	0	1	0	43
1 Hr	166	19	5	0	2	4	1	197

12:00	47	9	0	0	0	3	0	59
12:15	37	3	2	0	1	0	1	44
12:30	44	6	3	0	0	0	0	53
12:45	34	3	2	0	1	2	0	42
1 Hr	162	21	7	0	2	5	1	198

13:00	35	7	1	0	1	1	1	46
13:15	43	4	0	0	0	1	0	48
13:30	45	6	1	0	1	2	2	57
13:45	39	6	3	0	0	0	0	48
1 Hr	162	23	5	0	2	4	3	199

13:00	38	3	2	0	0	0	0	43
13:15	26	3	2	0	1	0	0	32
13:30	50	5	1	0	0	0	0	56
13:45	46	6	0	0	1	0	0	53
1 Hr	160	17	5	0	2	0	0	184

14:00	49	4	2	0	1	0	0	56
14:15	46	7	1	0	1	2	3	60
14:30	40	7	0	0	3	1	1	52
14:45	54	13	1	0	0	2	1	71
1 Hr	189	31	4	0	5	5	5	239

14:00	33	7	1	0	1	2	0	44
14:15	40	3	2	0	1	1	0	47
14:30	40	10	1	0	0	1	0	52
14:45	44	3	0	0	0	1	0	48
1 Hr	157	23	4	0	2	5	0	191

15:00	76	7	0	1	1	1	4	90
15:15	68	6	0	0	1	1	6	82
15:30	57	8	0	0	1	0	1	67
15:45	52	4	3	1	0	1	0	61
1 Hr	253	25	3	2	3	3	11	300

15:00	28	9	1	0	0	1	0	39
15:15	39	9	1	0	2	8	0	59
15:30	48	5	2	0	1	0	0	56
15:45	51	7	1	0	0	1	1	61
1 Hr	166	30	5	0	3	10	1	215

16:00	77	7	0	0	1	1	0	86
16:15	84	8	0	0	1	4	1	98
16:30	86	5	3	0	0	2	0	96
16:45	87	9	1	0	1	1	1	100
1 Hr	334	29	4	0	3	8	2	380

16:00	41	7	3	0	1	0	0	52
16:15	32	6	0	0	1	1	1	41
16:30	35	6	0	0	0	0	0	41
16:45	27	2	0	0	1	0	0	30
1 Hr	135	21	3	0	3	1	1	164

17:00	113	11	2	0	0	2	0	128
17:15	112	9	3	0	1	3	3	131
17:30	95	10	0	0	0	2	1	108
17:45	67	7	1	0	0	3	0	78
1 Hr	387	37	6	0	1	10	4	445

17:00	38	3	3	0	2	3	0	49
17:15	22	4	2	0	0	0	0	28
17:30	27	3	0	0	1	0	0	31
17:45	33	2	0	0	0	1	0	36
1 Hr	120	12	5	0	3	4	0	144

6 Hrs	1491	164	27	2	16	34	26	1760
-------	------	-----	----	---	----	----	----	------

6 Hrs	900	124	29	0	15	25	3	1096
-------	-----	-----	----	---	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 30th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	55	3	0	0	1	0	1	60
18:15	37	2	0	0	0	0	2	41
18:30	32	4	0	0	0	0	0	36
18:45	34	3	0	0	0	1	2	40
1 Hr	158	12	0	0	1	1	5	177

18:00	27	3	0	0	1	0	0	31
18:15	41	2	1	0	0	0	1	45
18:30	32	2	1	0	1	2	1	39
18:45	28	1	0	0	0	0	2	31
1 Hr	128	8	2	0	2	2	4	146

19:00	43	2	0	0	1	0	0	46
19:15	39	3	1	0	0	1	3	47
19:30	39	3	0	0	0	1	2	45
19:45	23	3	0	0	0	0	0	26
1 Hr	144	11	1	0	1	2	5	164

19:00	26	1	0	0	0	0	2	29
19:15	31	2	0	0	0	4	1	38
19:30	16	2	0	0	0	0	2	20
19:45	12	2	1	0	1	0	0	16
1 Hr	85	7	1	0	1	4	5	103

20:00	27	0	0	0	0	5	2	34
20:15	31	3	0	0	0	1	2	37
20:30	27	1	0	0	0	0	1	29
20:45	21	1	1	0	0	0	1	24
1 Hr	106	5	1	0	0	6	6	124

20:00	17	0	0	0	0	0	0	17
20:15	14	1	0	0	0	0	1	16
20:30	17	2	0	0	0	2	0	21
20:45	16	0	0	0	0	0	0	16
1 Hr	64	3	0	0	0	2	1	70

21:00	26	0	0	0	0	0	0	26
21:15	26	2	0	0	0	0	0	28
21:30	19	0	0	0	0	0	0	19
21:45	17	0	0	0	0	1	0	18
1 Hr	88	2	0	0	0	1	0	91

21:00	12	0	0	0	0	0	1	13
21:15	11	0	0	0	0	1	0	12
21:30	7	0	0	0	0	0	0	7
21:45	13	0	0	0	0	0	0	13
1 Hr	43	0	0	0	0	1	1	45

22:00	13	1	0	0	0	0	0	14
22:15	10	0	0	0	0	0	0	10
22:30	12	0	0	0	0	0	0	12
22:45	7	0	0	0	0	0	0	7
1 Hr	42	1	0	0	0	0	0	43

22:00	9	0	0	0	0	0	0	9
22:15	3	1	0	0	0	0	0	4
22:30	8	0	0	0	0	0	0	8
22:45	1	0	0	0	0	0	0	1
1 Hr	21	1	0	0	0	0	0	22

23:00	7	0	0	0	0	0	0	7
23:15	5	0	0	0	0	0	0	5
23:30	4	0	0	0	0	0	0	4
23:45	3	0	0	0	0	0	0	3
1 Hr	19	0	0	0	0	0	0	19

23:00	5	0	0	0	0	0	0	5
23:15	2	0	0	0	0	0	0	2
23:30	1	0	0	0	0	0	0	1
23:45	0	0	0	0	0	0	0	0
1 Hr	8	0	0	0	0	0	0	8

6 Hrs	557	31	2	0	2	10	16	618
-------	-----	----	---	---	---	----	----	-----

6 Hrs	349	19	3	0	3	9	11	394
-------	-----	----	---	---	---	---	----	-----

12 Hrs	2048	195	29	2	18	44	42	2378
--------	------	-----	----	---	----	----	----	------

12 Hrs	1249	143	32	0	18	34	14	1490
--------	------	-----	----	---	----	----	----	------

Total	2604	298	52	5	35	53	50	3097
-------	------	-----	----	---	----	----	----	------

Total	2807	287	56	2	33	71	34	3290
-------	------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Monday 23rd June - Monday 30th June 2014

Summary of Counts

		Direction : Eastbound							
		Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
Day 1	Monday 23/06/2014	2612	221	37	5	35	60	30	3000
Day 2	Tuesday 24/06/2014	2714	245	53	2	34	51	21	3120
Day 3	Wednesday 25/06/2014	2676	250	50	8	34	68	25	3111
Day 4	Thursday 26/06/2014	2792	274	57	1	32	68	356	3579
Day 5	Friday 27/06/2014	2936	214	62	1	31	16	32	3382
Day 6	Saturday 28/06/2014	2379	157	20	1	25	41	25	2648
Day 7	Monday 30/06/2014	2604	298	52	5	35	53	50	3097
		18703	1659	321	23	226	384	516	21832

		Direction : Westbound							
		Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
Day 1	Monday 23/06/2014	2758	233	43	4	33	57	33	3161
Day 2	Tuesday 24/06/2014	2690	259	46	2	36	44	21	3098
Day 3	Wednesday 25/06/2014	2811	254	51	3	33	57	29	3238
Day 4	Thursday 26/06/2014	2853	286	56	6	32	58	334	3625
Day 5	Friday 27/06/2014	2932	243	50	1	33	36	19	3305
Day 6	Saturday 28/06/2014	2395	170	19	2	23	40	24	2673
Day 7	Monday 30/06/2014	2807	287	56	2	33	71	34	3290
		19246	1732	321	22	223	361	485	22390

		Direction Eastbound						Total
		Adult	Acc Child	Un Child	Accompanied Child	Other	Total	
Day 1	Monday 23/06/2014	0	0	0	0	0	0	
Day 2	Tuesday 24/06/2014	1	0	0	0	0	1	
Day 3	Wednesday 25/06/2014	4	0	0	0	0	4	
Day 4	Thursday 26/06/2014	2	0	0	0	0	2	
Day 5	Friday 27/06/2014	5	0	0	0	0	5	
Day 6	Saturday 28/06/2014	1	0	0	0	0	1	
Day 7	Monday 30/06/2014	3	0	0	0	0	3	
		16	0	0	0	0	16	

		Direction Westbound						Total
		Adult	Acc Child	Un Child	Accompanied Child	Other	Total	
Day 1	Monday 23/06/2014	0	0	0	0	0	0	
Day 2	Tuesday 24/06/2014	1	0	0	0	0	1	
Day 3	Wednesday 25/06/2014	3	0	0	0	0	3	
Day 4	Thursday 26/06/2014	1	0	0	0	0	1	
Day 5	Friday 27/06/2014	1	0	0	0	0	1	
Day 6	Saturday 28/06/2014	1	0	0	0	0	1	
Day 7	Monday 30/06/2014	9	0	0	0	0	9	
		9	0	0	0	0	9	

		Direction : Combined Counts							
		Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Day 1	Monday 23/06/2014	5370	454	90	9	68	117	63	6161
Day 2	Tuesday 24/06/2014	5404	504	99	4	70	95	42	6216
Day 3	Wednesday 25/06/2014	5487	504	101	11	67	125	54	6349
Day 4	Thursday 26/06/2014	5645	560	113	7	64	126	689	7204
Day 5	Friday 27/06/2014	5858	457	102	4	64	77	20	6582
Day 6	Saturday 28/06/2014	4774	327	39	3	48	81	49	5321
Day 7	Monday 30/06/2014	5411	585	108	7	68	124	84	6387
		37949	3391	642	45	449	745	1001	44222

		Direction Combined Counts						Total
		Adult	Accompanied Child	Unaccompanied Child	Other	Total		

Day 1	Monday 23/06/2014	0	0	0	0	0
Day 2	Tuesday 24/06/2014	2	0	0	0	2
Day 3	Wednesday 25/06/2014	7	0	0	0	7
Day 4	Thursday 26/06/2014	3	0	0	0	3
Day 5	Friday 27/06/2014	6	0	0	0	6
Day 6	Saturday 28/06/2014	3	0	0	0	3
Day 7	Monday 30/06/2014	4	0	0	0	4
		25	0	0	0	25

Averages Vehicles

Day 1

		Direction : Eastbound							
		Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
AM		23.25	4.33	0.75	0.17	0.83	0.17	0.17	29.67
PM		79.00	4.75	0.33	0.08	0.33	2.08	1.17	87.75
00:00-12:00		12.13	1.81	0.42	0.04	0.33	0.19	0.13	15.04
12:00-24:00		42.29	2.79	0.35	0.06	0.40	1.06	0.50	47.69
24 Hrs		27.21	2.30	0.39	0.05	0.36	0.63	0.31	31.25

		Direction : Westbound							
		Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
AM		91.83	6.33	0.83	0.08	0.75	1.83	1.25	102.92
PM		29.67	3.75	0.58	0.00	0.58	0.33	0.42	35.33
00:00-12:00		32.81	2.52	0.42	0.02	0.29	0.65	0.38	37.08
12:00-24:00		24.65	2.33	0.48	0.06	0.40	0.54	0.31	28.73
24 Hrs		28.73	2.43	0.45	0.04	0.34	0.59	0.34	32.93

Pedestrians

		Direction Eastbound						Total
		Adult	Acc Child	Un Child	Accompanied Child	Other	Total	
AM		0.00	0.00	0.00	0.00	0.00	0.00	
PM		0.00	0.00	0.00	0.00	0.00	0.00	
6 Hrs		0.00	0.00	0.00	0.00	0.00	0.00	

		Direction Westbound						Total
		Adult	Acc Child	Un Child	Accompanied Child	Other	Total	
AM		0.00	0.00	0.00	0.00	0.00	0.00	
PM		0.00	0.00	0.00	0.00	0.00	0.00	
6 Hrs		0.00	0.00	0.00	0.00	0.00	0.00	

Day 2

AM		23.58	5.67	0.75	0.00	0.92	0.17	0.08	31.17
PM		75.50	5.08	0.50	0.00	0.25	1.75	1.00	84.08
00:00-12:00		12.98	2.25	0.40	0.02	0.38	0.25	0.08	16.36
12:00-24:00		43.56	2.85	0.71	0.02	0.33	0.81	0.38	48.85
24 Hrs		28.27	2.55	0.55	0.02	0.35	0.53	0.22	32.50

AM		85.75	6.00	0.92	0.17	0.83	1.42	0.67	95.75
PM		26.50	3.00	0.42	0.00	0.67	0.08	0.17	30.83
00:00-12:00		31.50	2.71	0.56	0.04	0.35	0.52	0.29	35.98
12:00-24:00		24.54	2.69	0.40	0.00	0.40	0.40	0.15	28.58
24 Hrs		28.02	2.70	0.48	0.02	0.38	0.48	0.22	32.27

AM		0.08	0.00	0.00	0.00	0.08
PM		0.00	0.00	0.00	0.00	0.00
6 Hrs		0.04	0.00	0.00	0.00	0.04

AM		0.08	0.00	0.00	0.00	0.08
PM		0.00	0.00	0.00	0.00	0.00
6 Hrs		0.04	0.00	0.00	0.00	0.04

Day 3

AM		21.33	4.50	1.17	0.00	0.83	0.08	0.17	28.08
PM		77.00	5.83	0.92	0.00	0.25	2.50	0.92	87.42
00:00-12:00		12.25	2.00	0.65	0.06	0.35	0.13	0.10	15.94
12:00-24:00		43.50	3.21	0.40	0.10	0.33	0.81	0.38	48.27
24 Hrs		27.88	2.60	0.52	0.08	0.35	0.71	0.26	32.41

AM		92.42	6.42	1.08	0.00	0.67	1.67	0.92	103.17
PM		30.08	3.17	0.75	0.08	0.50	0.92	0.67	36.17
00:00-12:00		32.94	2.85	0.52	0.00	0.31	0.63	0.31	37.56
12:00-24:00		29.63	2.44	0.54	0.06	0.38	0.56	0.29	32.90
24 Hrs		29.28	2.65	0.53	0.03	0.34	0.59	0.30	33.73

AM		0.08	0.00	0.00	0.00	0.08
PM		0.25	0.00	0.00	0.00	0.25
6 Hrs		0.17	0.00	0.00	0.00	0.17

AM		0.08	0.00	0.00	0.00	0.08
PM		0.17	0.00	0.00	0.00	0.17
6 Hrs		0.13	0.00	0.00	0.00	0.13

Day 4

AM		23.25	4.17	1.08	0.00	0.92	0.33	25.42	55.17
PM		78.25	5.00	0.75	0.08	0.25	1.92	1.50	87.75
00:00-12:00		13.17	1.94	0.63	0.00	0.33	0.29	6.83	23.19
12:00-24:00		45.00	2.85	0.71	0.02	0.33	0.81	0.38	51.39
24 Hrs		29.08	2.85	0.59	0.01	0.33	0.71	0.30	37.28

AM		88.58	7.17	1.08	0.08	0.75	1.92	0.92	100.50
PM		33.83	3.50	0.67	0.25	0.58	0.58	0.08	47.50
00:00-12:00		33.06	2.98	0.58	0.02	0.29	0.71	0.31	37.94
12:00-24:00		29.38	2.44	0.54	0.06	0.38	0.56	0.29	32.90
24 Hrs		29.72	2.98	0.58	0.03	0.34	0.60	0.38	37.76

||
||
||



Sky High

Count On Us

Client : Lincolnshire County Council	Site plan for : EW3 - B1308 Greetwell Road
Project : 9320 / Lincoln By Pass	Date : Monday 23rd June - Monday 30th June 2014

