


NB - DS 2026 AM

Actual Flow Difference


- 0 - 50
- 50 - 100
- 100 - 200
- 200 - 300
- 300 - 500
- 500 - 1000
- > 1000
- (-50) - 0
- (-100) - (-50)
- (-200) - (-100)
- (-300) - (-200)
- (-500) - (-300)
- < -500



NB - DS 2026 IP

Actual Flow Difference


- 0 - 50
- 50 - 100
- 100 - 200
- 200 - 300
- 300 - 500
- 500 - 1000
- > 1000
- (-50) - 0
- (-100) - (-50)
- (-200) - (-100)
- (-300) - (-200)
- (-500) - (-300)
- < -500



NB - DS 2026 PM

Actual Flow Difference


- 0 - 50
- 50 - 100
- 100 - 200
- 200 - 300
- 300 - 500
- 500 - 1000
- > 1000
- (-50) - 0
- (-100) - (-50)
- (-200) - (-100)
- (-300) - (-200)
- (-500) - (-300)
- < -500



NB - DS 2041 AM

Actual Flow Difference

- 0 - 50
- 50 - 100
- 100 - 200
- 200 - 300
- 300 - 500
- 500 - 1000
- > 1000
- (-50) - 0
- (-100) - (-50)
- (-200) - (-100)
- (-300) - (-200)
- (-500) - (-300)
- < -500




Contains Ordnance Survey Data
© Crown Copyright and Database Rights 2018

NB - DS 2041 IP

Actual Flow Difference


- 0 - 50
- 50 - 100
- 100 - 200
- 200 - 300
- 300 - 500
- 500 - 1000
- > 1000
- (-50) - 0
- (-100) - (-50)
- (-200) - (-100)
- (-300) - (-200)
- (-500) - (-300)
- < -500



NB - DS 2041 PM

Actual Flow Difference



- 0 - 50
- 50 - 100
- 100 - 200
- 200 - 300
- 300 - 500
- 500 - 1000
- > 1000
- (-50) - 0
- (-100) - (-50)
- (-200) - (-100)
- (-300) - (-200)
- (-500) - (-300)
- < -500



Contains Ordnance Survey Data
© Crown Copyright and Database Rights 2018

LC - NB 2026 AM


Actual Flow Difference



LC - NB 2026 IP

Actual Flow Difference


- 0 - 50
- 50 - 100
- 100 - 200
- 200 - 300
- 300 - 500
- 500 - 1000
- > 1000
- (-50) - 0
- (-100) - (-50)
- (-200) - (-100)
- (-300) - (-200)
- (-500) - (-300)
- < -500



LC - NB 2026 PM



Actual Flow Difference

- 0 - 50
- 50 - 100
- 100 - 200
- 200 - 300
- 300 - 500
- 500 - 1000
- > 1000
- (-50) - 0
- (-100) - (-50)
- (-200) - (-100)
- (-300) - (-200)
- (-500) - (-300)
- < -500



LC - NB 2041 AM


Actual Flow Difference



LC - NB 2041 IP

Actual Flow Difference

- 0 - 50
- 50 - 100
- 100 - 200
- 200 - 300
- 300 - 500
- 500 - 1000
- > 1000
- (-50) - 0
- (-100) - (-50)
- (-200) - (-100)
- (-300) - (-200)
- (-500) - (-300)
- < -500



LC - NB 2041 PM

Actual Flow Difference

- 0 - 50
- 50 - 100
- 100 - 200
- 200 - 300
- 300 - 500
- 500 - 1000
- > 1000
- (-50) - 0
- (-100) - (-50)
- (-200) - (-100)
- (-300) - (-200)
- (-500) - (-300)
- < -500

