



Sky High

Count On Us

Client: Lincolnshire County Council
Project: 9320 / Lincoln By Pass
Site: EW1 - A158 Wragby Road East
Survey Date: Monday 23rd June - Monday 30th June 2014
Survey Period: 07:00 - 19:00
Method: Video Observation

Incidents / Observations:

There were no incidents reported over the survey period.



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW1 - A158 Wragby Road East
Date : Monday 23rd June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Clear

Flowcount

Direction :		Eastbound						
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total	

Direction :		Westbound						
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total	

Direction :		Eastbound		
Adult	Accompanied Child	Unaccompanied Child	Total	

Direction :		Westbound		
Adult	Accompanied Child	Unaccompanied Child	Total	

00:00	8	1	0	0	0	0	0	9
00:15	11	2	0	0	0	1	0	14
00:30	3	1	0	0	0	0	0	4
00:45	1	1	1	0	0	0	0	3
1 Hr	23	5	1	0	0	1	0	30

00:00	4	0	0	1	0	0	0	5
00:15	10	0	1	0	0	0	0	11
00:30	2	1	1	0	0	0	0	4
00:45	1	0	0	0	0	0	0	1
1 Hr	17	1	2	1	0	0	0	21

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0

01:00	3	0	0	0	0	0	0	3
01:15	5	0	0	0	0	0	0	5
01:30	4	0	1	0	0	0	0	5
01:45	0	0	0	0	0	0	0	0
1 Hr	12	0	1	0	0	0	0	13

01:00	3	0	0	1	0	0	0	4
01:15	5	0	1	0	0	0	0	6
01:30	0	0	0	0	0	0	0	0
01:45	2	2	0	0	0	0	0	4
1 Hr	10	2	1	1	0	0	0	14

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

08:00	0	0	0	0
08:15	0	0	0	0
08:30	1	0	0	1
08:45	0	0	0	0
1 Hr	1	0	0	1

02:00	3	0	0	1	0	0	0	4
02:15	1	2	0	0	0	0	0	3
02:30	5	0	0	0	0	0	0	5
02:45	4	0	1	1	0	0	0	6
1 Hr	13	2	1	2	0	0	0	18

02:00	4	1	0	0	0	0	0	5
02:15	1	0	0	0	0	0	0	1
02:30	2	0	0	0	0	0	0	2
02:45	2	1	0	0	0	0	0	3
1 Hr	9	2	0	0	0	0	0	11

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

09:00	1	0	0	1
09:15	2	0	0	2
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	3	0	0	3

03:00	2	1	0	1	0	0	0	4
03:15	1	2	0	1	0	0	0	4
03:30	3	0	0	0	0	0	0	3
03:45	3	0	0	0	0	0	0	3
1 Hr	9	3	0	2	0	0	0	14

03:00	5	0	0	0	0	0	0	5
03:15	5	0	0	0	0	0	0	5
03:30	7	0	0	0	0	0	0	7
03:45	5	1	0	0	0	0	0	6
1 Hr	22	1	0	0	0	0	0	23

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

04:00	3	0	2	0	0	0	0	5
04:15	1	2	1	0	0	0	0	4
04:30	9	5	0	0	0	1	0	15
04:45	7	1	0	1	0	0	0	9
1 Hr	20	8	3	1	0	1	0	33

04:00	7	1	0	2	0	0	0	10
04:15	13	2	0	3	0	0	0	18
04:30	15	6	0	3	0	0	0	24
04:45	8	3	1	4	0	0	0	16
1 Hr	43	12	1	12	0	0	0	68

17:00	0	0	0	0
17:15	1	0	0	1
17:30	1	0	0	1
17:45	0	0	0	0
1 Hr	2	0	0	2

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

05:00	6	1	1	2	0	1	0	11
05:15	7	1	2	2	0	2	0	14
05:30	10	0	1	1	0	0	0	12
05:45	23	7	1	0	0	1	0	32
1 Hr	46	9	5	5	0	4	0	69

05:00	15	5	0	6	0	1	0	27
05:15	22	3	0	8	0	0	0	33
05:30	30	5	2	11	0	0	0	48
05:45	30	8	1	3	0	2	0	44
1 Hr	97	21	3	28	0	3	0	152

18:00	2	0	0	2
18:15	0	0	0	0
18:30	1	0	0	1
18:45	0	0	0	0
1 Hr	3	0	0	3

18:00	0	0	0	0
18:15	0	0	0	0
18:30	1	0	0	1
18:45	0	0	0	0
1 Hr	1	0	0	1

6 Hrs	123	27	11	10	0	6	0	177
-------	-----	----	----	----	---	---	---	-----

6 Hrs	198	39	7	42	0	3	0	289
-------	-----	----	---	----	---	---	---	-----

3 Hrs	5	0	0	5
-------	---	---	---	---

3 Hrs	1	0	0	1
-------	---	---	---	---

6 Hrs	5	0	0	5
-------	---	---	---	---

6 Hrs	5	0	0	5
-------	---	---	---	---



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Monday 23rd June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	20	5	4	1	1	0	0	31
06:15	20	14	2	3	3	1	0	43
06:30	44	17	6	6	1	1	0	75
06:45	46	24	15	7	0	1	0	93
1 Hr	130	60	27	17	5	3	0	242

06:00	51	12	0	5	0	0	2	70
06:15	51	13	1	5	0	3	0	73
06:30	65	14	2	9	2	0	1	93
06:45	88	23	5	4	0	1	1	122
1 Hr	255	62	8	23	2	4	4	358

07:00	60	29	3	5	2	2	1	102
07:15	68	19	8	11	2	0	0	108
07:30	94	22	8	5	1	2	0	132
07:45	76	20	13	3	0	0	0	112
1 Hr	298	90	32	24	5	4	1	454

07:00	120	25	4	6	0	1	1	157
07:15	119	28	7	4	1	2	1	162
07:30	169	28	1	6	0	2	1	207
07:45	168	17	2	4	2	3	1	197
1 Hr	576	98	14	20	3	8	4	723

08:00	90	23	13	7	0	4	0	137
08:15	81	21	6	7	0	0	0	115
08:30	103	25	9	13	0	0	0	150
08:45	91	20	8	2	2	1	0	124
1 Hr	365	89	36	29	2	5	0	526

08:00	169	15	8	6	1	1	0	200
08:15	137	6	8	7	3	2	0	163
08:30	156	14	4	4	1	4	2	185
08:45	150	7	9	4	0	1	1	172
1 Hr	612	42	29	21	5	8	3	720

09:00	86	25	3	2	0	1	0	117
09:15	97	15	8	3	3	1	0	127
09:30	85	26	7	5	0	1	0	124
09:45	110	11	1	8	0	0	0	130
1 Hr	378	77	19	18	3	3	0	498

09:00	129	9	7	2	0	0	1	148
09:15	120	13	7	3	0	1	1	145
09:30	140	14	3	6	1	1	1	166
09:45	157	19	7	5	2	0	0	190
1 Hr	546	55	24	16	3	2	3	649

10:00	116	13	7	10	2	1	0	149
10:15	148	18	5	6	1	0	1	179
10:30	130	12	9	7	0	0	0	158
10:45	183	13	5	2	0	1	1	205
1 Hr	577	56	26	25	3	2	2	691

10:00	101	18	8	5	1	2	0	135
10:15	156	14	11	5	1	2	0	189
10:30	130	8	7	2	1	1	0	149
10:45	171	13	4	3	2	3	0	196
1 Hr	558	53	30	15	5	8	0	669

11:00	155	15	5	5	3	0	0	183
11:15	156	11	4	6	1	2	0	180
11:30	164	9	4	2	2	0	0	181
11:45	165	8	6	5	2	1	1	188
1 Hr	640	43	19	18	8	3	1	732

11:00	132	7	10	2	0	0	1	152
11:15	184	19	12	3	1	3	0	222
11:30	161	15	4	5	0	1	0	186
11:45	130	11	8	6	1	0	1	157
1 Hr	607	52	34	16	2	4	2	717

6 Hrs	2388	415	159	131	26	20	4	3143
-------	------	-----	-----	-----	----	----	---	------

6 Hrs	3154	362	139	111	20	34	16	3836
-------	------	-----	-----	-----	----	----	----	------

12 Hrs	2511	442	170	141	26	26	4	3320
--------	------	-----	-----	-----	----	----	---	------

12 Hrs	3352	401	146	153	20	37	16	4125
--------	------	-----	-----	-----	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Monday 23rd June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	156	17	4	6	1	2	0	186
12:15	155	16	8	3	1	1	1	185
12:30	144	11	5	7	0	1	0	168
12:45	166	17	3	6	1	1	0	194
1 Hr	621	61	20	22	3	5	1	733

12:00	163	14	6	5	0	1	0	189
12:15	154	7	5	4	1	0	0	171
12:30	102	6	5	4	4	1	0	122
12:45	134	18	10	6	0	2	0	170
1 Hr	553	45	26	19	5	4	0	652

13:00	123	15	4	5	0	2	0	149
13:15	145	14	5	3	2	0	0	169
13:30	141	11	5	7	0	2	0	166
13:45	136	14	3	9	1	0	0	163
1 Hr	545	54	17	24	3	4	0	647

13:00	102	8	4	4	0	1	0	119
13:15	144	10	4	3	0	1	0	162
13:30	89	18	5	4	1	2	0	119
13:45	110	18	8	2	0	1	0	139
1 Hr	445	54	21	13	1	5	0	539

14:00	125	14	1	3	0	2	1	146
14:15	115	12	5	6	1	5	0	144
14:30	135	6	3	5	2	0	0	151
14:45	138	16	8	5	1	4	2	174
1 Hr	513	48	17	19	4	11	3	615

14:00	115	17	10	1	2	2	0	147
14:15	118	15	7	2	1	0	0	143
14:30	117	12	5	2	2	0	0	138
14:45	128	18	4	7	0	0	0	157
1 Hr	478	62	26	12	5	2	0	585

15:00	158	13	4	1	0	4	0	180
15:15	144	8	5	6	2	0	0	165
15:30	170	12	4	3	1	4	0	194
15:45	151	16	6	6	0	2	0	181
1 Hr	623	49	19	16	3	10	0	720

15:00	111	24	8	1	1	2	0	147
15:15	116	14	9	7	0	1	0	147
15:30	145	21	7	5	2	3	0	183
15:45	87	16	10	3	0	1	0	117
1 Hr	459	75	34	16	3	7	0	594

16:00	148	17	4	5	0	1	2	177
16:15	169	17	1	4	2	2	1	196
16:30	146	18	6	2	0	3	1	176
16:45	162	22	3	5	0	1	0	193
1 Hr	625	74	14	16	2	7	4	742

16:00	125	24	9	4	1	1	0	164
16:15	102	21	4	7	1	3	0	138
16:30	120	19	2	4	0	1	2	148
16:45	126	17	2	1	1	0	0	147
1 Hr	473	81	17	16	3	5	2	597

17:00	157	15	4	7	1	2	0	186
17:15	162	17	5	4	2	1	0	191
17:30	154	13	0	0	1	2	0	170
17:45	180	13	5	2	0	2	0	202
1 Hr	653	58	14	13	4	7	0	749

17:00	135	23	4	6	3	4	1	176
17:15	127	23	3	2	1	3	0	159
17:30	122	23	6	4	0	3	0	158
17:45	109	17	4	2	0	2	0	134
1 Hr	493	86	17	14	4	12	1	627

6 Hrs	3580	344	101	110	19	44	8	4206
-------	------	-----	-----	-----	----	----	---	------

6 Hrs	2901	403	141	90	21	35	3	3594
-------	------	-----	-----	----	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Monday 23rd June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	157	11	1	0	1	0	0	170
18:15	122	11	2	2	0	1	3	141
18:30	107	12	0	0	0	1	0	120
18:45	89	13	0	2	0	0	1	105
1 Hr	475	47	3	4	1	2	4	536

18:00	116	17	2	2	2	3	0	142
18:15	107	9	5	2	1	2	0	126
18:30	103	4	2	0	0	1	0	110
18:45	91	6	1	3	1	3	1	106
1 Hr	417	36	10	7	4	9	1	484

19:00	90	3	1	2	1	3	0	100
19:15	88	1	1	1	0	2	0	93
19:30	80	9	0	0	0	0	0	89
19:45	60	4	0	4	0	0	2	70
1 Hr	318	17	2	7	1	5	2	352

19:00	82	7	0	3	1	1	0	94
19:15	65	10	3	0	0	1	0	79
19:30	72	10	2	2	1	0	1	88
19:45	63	4	2	0	0	0	0	69
1 Hr	282	31	7	5	2	2	1	330

20:00	63	6	1	1	0	1	0	72
20:15	73	1	2	1	1	3	1	82
20:30	41	1	0	0	0	3	0	45
20:45	38	1	0	0	0	0	0	39
1 Hr	215	9	3	2	1	7	1	238

20:00	43	2	0	1	0	3	0	49
20:15	41	3	4	1	0	2	0	51
20:30	48	3	1	1	1	0	0	54
20:45	33	7	1	1	0	0	0	42
1 Hr	165	15	6	4	1	5	0	196

21:00	48	4	0	1	1	0	1	55
21:15	31	4	1	1	0	0	0	37
21:30	36	3	1	0	0	0	0	40
21:45	22	1	0	1	0	0	0	24
1 Hr	137	12	2	3	1	0	1	156

21:00	32	3	1	0	0	1	0	37
21:15	29	1	0	0	0	2	0	32
21:30	33	2	0	0	0	0	0	35
21:45	27	1	1	1	0	1	0	31
1 Hr	121	7	2	1	0	4	0	135

22:00	34	0	0	2	0	1	0	37
22:15	31	2	0	0	0	1	0	34
22:30	22	1	0	0	0	0	0	23
22:45	15	2	0	0	0	0	0	17
1 Hr	102	5	0	2	0	2	0	111

22:00	19	1	2	0	0	0	0	22
22:15	14	2	0	0	0	0	0	16
22:30	11	2	1	0	0	0	0	14
22:45	5	3	2	0	0	1	0	11
1 Hr	49	8	5	0	0	1	0	63

23:00	15	3	0	1	0	0	0	19
23:15	11	1	0	0	0	1	0	13
23:30	5	0	0	1	0	0	0	6
23:45	8	0	0	0	0	1	0	9
1 Hr	39	4	0	2	0	2	0	47

23:00	10	0	0	1	0	1	0	12
23:15	8	1	0	0	0	0	0	9
23:30	8	0	0	0	0	0	0	8
23:45	5	1	0	0	0	0	0	6
1 Hr	31	2	0	1	0	1	0	35

6 Hrs	1286	94	10	20	4	18	8	1440
-------	------	----	----	----	---	----	---	------

6 Hrs	1065	99	30	18	7	22	2	1243
-------	------	----	----	----	---	----	---	------

12 Hrs	4866	438	111	130	23	62	16	5646
--------	------	-----	-----	-----	----	----	----	------

12 Hrs	3966	502	171	108	28	57	5	4837
--------	------	-----	-----	-----	----	----	---	------

Total	7377	880	281	271	49	88	20	8962
-------	------	-----	-----	-----	----	----	----	------

Total	7318	903	317	261	48	94	21	8962
-------	------	-----	-----	-----	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Tuesday 24th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound						Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	
00:00	8	1	1	1	0	0	11
00:15	4	1	0	0	0	0	5
00:30	3	0	0	1	0	0	4
00:45	4	0	0	2	0	0	6
1 Hr	19	2	1	4	0	0	26
01:00	0	0	1	1	0	0	2
01:15	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0
01:45	4	0	0	0	0	0	4
1 Hr	4	0	1	1	0	0	6
02:00	2	0	4	1	0	0	7
02:15	1	0	0	1	0	0	2
02:30	0	1	0	1	0	0	2
02:45	4	0	0	0	0	0	4
1 Hr	7	1	4	3	0	0	15
03:00	0	1	1	0	0	0	2
03:15	0	0	0	0	0	0	0
03:30	4	1	1	0	0	0	6
03:45	1	0	1	1	0	0	3
1 Hr	5	2	3	1	0	0	11
04:00	1	0	1	0	0	0	2
04:15	1	1	1	0	0	0	3
04:30	4	7	3	0	0	0	14
04:45	3	4	1	4	0	0	13
1 Hr	9	12	6	4	0	0	32
05:00	5	2	2	2	0	0	11
05:15	6	0	3	1	0	0	10
05:30	11	1	2	2	0	0	16
05:45	12	7	2	3	0	0	24
1 Hr	34	10	9	8	0	0	61
6 Hrs	78	27	24	21	0	0	151

Direction :	Westbound						Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	
00:00	5	1	0	2	0	0	8
00:15	8	1	0	0	0	1	10
00:30	2	4	1	0	0	0	7
00:45	5	0	0	0	0	0	5
1 Hr	20	6	1	2	0	1	30
01:00	3	2	0	1	0	0	6
01:15	0	1	1	0	0	0	2
01:30	3	0	0	1	0	0	4
01:45	2	0	0	0	0	0	2
1 Hr	8	3	1	2	0	0	14
02:00	3	0	0	1	0	0	4
02:15	1	0	0	0	0	0	1
02:30	3	1	0	0	0	0	4
02:45	2	0	0	0	0	1	3
1 Hr	9	1	0	1	0	1	12
03:00	3	1	0	0	0	0	4
03:15	1	0	0	1	0	0	2
03:30	2	0	1	1	0	0	4
03:45	3	0	1	0	0	0	4
1 Hr	9	1	2	2	0	0	14
04:00	3	3	0	0	0	0	6
04:15	3	2	1	1	0	0	7
04:30	7	2	0	6	0	0	15
04:45	7	1	0	3	0	0	11
1 Hr	20	8	1	10	0	0	39
05:00	6	2	1	3	0	0	12
05:15	14	0	4	3	0	0	21
05:30	28	3	0	3	0	0	34
05:45	25	5	0	5	0	1	37
1 Hr	73	10	5	14	0	1	104
6 Hrs	139	29	10	31	0	3	213

Direction :	Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	1	0	0	1	1
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	1	0	0	1	1
09:00	1	0	0	1	1
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	1	0	0	1	1
3 Hr	2	0	0	2	2
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	2	0	0	2	2
16:45	0	0	0	0	0
1 Hr	2	0	0	2	2
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	1	0	0	1	1
17:45	0	0	0	0	0
1 Hr	1	0	0	1	1
18:00	1	0	0	1	1
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	1	0	0	1	1
3 Hrs	4	0	0	4	4
6 Hrs	6	0	0	6	6

Direction :	Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	1	0	0	1
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	1	0	0	1
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	2	0	0	2
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	1	0	0	1
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	1	0	0	1
3 Hrs	1	0	0	1
6 Hrs	3	0	0	3



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Tuesday 24th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	16	7	4	5	1	0	0	33
06:15	25	11	6	6	2	1	0	51
06:30	34	18	3	4	1	0	0	60
06:45	34	28	12	3	0	0	0	77
1 Hr	109	64	25	18	4	1	0	221

06:00	33	9	2	7	0	0	1	52
06:15	53	9	1	5	0	0	1	69
06:30	55	14	2	7	0	3	1	82
06:45	87	27	4	7	1	1	1	128
1 Hr	228	59	9	26	1	4	4	331

07:00	58	24	13	6	2	0	0	103
07:15	72	25	14	1	1	1	0	114
07:30	88	33	11	7	1	1	1	142
07:45	92	26	12	6	0	1	1	138
1 Hr	310	108	50	20	4	3	2	497

07:00	100	15	4	1	0	0	0	120
07:15	129	26	3	3	1	3	1	166
07:30	163	24	6	6	0	3	2	204
07:45	155	17	5	1	2	1	0	181
1 Hr	547	82	18	11	3	7	3	671

08:00	86	30	22	3	0	0	0	141
08:15	87	38	9	3	0	1	0	138
08:30	100	30	10	2	0	1	0	143
08:45	77	25	12	7	3	0	0	124
1 Hr	264	93	31	12	3	2	0	546

08:00	208	14	8	3	1	4	0	238
08:15	133	11	5	4	3	5	2	163
08:30	109	16	6	4	0	2	0	137
08:45	160	10	6	8	0	3	0	187
1 Hr	402	37	17	16	3	10	2	725

09:00	109	19	6	5	1	0	1	141
09:15	88	26	7	7	2	1	1	132
09:30	95	15	6	6	5	0	1	128
09:45	94	10	9	2	3	1	0	119
1 Hr	386	70	28	20	11	2	3	520

09:00	108	12	7	3	0	0	0	130
09:15	131	14	5	6	1	0	0	157
09:30	147	14	6	10	2	4	0	183
09:45	129	19	4	6	1	0	0	159
1 Hr	515	59	22	25	4	4	0	629

10:00	107	25	14	5	2	2	0	155
10:15	97	19	10	4	2	0	0	132
10:30	110	14	9	2	2	0	0	137
10:45	106	14	9	4	2	0	0	135
1 Hr	420	72	42	15	8	2	0	559

10:00	108	11	4	3	0	1	2	129
10:15	123	11	8	3	1	2	1	149
10:30	106	11	5	5	4	1	2	134
10:45	127	11	7	1	0	0	0	146
1 Hr	464	44	24	12	5	4	5	558

11:00	117	11	4	4	0	5	0	141
11:15	93	23	2	2	2	4	1	127
11:30	102	15	4	5	0	3	0	129
11:45	91	9	5	3	0	1	2	111
1 Hr	403	58	15	14	2	13	3	508

11:00	100	18	6	1	0	1	0	126
11:15	125	10	5	8	0	2	0	150
11:30	89	15	9	6	1	1	0	121
11:45	102	12	6	4	1	3	0	128
1 Hr	416	55	26	19	2	7	0	525

6 Hrs	1892	465	191	99	32	23	8	2851
-------	------	-----	-----	----	----	----	---	------

6 Hrs	2572	336	116	109	18	36	14	3439
-------	------	-----	-----	-----	----	----	----	------

12 Hrs	1970	492	215	120	32	23	9	3002
--------	------	-----	-----	-----	----	----	---	------

12 Hrs	2711	365	126	140	18	39	15	3652
--------	------	-----	-----	-----	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Tuesday 24th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	115	12	6	4	0	4	0	141
12:15	104	12	2	3	1	0	2	124
12:30	100	12	4	2	0	2	0	120
12:45	84	11	4	3	1	2	0	105
1 Hr	403	47	16	12	2	8	2	490

12:00	80	13	5	4	0	0	0	102
12:15	93	16	5	5	0	0	1	120
12:30	77	8	5	3	1	1	0	95
12:45	111	20	10	5	1	0	0	147
1 Hr	361	57	25	17	2	1	1	464

13:00	88	10	2	10	0	1	0	111
13:15	95	15	6	7	2	3	0	128
13:30	101	11	3	5	0	0	0	120
13:45	95	16	8	2	0	0	0	121
1 Hr	379	52	19	24	2	4	0	480

13:00	137	17	11	1	0	2	0	168
13:15	116	10	7	4	0	3	0	140
13:30	86	13	11	4	1	1	0	116
13:45	112	23	8	3	0	0	0	146
1 Hr	451	63	37	12	1	6	0	570

14:00	115	11	3	9	0	5	1	144
14:15	98	11	4	8	1	0	0	122
14:30	104	15	2	6	2	0	1	130
14:45	108	12	4	5	0	1	1	131
1 Hr	425	49	13	28	3	6	3	527

14:00	94	22	10	1	0	0	0	127
14:15	155	19	11	8	2	1	1	197
14:30	123	10	10	4	2	0	0	149
14:45	95	16	7	2	1	3	0	124
1 Hr	467	67	38	15	5	4	1	597

15:00	124	11	3	3	1	1	0	143
15:15	153	16	1	4	1	0	1	176
15:30	127	23	5	7	0	0	0	162
15:45	133	24	6	3	1	2	1	170
1 Hr	537	74	15	17	3	3	2	651

15:00	124	19	13	2	0	4	1	163
15:15	94	21	13	5	0	2	0	135
15:30	126	15	6	3	5	1	1	157
15:45	105	15	5	1	0	2	0	128
1 Hr	449	70	37	11	5	9	2	583

16:00	149	19	3	2	0	1	1	175
16:15	141	22	2	5	2	1	2	175
16:30	134	20	1	2	1	3	0	161
16:45	162	21	2	3	0	1	0	189
1 Hr	586	82	8	12	3	6	3	700

16:00	135	22	10	4	1	1	0	173
16:15	125	32	3	3	2	2	1	168
16:30	151	30	6	4	1	2	0	194
16:45	116	25	5	1	1	0	0	148
1 Hr	527	109	24	12	5	5	1	683

17:00	152	16	1	2	1	2	0	174
17:15	156	17	2	3	0	7	1	186
17:30	151	14	4	4	3	1	0	177
17:45	139	12	3	0	0	0	2	156
1 Hr	598	59	10	9	4	10	3	693

17:00	99	15	5	2	3	1	0	125
17:15	95	14	5	4	3	0	0	121
17:30	121	27	8	2	0	0	0	158
17:45	119	28	7	1	3	2	0	160
1 Hr	434	84	25	9	9	3	0	564

6 Hrs	2928	363	81	102	17	37	13	3541
-------	------	-----	----	-----	----	----	----	------

6 Hrs	2689	450	186	76	27	28	5	3461
-------	------	-----	-----	----	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Tuesday 24th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	127	10	1	1	1	2	0	142
18:15	101	7	3	5	0	0	2	118
18:30	77	9	3	1	0	2	0	92
18:45	79	8	0	1	0	1	1	90
1 Hr	384	34	7	8	1	5	3	442

18:00	84	6	2	5	2	1	0	100
18:15	90	14	5	4	1	3	0	117
18:30	98	10	1	2	0	1	0	112
18:45	88	6	1	4	0	0	0	99
1 Hr	360	36	9	15	3	5	0	428

19:00	82	12	1	3	1	0	0	99
19:15	82	2	1	2	0	3	0	90
19:30	49	7	1	1	0	1	0	59
19:45	75	3	1	2	1	1	0	83
1 Hr	288	24	4	8	2	5	0	331

19:00	70	3	4	0	2	0	1	80
19:15	69	6	1	0	0	0	1	77
19:30	44	4	0	1	1	1	2	53
19:45	55	5	3	1	0	0	0	64
1 Hr	238	18	8	2	3	1	4	274

20:00	87	0	0	0	1	0	1	89
20:15	51	2	0	0	0	0	0	53
20:30	55	5	1	1	0	2	0	64
20:45	62	4	4	1	0	1	2	74
1 Hr	255	11	5	2	1	3	3	280

20:00	38	5	1	1	0	3	0	48
20:15	48	5	1	0	0	0	0	54
20:30	39	4	0	1	1	0	0	45
20:45	26	3	0	0	0	0	0	29
1 Hr	151	17	2	2	1	3	0	176

21:00	57	3	0	0	1	0	0	61
21:15	60	4	0	1	0	0	0	65
21:30	35	1	0	0	0	0	0	36
21:45	58	3	0	0	0	1	0	62
1 Hr	210	11	0	1	1	1	0	224

21:00	31	2	0	1	0	0	0	34
21:15	31	3	1	0	0	1	0	36
21:30	26	3	0	0	0	2	0	31
21:45	24	2	1	0	0	0	0	27
1 Hr	112	10	2	1	0	3	0	128

22:00	42	3	0	0	0	0	0	45
22:15	35	1	1	0	0	1	0	38
22:30	36	0	1	2	0	0	0	39
22:45	28	0	1	0	0	0	0	29
1 Hr	141	4	3	2	0	1	0	151

22:00	18	1	1	0	1	1	0	22
22:15	20	1	1	0	0	0	0	22
22:30	17	1	4	0	0	0	0	22
22:45	12	0	0	0	0	0	0	12
1 Hr	67	3	6	0	1	1	0	78

23:00	19	5	1	0	0	0	0	25
23:15	14	2	2	0	0	0	0	18
23:30	16	0	0	0	0	0	0	16
23:45	12	0	0	0	0	0	0	12
1 Hr	61	7	3	0	0	0	0	71

23:00	7	1	0	3	0	0	0	11
23:15	14	2	0	0	0	0	0	16
23:30	5	0	1	0	0	0	0	6
23:45	7	1	0	0	0	0	0	8
1 Hr	33	4	1	3	0	0	0	41

6 Hrs	1339	91	22	21	5	15	6	1499
-------	------	----	----	----	---	----	---	------

6 Hrs	961	88	28	23	8	13	4	1125
-------	-----	----	----	----	---	----	---	------

12 Hrs	4267	454	103	123	22	52	19	5040
--------	------	-----	-----	-----	----	----	----	------

12 Hrs	3650	538	214	99	35	41	9	4586
--------	------	-----	-----	----	----	----	---	------

Total	6237	946	318	243	54	75	28	8042
-------	------	-----	-----	-----	----	----	----	------

Total	6361	903	340	239	53	80	24	8238
-------	------	-----	-----	-----	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Wednesday 25th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
00:00	10	0	0	2	0	0	0	12
00:15	11	1	0	1	0	0	0	13
00:30	6	1	0	1	0	2	0	10
00:45	6	0	0	1	0	0	0	7
1 Hr	33	2	0	5	0	2	0	42
01:00	5	0	0	1	0	0	0	6
01:15	1	0	1	0	0	0	0	2
01:30	4	0	0	0	0	0	0	4
01:45	2	0	0	1	0	0	0	3
1 Hr	12	0	1	2	0	0	0	15
02:00	7	1	0	0	0	1	0	9
02:15	3	1	0	1	0	0	1	6
02:30	3	0	0	0	0	0	0	3
02:45	0	0	1	1	0	0	0	2
1 Hr	13	2	1	2	0	1	1	20
03:00	3	1	0	1	0	0	0	5
03:15	4	0	0	0	0	0	0	4
03:30	2	0	1	1	0	0	0	4
03:45	2	0	1	0	0	0	0	3
1 Hr	11	1	2	2	0	0	0	16
04:00	3	0	1	0	0	0	0	4
04:15	7	1	2	0	0	0	0	10
04:30	6	6	1	3	0	0	0	16
04:45	4	0	5	0	0	0	0	9
1 Hr	20	7	9	3	0	0	0	39
05:00	4	3	2	1	0	0	0	10
05:15	2	0	8	1	0	1	0	12
05:30	11	3	3	5	0	0	0	22
05:45	22	6	4	1	0	0	1	34
1 Hr	39	12	17	8	0	1	1	78
6 Hrs	128	24	30	22	0	4	2	210

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	4	2	0	0	0	0	0	6
00:30	5	1	1	1	0	0	0	8
00:45	0	0	1	1	0	0	0	2
1 Hr	12	3	2	2	0	0	0	19
01:00	3	0	0	0	0	0	0	3
01:15	4	1	0	1	0	0	0	6
01:30	2	1	0	1	0	0	0	4
01:45	3	0	1	0	0	0	0	4
1 Hr	12	2	1	2	0	0	0	17
02:00	1	2	0	0	0	0	0	3
02:15	3	2	0	1	0	0	0	6
02:30	3	0	0	2	0	0	0	5
02:45	1	0	0	1	0	0	0	2
1 Hr	8	4	0	4	0	0	0	16
03:00	6	0	0	0	0	0	0	6
03:15	3	0	0	0	0	0	0	3
03:30	0	0	1	1	0	0	0	2
03:45	4	0	1	1	0	0	0	6
1 Hr	13	0	2	2	0	0	0	17
04:00	7	2	0	1	0	0	0	10
04:15	6	0	0	3	0	0	0	9
04:30	9	3	1	3	0	0	0	16
04:45	7	2	0	4	0	0	0	13
1 Hr	29	7	1	11	0	0	0	48
05:00	8	5	0	4	0	0	1	18
05:15	17	3	4	3	0	0	0	27
05:30	22	5	0	5	1	0	1	34
05:45	29	7	2	3	0	1	0	42
1 Hr	76	20	6	15	1	1	2	121
6 Hrs	150	36	12	36	1	1	2	238

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	0	0	0	0	0
16:00	1	0	0	0	1
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	1	0	0	0	1
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	2	0	0	0	2
18:30	1	0	0	0	1
18:45	0	0	0	0	0
1 Hr	3	0	0	0	3
3 Hrs	4	0	0	0	4
6 Hrs	4	0	0	0	4

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	1	0	0	1
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	1	0	0	1
16:15	0	0	0	0
16:30	2	0	0	2
16:45	0	0	0	0
1 Hr	3	0	0	3
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	3	0	0	3
6 Hrs	4	0	0	4



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Wednesday 25th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	17	10	2	1	1	0	0	31
06:15	21	10	7	2	2	0	0	42
06:30	34	18	8	6	1	1	0	68
06:45	31	23	10	7	0	0	0	71
1 Hr	103	61	27	16	4	1	0	212

06:00	27	5	1	6	0	0	0	39
06:15	41	18	2	7	0	2	0	70
06:30	81	11	1	6	1	2	1	103
06:45	80	22	4	1	0	1	0	108
1 Hr	229	56	8	20	1	5	1	320

07:00	66	22	11	2	1	0	0	102
07:15	75	35	18	3	2	1	0	134
07:30	66	22	4	6	1	1	0	100
07:45	89	29	13	4	0	0	0	135
1 Hr	296	108	46	15	4	2	0	471

07:00	53	15	0	6	0	1	0	75
07:15	141	43	7	6	1	0	2	200
07:30	148	21	7	4	0	1	1	182
07:45	170	14	4	3	1	3	0	195
1 Hr	512	93	18	19	2	5	3	652

08:00	82	22	11	6	0	0	0	121
08:15	94	20	7	4	0	0	0	125
08:30	106	13	10	4	0	0	0	133
08:45	104	29	10	6	0	1	0	150
1 Hr	304	62	27	14	0	1	0	529

08:00	169	18	4	2	2	2	0	197
08:15	156	13	10	1	3	2	0	185
08:30	148	19	7	3	3	2	1	183
08:45	157	13	12	4	0	4	1	191
1 Hr	461	45	29	8	6	8	2	756

09:00	97	29	13	6	2	6	0	153
09:15	94	27	15	2	6	1	1	146
09:30	111	18	9	2	3	0	0	143
09:45	86	15	12	2	3	3	0	121
1 Hr	388	89	49	12	14	10	1	563

09:00	162	11	4	5	0	0	1	183
09:15	135	7	7	3	0	2	0	154
09:30	124	7	10	6	1	0	0	148
09:45	132	13	5	8	3	2	0	163
1 Hr	553	38	26	22	4	4	1	648

10:00	119	11	10	4	2	1	0	147
10:15	117	14	13	5	4	1	0	154
10:30	128	13	13	6	1	5	0	166
10:45	132	17	7	2	0	2	0	160
1 Hr	496	55	43	17	7	9	0	627

10:00	120	15	8	7	1	0	0	151
10:15	108	13	6	8	1	1	0	137
10:30	125	15	10	5	2	2	0	159
10:45	101	12	5	7	2	1	0	128
1 Hr	454	55	29	27	6	4	0	575

11:00	123	23	5	3	1	3	0	158
11:15	108	18	7	4	2	1	0	140
11:30	123	13	6	2	0	3	0	147
11:45	109	21	5	3	0	1	0	139
1 Hr	463	75	23	12	3	8	0	584

11:00	125	8	7	1	1	0	0	142
11:15	106	13	8	2	0	0	1	130
11:30	120	11	5	1	2	1	0	140
11:45	94	14	6	4	1	2	0	121
1 Hr	445	46	26	8	4	3	1	533

6 Hrs	2050	450	215	86	32	31	1	2986
-------	------	-----	-----	----	----	----	---	------

6 Hrs	2654	333	136	104	23	29	8	3484
-------	------	-----	-----	-----	----	----	---	------

12 Hrs	2178	474	245	108	32	35	3	3196
--------	------	-----	-----	-----	----	----	---	------

12 Hrs	2804	369	148	140	24	30	10	3722
--------	------	-----	-----	-----	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Wednesday 25th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :		Eastbound						Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

Direction :		Westbound						Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

12:00	86	18	3	2	0	10	0	119
12:15	117	14	2	6	1	0	1	141
12:30	122	11	5	4	0	0	0	142
12:45	101	13	8	2	1	2	0	127
1 Hr	426	56	18	14	2	12	1	529

118	10	8	4	0	2	0	0	142
105	15	4	9	0	0	0	0	133
106	16	4	5	1	0	0	0	132
103	10	9	3	1	0	0	0	126
432	51	25	21	2	2	0	0	533

13:00	89	10	8	6	0	1	0	114
13:15	110	13	8	5	2	1	1	140
13:30	118	9	4	4	0	1	0	136
13:45	107	15	5	12	0	1	0	140
1 Hr	424	47	25	27	2	4	1	530

111	4	9	5	0	1	0	0	130
113	17	6	2	0	1	0	0	139
100	18	6	4	1	1	1	1	131
78	20	6	2	0	0	0	1	107
402	59	27	13	1	3	2	0	507

14:00	129	14	3	4	0	3	0	153
14:15	87	23	6	1	1	2	1	121
14:30	121	10	4	1	2	4	0	142
14:45	111	11	7	7	0	0	0	136
1 Hr	448	58	20	13	3	9	1	552

108	21	8	1	1	1	0	0	140
77	12	6	1	1	1	0	0	98
93	8	4	1	4	4	0	0	114
69	18	3	3	0	0	0	0	93
347	59	21	6	6	6	0	0	445

15:00	129	10	4	2	0	2	1	148
15:15	144	11	3	6	2	3	0	169
15:30	141	12	1	9	0	3	0	166
15:45	128	22	4	1	0	1	0	156
1 Hr	542	55	12	18	2	9	1	639

145	20	10	6	0	2	0	0	183
113	14	5	7	0	1	0	0	140
117	25	9	5	0	2	0	0	158
108	20	6	2	1	1	0	0	138
483	79	30	20	1	6	0	0	619

16:00	141	23	5	4	0	3	0	176
16:15	158	18	2	4	0	2	1	185
16:30	150	24	4	1	2	10	2	193
16:45	160	15	2	2	0	2	2	183
1 Hr	609	80	13	11	2	17	5	737

107	21	5	3	1	0	0	0	137
133	27	6	3	1	4	0	0	174
115	19	1	2	1	1	0	0	139
106	19	3	4	2	2	0	0	136
461	86	15	12	5	7	0	0	586

17:00	157	25	4	1	1	3	2	193
17:15	158	20	0	3	1	12	1	195
17:30	167	18	3	2	2	5	1	198
17:45	134	21	1	2	1	14	0	173
1 Hr	616	84	8	8	5	34	4	759

142	21	7	4	2	3	0	0	179
112	21	11	2	0	1	0	0	147
110	17	2	6	1	6	0	0	142
132	27	3	4	0	3	1	0	170
496	86	23	16	3	13	1	0	638

6 Hrs	3065	380	96	91	16	85	13	3746
-------	------	-----	----	----	----	----	----	------

2621	420	141	88	18	37	3	0	3328
------	-----	-----	----	----	----	---	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Wednesday 25th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	137	20	1	5	0	14	0	177
18:15	129	15	0	4	2	11	1	162
18:30	109	16	3	2	0	18	0	148
18:45	134	12	1	3	0	16	1	167
1 Hr	509	63	5	14	2	59	2	654
19:00	107	4	1	0	1	4	0	117
19:15	100	7	2	2	0	4	0	115
19:30	98	8	0	1	0	2	0	109
19:45	92	9	2	0	1	1	0	105
1 Hr	397	28	5	3	2	11	0	446
20:00	71	4	1	1	1	2	1	81
20:15	56	6	0	1	0	3	0	66
20:30	56	4	0	1	0	1	0	62
20:45	51	7	0	0	0	1	0	59
1 Hr	234	21	1	3	1	7	1	268
21:00	75	3	0	0	1	0	0	79
21:15	59	5	0	0	0	0	0	64
21:30	57	2	1	1	0	1	0	62
21:45	48	4	2	2	0	1	0	57
1 Hr	239	14	3	3	1	2	0	262
22:00	37	3	2	0	0	0	0	42
22:15	34	2	1	2	0	0	0	39
22:30	31	1	0	1	0	0	0	33
22:45	25	4	0	0	0	2	0	31
1 Hr	127	10	3	3	0	2	0	145
23:00	26	2	0	1	0	0	0	29
23:15	22	1	0	1	0	0	0	24
23:30	24	1	0	0	0	0	0	25
23:45	12	2	1	1	0	0	0	16
1 Hr	84	6	1	3	0	0	0	94
6 Hrs	1590	142	18	29	6	81	3	1869
12 Hrs	4655	522	114	120	22	166	16	5615
Total	6833	996	359	228	54	201	19	8811

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	134	22	5	2	3	3	0	169
18:15	109	6	3	3	4	5	0	130
18:30	125	14	0	3	3	1	0	146
18:45	89	6	5	3	2	4	0	109
1 Hr	457	48	13	11	12	13	0	554
19:00	78	6	5	1	2	3	0	95
19:15	93	9	0	0	0	1	1	104
19:30	82	11	0	0	1	5	0	99
19:45	47	2	0	1	0	3	1	54
1 Hr	300	28	5	2	3	12	2	352
20:00	78	4	0	0	0	1	0	83
20:15	50	2	0	0	0	1	0	53
20:30	39	8	3	1	1	0	0	52
20:45	58	2	1	1	0	18	0	80
1 Hr	225	16	4	2	1	20	0	268
21:00	29	6	2	0	0	18	0	55
21:15	37	4	0	1	0	20	0	62
21:30	27	0	1	1	0	23	0	52
21:45	28	2	0	0	0	17	0	47
1 Hr	121	12	3	2	0	78	0	216
22:00	27	1	1	0	0	16	0	45
22:15	13	2	0	1	0	6	0	22
22:30	26	1	0	1	0	5	0	33
22:45	13	2	0	1	0	0	0	16
1 Hr	79	6	1	3	0	27	0	116
23:00	15	0	0	0	0	0	0	15
23:15	7	2	0	0	0	0	0	9
23:30	13	0	1	1	0	0	0	15
23:45	8	1	0	0	0	0	0	9
1 Hr	43	3	1	1	0	0	0	48
6 Hrs	1225	113	27	21	16	150	2	1554
12 Hrs	3846	533	168	109	34	187	5	4882
Total	6650	902	316	249	58	217	15	8604



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Thursday 26th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	10	0	0	1	0	0	0	11
00:15	9	1	0	2	0	0	0	12
00:30	5	2	0	0	0	0	0	7
00:45	2	1	0	1	0	0	0	4
1 Hr	26	4	0	4	0	0	0	34
01:00	4	3	0	2	0	0	0	9
01:15	2	3	0	0	0	0	0	5
01:30	2	1	0	0	0	0	0	3
01:45	5	0	0	2	0	0	0	7
1 Hr	13	7	0	4	0	0	0	24
02:00	4	0	1	1	0	0	0	6
02:15	3	0	0	0	0	0	0	3
02:30	5	0	0	1	0	0	0	6
02:45	1	0	0	0	0	0	0	1
1 Hr	13	0	1	2	0	0	0	16
03:00	2	0	1	2	0	0	0	5
03:15	1	0	0	0	0	0	0	1
03:30	1	1	1	2	0	0	0	5
03:45	2	0	0	0	0	0	0	2
1 Hr	6	1	2	4	0	0	0	13
04:00	1	0	0	0	0	0	0	1
04:15	5	0	1	0	0	0	0	6
04:30	7	4	2	2	0	0	0	15
04:45	3	2	1	2	0	0	1	9
1 Hr	16	6	4	4	0	0	1	31
05:00	0	2	3	12	0	1	0	18
05:15	3	2	1	3	0	0	0	9
05:30	12	3	0	8	0	1	0	24
05:45	9	6	0	3	0	0	0	18
1 Hr	24	13	4	26	0	2	0	69
6 Hrs	98	31	11	44	0	2	1	187

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	6	0	0	2	0	0	0	8
00:15	6	1	0	0	0	0	0	7
00:30	4	0	0	1	0	0	0	5
00:45	5	0	0	0	0	0	0	5
1 Hr	21	1	0	3	0	0	0	25
01:00	2	1	1	0	0	0	0	4
01:15	2	1	0	1	0	0	0	4
01:30	0	0	1	0	0	0	0	1
01:45	5	0	0	0	0	0	0	5
1 Hr	9	2	2	1	0	0	0	14
02:00	2	1	0	0	0	0	0	3
02:15	4	0	0	2	0	0	0	6
02:30	0	0	1	1	0	0	0	2
02:45	2	0	0	1	0	0	0	3
1 Hr	8	1	1	4	0	0	0	14
03:00	2	1	0	1	0	1	0	5
03:15	4	0	0	2	0	0	0	6
03:30	1	0	0	0	0	0	0	1
03:45	1	1	0	2	0	0	0	4
1 Hr	8	2	0	5	0	1	0	16
04:00	2	0	0	0	0	0	0	2
04:15	3	0	2	3	0	0	0	8
04:30	10	1	0	5	0	0	0	16
04:45	2	0	0	2	0	0	1	5
1 Hr	17	1	2	10	0	0	1	31
05:00	7	2	0	3	0	0	0	12
05:15	14	3	1	3	0	0	0	21
05:30	24	3	1	3	0	0	0	31
05:45	42	1	2	5	0	1	0	51
1 Hr	87	9	4	14	0	1	0	115
6 Hrs	150	16	9	37	0	2	1	215

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	0	0	0	0	0
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	1	0	0	1	1
17:15	1	0	0	1	1
17:30	1	0	0	1	1
17:45	0	0	0	0	0
1 Hr	3	0	0	3	3
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	1	0	0	1	1
1 Hr	1	0	0	1	1
3 Hrs	4	0	0	4	4
6 Hrs	4	0	0	4	4

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	1	0	0	1
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	1	0	0	1
1 Hr	1	0	0	1
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	1	0	0	1
18:45	0	0	0	0
1 Hr	1	0	0	1
3 Hrs	2	0	0	2
6 Hrs	3	0	0	3



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Thursday 26th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	Total

06:00	14	11	9	3	1	0	0	38
06:15	32	14	6	1	2	1	0	56
06:30	36	15	10	6	0	0	0	67
06:45	45	9	13	5	0	0	0	72
1 Hr	127	49	38	15	3	1	0	233

06:00	32	5	0	0	0	1	0	38
06:15	49	11	3	9	0	2	1	75
06:30	82	16	0	5	0	1	0	104
06:45	91	19	5	6	0	1	1	123
1 Hr	254	51	8	20	0	5	2	340

07:00	66	12	14	5	2	2	0	101
07:15	75	30	15	3	1	0	0	124
07:30	86	16	12	3	1	1	0	119
07:45	106	27	16	4	1	1	1	156
1 Hr	333	85	57	15	5	4	1	500

07:00	84	14	4	2	0	0	2	106
07:15	133	42	4	4	1	1	0	185
07:30	138	19	5	5	0	2	0	169
07:45	132	18	7	3	1	5	2	168
1 Hr	487	93	20	14	2	8	4	628

08:00	87	26	12	5	0	1	0	131
08:15	92	26	16	6	0	2	0	142
08:30	101	16	13	5	0	0	0	135
08:45	82	23	13	5	1	1	0	125
1 Hr	275	65	42	16	1	3	0	533

08:00	170	22	3	4	2	1	1	203
08:15	108	15	6	1	2	2	0	134
08:30	135	13	9	2	0	2	0	161
08:45	158	20	6	9	1	0	0	194
1 Hr	401	48	21	12	3	4	0	692

09:00	92	22	4	6	2	1	0	127
09:15	87	16	4	4	2	0	0	113
09:30	107	17	10	2	0	0	1	137
09:45	120	13	10	6	4	0	0	153
1 Hr	406	68	28	18	8	1	1	530

09:00	126	17	6	7	0	0	0	156
09:15	127	17	10	6	0	1	1	162
09:30	120	17	1	6	1	1	0	146
09:45	123	16	10	6	1	0	0	156
1 Hr	496	67	27	25	2	2	1	620

10:00	104	17	15	4	5	1	0	146
10:15	120	10	13	4	1	0	0	148
10:30	130	11	7	3	0	1	0	152
10:45	119	19	13	5	1	0	0	157
1 Hr	473	57	48	16	7	2	0	603

10:00	103	20	3	2	0	2	0	130
10:15	133	25	8	6	1	1	0	174
10:30	122	18	4	10	3	1	0	158
10:45	116	11	7	1	0	2	0	137
1 Hr	474	74	22	19	4	6	0	599

11:00	147	14	7	5	1	0	0	174
11:15	131	22	7	5	1	1	1	168
11:30	139	18	6	4	1	2	0	170
11:45	125	13	6	1	0	1	0	146
1 Hr	542	67	26	15	3	4	1	658

11:00	114	13	8	4	1	1	0	141
11:15	108	15	4	5	0	1	0	133
11:30	105	18	7	7	1	2	0	140
11:45	135	19	5	10	0	2	0	171
1 Hr	462	65	24	26	2	6	0	585

6 Hrs	2156	391	239	95	27	15	3	3057
-------	------	-----	-----	----	----	----	---	------

6 Hrs	2574	398	122	116	13	31	7	3464
-------	------	-----	-----	-----	----	----	---	------

12 Hrs	2254	422	250	139	27	17	4	3244
--------	------	-----	-----	-----	----	----	---	------

12 Hrs	2724	414	131	153	13	33	8	3679
--------	------	-----	-----	-----	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Thursday 26th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound								
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
12:00	114	3	8	2	0	0	0	127
12:15	109	16	4	2	2	3	0	136
12:30	126	13	3	7	0	2	0	151
12:45	101	14	7	8	0	1	0	131
1 Hr	450	46	22	19	2	6	0	545
13:00	103	14	7	8	0	1	0	133
13:15	118	11	2	3	2	0	0	136
13:30	108	12	8	5	0	5	0	138
13:45	117	15	6	6	0	1	0	145
1 Hr	446	52	23	22	2	7	0	552
14:00	116	12	3	6	0	1	0	138
14:15	127	11	4	2	2	1	0	147
14:30	108	20	6	4	1	3	0	142
14:45	135	14	4	5	0	2	0	160
1 Hr	486	57	17	17	3	7	0	587
15:00	120	17	3	8	0	1	0	149
15:15	138	18	3	2	1	3	1	166
15:30	120	17	5	4	0	0	0	146
15:45	154	22	7	2	1	2	0	188
1 Hr	532	74	18	16	2	6	1	649
16:00	164	14	2	4	0	2	0	186
16:15	165	20	8	6	2	2	0	203
16:30	156	16	6	2	0	3	0	183
16:45	160	20	2	8	0	0	0	190
1 Hr	645	70	18	20	2	7	0	762
17:00	170	21	1	5	1	3	0	201
17:15	164	15	0	0	1	4	0	184
17:30	166	19	3	2	2	2	0	194
17:45	164	16	2	4	0	1	0	187
1 Hr	664	71	6	11	4	10	0	766
6 Hrs	3223	370	104	105	15	43	1	3861

Direction : Westbound								
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
12:00	103	9	9	3	0	1	0	125
12:15	89	10	10	5	0	2	0	116
12:30	83	18	11	4	2	1	0	119
12:45	120	13	4	3	0	0	0	140
1 Hr	395	50	34	15	2	4	0	500
13:00	98	18	9	5	0	0	0	130
13:15	93	12	5	0	1	2	0	113
13:30	109	16	10	9	1	3	1	149
13:45	118	15	12	3	0	3	0	151
1 Hr	418	61	36	17	2	8	1	543
14:00	97	18	5	3	0	6	1	130
14:15	118	16	5	2	2	0	0	143
14:30	95	19	12	4	2	0	0	132
14:45	104	11	5	5	0	0	0	125
1 Hr	414	64	27	14	4	6	1	530
15:00	107	22	10	6	0	1	0	146
15:15	145	20	6	6	0	1	1	179
15:30	136	19	4	6	2	1	0	168
15:45	125	23	5	3	0	1	1	158
1 Hr	513	84	25	21	2	4	2	651
16:00	106	30	5	4	1	3	0	149
16:15	114	23	6	7	0	1	0	151
16:30	147	32	4	4	2	3	0	192
16:45	114	29	7	4	2	2	0	158
1 Hr	481	114	22	19	5	9	0	650
17:00	107	22	2	4	1	0	0	136
17:15	130	19	5	2	3	2	1	162
17:30	109	15	6	0	3	4	0	137
17:45	125	18	3	2	3	4	1	156
1 Hr	471	74	16	8	10	10	2	591
6 Hrs	2692	447	160	94	25	41	6	3465



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Thursday 26th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	161	14	2	0	0	4	0	181
18:15	135	9	0	4	1	3	0	152
18:30	118	9	1	2	0	2	0	132
18:45	128	8	2	0	0	0	0	138
1 Hr	542	40	5	6	1	9	0	603
19:00	107	14	3	3	1	2	0	130
19:15	120	4	1	2	0	1	0	128
19:30	96	5	2	1	0	2	0	106
19:45	110	4	1	2	1	0	0	118
1 Hr	433	27	7	8	2	5	0	482
20:00	112	4	1	2	1	5	0	125
20:15	79	4	2	0	0	3	0	88
20:30	66	5	1	0	1	1	0	74
20:45	58	7	2	0	0	2	0	69
1 Hr	315	20	6	2	2	11	0	356
21:00	59	1	0	0	1	2	0	63
21:15	68	3	1	0	0	0	0	72
21:30	55	2	0	1	0	0	0	58
21:45	52	4	0	1	0	0	0	57
1 Hr	234	10	1	2	1	2	0	250
22:00	43	1	0	1	0	2	0	47
22:15	36	3	2	0	0	0	1	42
22:30	47	4	0	0	0	0	0	51
22:45	32	2	0	0	1	0	0	35
1 Hr	158	10	2	1	1	2	1	175
23:00	20	1	0	0	0	0	0	21
23:15	24	2	0	1	0	0	0	27
23:30	17	0	0	0	0	1	0	18
23:45	10	0	0	1	0	0	0	11
1 Hr	71	3	0	2	0	1	0	77
6 Hrs	1753	110	21	21	7	30	1	1943
12 Hrs	4976	480	125	126	22	73	2	5804
Total	7230	902	375	265	49	90	6	9048

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	103	25	4	2	3	1	0	138
18:15	105	14	3	2	2	0	1	127
18:30	115	16	0	2	1	0	0	134
18:45	86	9	0	5	0	2	0	102
1 Hr	409	64	7	11	6	3	1	501
19:00	104	14	2	5	1	1	0	127
19:15	80	8	3	1	1	0	1	94
19:30	70	5	3	1	1	2	0	82
19:45	55	3	1	0	0	2	0	61
1 Hr	309	30	9	7	3	5	1	364
20:00	57	2	1	3	0	3	0	66
20:15	46	4	0	1	0	0	1	52
20:30	53	2	1	4	1	3	0	64
20:45	52	4	1	0	0	0	0	57
1 Hr	208	12	3	8	1	6	1	239
21:00	41	1	1	0	0	1	0	44
21:15	28	2	0	2	0	1	0	33
21:30	23	2	1	1	0	2	0	29
21:45	40	2	0	0	0	0	0	42
1 Hr	132	7	2	3	0	4	0	148
22:00	24	2	1	0	0	0	0	27
22:15	25	1	1	0	0	0	0	27
22:30	19	0	0	0	0	0	0	19
22:45	19	1	0	1	0	0	0	21
1 Hr	87	4	2	1	0	0	0	94
23:00	15	1	0	0	0	0	0	16
23:15	11	0	0	1	0	0	0	12
23:30	10	1	1	0	0	0	0	12
23:45	8	0	0	0	0	0	0	8
1 Hr	44	2	1	1	0	0	0	48
6 Hrs	1189	119	24	31	10	18	3	1394
12 Hrs	3881	566	184	125	35	59	9	4859
Total	6605	980	315	278	48	92	17	8538



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Friday 27th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Light Rain

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	14	0	1	3	0	0	0	18
00:15	10	2	1	3	0	0	0	16
00:30	7	1	1	1	0	0	0	10
00:45	3	0	1	0	0	0	0	4
1 Hr	34	3	4	7	0	0	0	48
01:00	9	1	1	1	0	0	0	12
01:15	5	1	0	0	0	0	0	6
01:30	7	1	0	0	0	0	0	8
01:45	6	0	2	0	0	0	0	8
1 Hr	27	3	3	1	0	0	0	34
02:00	5	2	0	0	0	1	0	8
02:15	5	1	1	2	0	0	0	9
02:30	3	0	0	2	0	0	0	5
02:45	3	0	0	0	0	0	0	3
1 Hr	16	3	1	4	0	1	0	25
03:00	2	1	0	1	0	0	0	4
03:15	2	1	3	0	0	1	0	7
03:30	2	0	0	0	0	0	0	2
03:45	5	0	0	1	0	0	0	6
1 Hr	11	2	3	2	0	1	0	19
04:00	2	1	1	0	0	0	0	4
04:15	4	0	3	1	0	0	0	8
04:30	2	2	0	2	0	0	0	6
04:45	3	5	0	2	0	0	1	11
1 Hr	11	8	4	5	0	0	1	29
05:00	0	1	2	1	1	0	0	5
05:15	7	2	3	1	0	0	0	13
05:30	11	4	0	3	0	0	0	18
05:45	12	7	6	3	0	0	0	28
1 Hr	30	14	11	8	1	0	0	64
6 Hrs	129	33	26	27	1	2	1	219

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	10	0	0	2	1	0	0	13
00:15	5	1	0	0	0	0	0	6
00:30	3	0	0	1	0	1	0	5
00:45	5	2	0	1	0	0	0	8
1 Hr	23	3	0	4	1	1	0	32
01:00	1	3	0	0	0	0	0	4
01:15	3	0	1	0	0	0	0	4
01:30	0	0	0	0	0	0	0	0
01:45	3	0	1	1	0	0	0	5
1 Hr	7	3	2	1	0	0	0	13
02:00	2	1	0	0	0	0	0	3
02:15	1	0	0	0	0	0	0	1
02:30	0	0	1	1	0	0	0	2
02:45	1	0	0	0	0	1	0	2
1 Hr	4	1	1	1	0	1	0	8
03:00	1	2	0	1	0	0	0	4
03:15	3	0	0	1	0	0	0	4
03:30	4	1	0	1	0	0	0	6
03:45	7	2	0	0	0	0	0	9
1 Hr	15	5	0	3	0	0	0	23
04:00	3	0	0	2	0	0	0	5
04:15	2	1	1	1	0	0	0	5
04:30	2	0	0	17	0	0	0	19
04:45	4	1	1	1	0	0	0	7
1 Hr	11	2	2	21	0	0	0	36
05:00	17	5	2	3	0	0	0	27
05:15	14	1	2	2	0	0	0	19
05:30	13	5	1	3	0	0	0	22
05:45	30	5	2	6	0	0	0	43
1 Hr	74	16	7	14	0	0	0	111
6 Hrs	134	30	12	44	1	2	0	223

Direction :	Eastbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	0	0
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	2	0	0	2
18:15	0	0	0	0
18:30	0	0	0	0
18:45	1	0	0	1
1 Hr	3	0	0	3
3 Hrs	3	0	0	3
6 Hrs	3	0	0	3

Direction :	Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	0	0
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	1	0	0	1
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	1	0	0	1
3 Hrs	1	0	0	1
6 Hrs	1	0	0	1

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	0	0
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	2	0	0	2
18:15	0	0	0	0
18:30	0	0	0	0
18:45	1	0	0	1
1 Hr	3	0	0	3
3 Hrs	3	0	0	3
6 Hrs	3	0	0	3

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	0	0
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	1	0	0	1
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	1	0	0	1
3 Hrs	1	0	0	1
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Friday 27th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Light Rain

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	15	6	3	9	1	0	0	34
06:15	28	4	3	7	2	0	0	44
06:30	30	17	7	8	0	1	1	64
06:45	52	26	6	8	1	0	0	93
1 Hr	125	53	19	32	4	1	1	235
07:00	56	19	10	5	2	0	0	92
07:15	60	21	12	4	1	1	0	99
07:30	83	29	17	3	1	0	0	133
07:45	89	23	11	5	0	1	1	130
1 Hr	288	92	50	17	4	2	1	454
08:00	75	16	8	8	1	0	0	108
08:15	96	20	13	3	0	0	0	132
08:30	86	22	9	8	0	1	0	126
08:45	91	21	7	5	2	0	0	126
1 Hr	273	63	29	16	2	1	0	492
09:00	87	17	8	4	1	0	0	117
09:15	95	17	10	8	0	0	0	130
09:30	106	16	11	4	1	0	0	138
09:45	91	14	11	3	2	3	0	124
1 Hr	379	64	40	19	4	3	0	509
10:00	119	24	3	2	1	1	0	150
10:15	108	16	10	3	3	0	0	140
10:30	146	15	8	3	0	2	0	174
10:45	139	14	11	2	1	0	0	167
1 Hr	512	69	32	10	5	3	0	631
11:00	160	11	12	6	0	3	0	192
11:15	175	17	4	1	2	2	0	201
11:30	155	16	5	6	1	1	0	184
11:45	144	18	4	4	1	3	0	174
1 Hr	634	62	25	17	4	9	0	751
6 Hrs	2211	403	195	111	23	19	2	3072
12 Hrs	2340	436	221	138	24	21	3	3291

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	32	7	1	5	0	1	0	46
06:15	41	12	2	5	0	1	0	61
06:30	58	17	3	3	0	0	0	81
06:45	88	31	0	3	1	1	0	124
1 Hr	219	67	6	16	1	3	0	312
07:00	81	17	6	3	0	0	1	108
07:15	112	26	4	5	1	1	1	150
07:30	138	17	4	4	0	1	0	164
07:45	162	16	3	4	2	2	1	190
1 Hr	493	76	17	16	3	4	3	612
08:00	175	17	6	2	2	5	0	207
08:15	149	13	10	1	3	2	1	179
08:30	143	16	2	6	0	0	0	167
08:45	137	11	7	4	0	1	1	161
1 Hr	429	40	19	11	3	3	2	714
09:00	141	7	11	5	0	1	2	167
09:15	142	17	7	7	1	3	0	177
09:30	138	19	11	5	1	0	1	175
09:45	147	12	11	8	1	0	0	179
1 Hr	568	55	40	25	3	4	3	698
10:00	142	11	9	1	2	0	0	165
10:15	137	19	5	7	1	2	0	171
10:30	172	17	9	4	2	0	0	204
10:45	195	16	8	3	1	1	0	224
1 Hr	646	63	31	15	6	3	0	764
11:00	176	18	5	6	0	0	0	205
11:15	180	13	8	3	0	0	0	204
11:30	193	23	10	3	1	0	0	230
11:45	156	9	3	2	1	0	0	171
1 Hr	705	63	26	14	2	0	0	810
6 Hrs	3060	364	139	97	18	17	8	3910
12 Hrs	3194	394	151	141	19	19	8	4133



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Friday 27th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Light Rain

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	156	17	7	4	0	0	0	184
12:15	170	17	4	4	1	5	0	201
12:30	161	21	3	10	0	1	0	196
12:45	160	19	2	3	1	0	0	185
1 Hr	647	74	16	21	2	6	0	766
13:00	154	11	7	3	2	1	0	178
13:15	156	14	4	4	2	0	0	180
13:30	163	20	3	2	0	0	0	188
13:45	173	13	6	6	1	0	0	199
1 Hr	646	58	20	15	5	1	0	745
14:00	159	17	7	5	0	1	0	189
14:15	160	17	5	5	1	1	0	189
14:30	198	13	1	3	1	0	0	216
14:45	190	12	5	4	1	0	1	213
1 Hr	707	59	18	17	3	2	1	807
15:00	190	9	8	6	1	2	0	216
15:15	176	15	3	3	1	2	0	200
15:30	176	15	8	5	0	1	0	205
15:45	226	23	4	7	0	0	0	260
1 Hr	768	62	23	21	2	5	0	881
16:00	204	22	10	4	0	3	0	243
16:15	204	17	4	3	2	1	0	231
16:30	213	22	6	3	1	0	0	245
16:45	226	16	5	0	0	3	0	250
1 Hr	847	77	25	10	3	7	0	969
17:00	203	23	4	0	0	7	1	238
17:15	243	15	2	3	1	0	1	265
17:30	202	7	2	0	3	0	2	216
17:45	245	13	3	2	1	3	0	267
1 Hr	893	58	11	5	5	10	4	986
6 Hrs	4508	388	113	89	20	31	5	5154

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	153	13	5	1	0	1	0	173
12:15	137	18	6	2	0	0	0	163
12:30	132	15	10	3	2	1	0	163
12:45	162	15	5	4	0	0	0	186
1 Hr	584	61	26	10	2	2	0	685
13:00	135	24	17	4	0	0	0	180
13:15	134	21	8	2	0	0	0	165
13:30	140	23	11	0	1	1	1	177
13:45	115	16	9	5	1	1	0	147
1 Hr	524	84	45	11	2	2	1	669
14:00	124	24	7	5	0	1	0	161
14:15	120	26	7	2	0	0	0	155
14:30	122	30	5	6	5	0	0	168
14:45	112	14	5	1	0	3	0	135
1 Hr	478	94	24	14	5	4	0	619
15:00	108	13	7	1	2	3	0	134
15:15	133	22	7	1	1	0	0	164
15:30	112	20	4	2	1	2	0	141
15:45	120	16	7	3	5	0	1	152
1 Hr	473	71	25	7	9	5	1	591
16:00	115	27	5	1	0	0	1	149
16:15	120	23	8	2	3	1	1	158
16:30	130	27	3	0	3	1	0	164
16:45	109	11	6	5	0	0	0	131
1 Hr	474	88	22	8	6	2	2	602
17:00	133	21	5	4	3	0	0	166
17:15	102	14	2	1	4	0	0	123
17:30	114	15	6	0	2	0	0	137
17:45	128	10	3	2	0	0	1	144
1 Hr	477	60	16	7	9	0	1	570
6 Hrs	3010	458	158	57	33	15	5	3736



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Friday 27th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Light Rain

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	213	23	7	3	1	0	0	247
18:15	218	12	2	1	2	0	0	235
18:30	215	20	0	2	0	1	0	238
18:45	264	16	2	5	0	0	0	287
1 Hr	910	71	11	11	3	1	0	1007
19:00	199	12	0	3	0	0	0	214
19:15	216	14	1	1	1	1	0	234
19:30	192	8	2	3	0	1	0	206
19:45	147	11	2	0	0	1	0	161
1 Hr	754	45	5	7	1	3	0	815
20:00	122	5	1	0	1	0	0	129
20:15	85	10	0	0	1	0	1	97
20:30	123	11	4	0	0	0	0	138
20:45	122	11	0	0	0	0	0	133
1 Hr	452	37	5	0	2	0	1	497
21:00	82	6	0	0	2	0	0	90
21:15	89	7	1	0	0	0	0	97
21:30	91	7	0	1	0	0	0	99
21:45	64	6	0	0	0	0	0	70
1 Hr	326	26	1	1	2	0	0	356
22:00	45	2	2	1	0	0	0	50
22:15	52	2	0	0	1	0	0	55
22:30	47	1	0	0	0	1	0	49
22:45	35	1	1	1	0	0	0	38
1 Hr	179	6	3	2	1	1	0	192
23:00	34	2	0	1	0	0	0	37
23:15	39	1	1	1	0	0	0	42
23:30	25	2	0	1	0	0	0	28
23:45	24	1	0	0	0	0	1	26
1 Hr	122	6	1	3	0	0	1	133
6 Hrs	2743	191	26	24	9	5	2	3000
12 Hrs	7251	579	139	113	29	36	7	8154
Total	9591	1015	360	251	53	57	10	11445

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	96	13	2	0	1	0	0	112
18:15	100	5	1	2	1	0	0	109
18:30	127	12	2	2	1	0	0	144
18:45	102	13	1	2	0	0	0	118
1 Hr	425	43	6	6	3	0	0	483
19:00	73	4	3	2	2	0	0	84
19:15	95	4	0	1	0	1	0	101
19:30	77	5	2	1	1	0	0	86
19:45	43	3	0	0	0	1	0	47
1 Hr	288	16	5	4	3	2	0	318
20:00	56	8	1	1	1	0	0	67
20:15	54	3	1	0	0	0	0	58
20:30	49	2	1	2	1	0	0	55
20:45	50	3	1	0	0	1	1	56
1 Hr	209	16	4	3	2	1	1	236
21:00	38	2	0	0	0	0	0	40
21:15	35	3	0	1	0	0	0	39
21:30	29	0	0	2	0	1	0	32
21:45	39	4	1	0	0	0	0	44
1 Hr	141	9	1	3	0	1	0	155
22:00	28	2	2	1	0	0	0	33
22:15	34	2	2	0	0	0	0	38
22:30	25	1	1	0	1	0	0	28
22:45	21	0	0	0	0	0	0	21
1 Hr	108	5	5	1	1	0	0	120
23:00	17	1	0	0	0	0	0	18
23:15	19	1	2	0	0	0	0	22
23:30	20	0	0	1	0	0	0	21
23:45	12	3	0	1	0	0	0	16
1 Hr	68	5	2	2	0	0	0	77
6 Hrs	1239	94	23	19	9	4	1	1389
12 Hrs	4249	552	181	76	42	19	6	5125
Total	7443	946	332	217	61	38	14	9258



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Saturday 28th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	21	0	0	1	0	0	0	22
00:15	16	2	0	0	0	0	0	18
00:30	21	0	2	0	1	0	0	24
00:45	13	0	0	0	0	0	0	13
1 Hr	71	2	2	1	1	0	0	77
01:00	10	1	0	1	0	0	0	12
01:15	5	0	0	0	0	0	0	5
01:30	3	0	0	0	0	0	0	3
01:45	7	0	0	0	0	0	0	7
1 Hr	25	1	0	1	0	0	0	27
02:00	7	0	0	1	0	0	0	8
02:15	10	0	0	0	0	0	0	10
02:30	3	1	3	1	0	0	0	8
02:45	5	0	0	1	0	0	0	6
1 Hr	25	1	3	3	0	0	0	32
03:00	1	0	1	1	0	0	0	3
03:15	9	0	0	0	0	0	0	9
03:30	8	0	0	0	0	0	0	8
03:45	2	0	0	1	0	0	0	3
1 Hr	20	0	1	2	0	0	0	23
04:00	11	2	2	1	0	0	0	16
04:15	3	2	0	0	0	1	0	6
04:30	4	4	1	3	0	0	0	12
04:45	4	1	1	0	0	0	0	6
1 Hr	22	9	4	4	0	1	0	40
05:00	3	2	1	3	0	0	0	9
05:15	6	1	2	3	0	0	0	12
05:30	2	0	0	3	0	0	0	5
05:45	11	3	2	4	0	0	0	20
1 Hr	22	6	5	13	0	0	0	46
6 Hrs	185	19	15	24	1	1	0	245

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	11	2	1	0	0	0	0	14
00:15	11	1	0	0	0	0	1	13
00:30	6	0	0	1	0	0	0	7
00:45	7	1	1	1	0	0	0	10
1 Hr	35	4	2	2	0	0	1	44
01:00	5	2	0	0	0	0	1	8
01:15	9	0	0	0	0	0	0	9
01:30	12	0	0	2	0	0	0	14
01:45	5	0	0	0	0	0	0	5
1 Hr	31	2	0	2	0	0	1	36
02:00	4	0	0	0	0	0	0	4
02:15	1	0	0	0	0	0	0	1
02:30	2	0	0	0	0	0	0	2
02:45	6	0	1	0	0	1	0	8
1 Hr	13	0	1	0	0	1	0	15
03:00	3	0	0	0	0	0	0	3
03:15	1	0	0	0	0	0	0	1
03:30	4	2	1	0	0	0	0	7
03:45	2	0	0	0	0	0	0	2
1 Hr	10	2	1	0	0	0	0	13
04:00	5	0	0	0	0	0	0	5
04:15	5	0	1	0	0	0	0	6
04:30	8	1	0	0	0	0	0	9
04:45	2	1	4	1	0	0	0	8
1 Hr	20	2	5	1	0	0	0	28
05:00	9	0	0	0	0	0	0	9
05:15	7	1	0	1	0	0	0	9
05:30	11	2	1	0	0	2	1	17
05:45	12	4	0	0	0	1	0	17
1 Hr	39	7	1	1	0	3	1	52
6 Hrs	148	17	10	6	0	4	3	188

	Direction : Eastbound				Total
	Adult	Accompanied Child	Unaccompanied Child		
07:00	0	0	0	0	0
07:15	1	0	0	0	1
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	1	0	0	0	1
08:00	0	0	0	0	0
08:15	1	0	0	0	1
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	1	0	0	0	1
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	2	0	0	0	2
16:00	0	0	0	0	0
16:15	1	0	0	0	1
16:30	0	0	0	0	0
16:45	1	0	0	0	1
1 Hr	2	0	0	0	2
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	1	0	0	0	1
17:45	1	0	0	0	1
1 Hr	2	0	0	0	2
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	4	0	0	0	4
6 Hrs	6	0	0	0	6

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
00:00	0	0	0	0
00:15	0	0	0	0
00:30	0	0	0	0
00:45	0	0	0	0
1 Hr	0	0	0	0
01:00	0	0	0	0
01:15	1	0	0	1
01:30	0	0	0	0
01:45	2	0	0	2
1 Hr	3	0	0	3
02:00	0	0	0	0
02:15	0	0	0	0
02:30	0	0	0	0
02:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	3	0	0	3
03:00	0	0	0	0
03:15	1	0	0	1
03:30	0	0	0	0
03:45	0	0	0	0
1 Hr	1	0	0	1
04:00	0	0	0	0
04:15	0	0	0	0
04:30	1	0	0	1
04:45	0	0	0	0
1 Hr	1	0	0	1
05:00	0	0	0	0
05:15	0	0	0	0
05:30	0	0	0	0
05:45	1	0	0	1
1 Hr	1	0	0	1
3 Hrs	3	0	0	3
6 Hrs	6	0	0	6



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Saturday 28th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	10	3	1	0	0	1	1	16
06:15	24	1	2	1	1	0	0	29
06:30	22	2	4	0	0	1	0	29
06:45	46	8	7	3	1	0	0	65
1 Hr	102	14	14	4	2	2	1	139
07:00	46	7	4	0	0	0	0	57
07:15	59	10	8	1	0	0	0	78
07:30	64	10	5	0	0	0	0	79
07:45	57	11	3	0	0	0	0	71
1 Hr	226	38	20	1	0	0	0	285
08:00	80	7	1	1	1	0	0	90
08:15	99	11	0	2	0	0	0	112
08:30	86	10	5	1	0	0	0	102
08:45	122	11	3	0	2	3	0	141
1 Hr	307	32	8	3	2	3	0	445
09:00	102	11	3	0	1	0	0	117
09:15	148	12	3	1	3	1	0	168
09:30	150	17	4	0	0	2	0	173
09:45	149	2	1	1	2	0	0	155
1 Hr	549	42	11	2	6	3	0	613
10:00	144	9	5	1	1	0	0	160
10:15	194	7	4	0	1	0	0	206
10:30	186	11	1	1	0	0	0	199
10:45	197	9	3	2	1	2	0	214
1 Hr	721	36	13	4	3	2	0	779
11:00	168	7	1	0	1	3	0	180
11:15	189	10	4	0	1	0	1	205
11:30	201	8	4	0	1	3	0	217
11:45	191	5	2	0	0	0	1	199
1 Hr	749	30	11	0	3	6	2	801
6 Hrs	2654	192	77	14	16	16	3	3062
12 Hrs	2839	211	92	38	17	17	3	3307

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	20	1	1	1	0	0	0	23
06:15	16	2	2	1	0	0	0	21
06:30	26	4	0	0	0	0	0	30
06:45	34	9	1	2	0	0	0	46
1 Hr	96	16	4	4	0	0	0	120
07:00	48	12	2	1	0	0	0	63
07:15	49	10	1	2	3	0	1	66
07:30	57	7	4	0	0	1	0	69
07:45	80	9	2	0	2	0	0	93
1 Hr	234	38	9	3	5	1	1	291
08:00	76	6	1	1	0	0	0	84
08:15	84	6	5	1	2	0	0	98
08:30	144	8	1	0	0	1	0	154
08:45	130	15	5	1	0	1	0	152
1 Hr	358	29	11	2	2	2	0	488
09:00	132	11	5	0	0	1	0	149
09:15	125	3	3	0	0	1	0	132
09:30	161	7	4	3	1	1	0	177
09:45	202	7	3	3	2	2	0	219
1 Hr	620	28	15	6	3	5	0	677
10:00	130	5	0	0	1	0	0	136
10:15	191	10	7	1	2	1	0	212
10:30	171	11	2	2	2	0	0	188
10:45	189	6	9	2	0	0	0	206
1 Hr	681	32	18	5	5	1	0	742
11:00	173	7	2	0	0	0	0	182
11:15	193	8	3	0	0	4	0	208
11:30	187	5	3	2	1	2	0	200
11:45	172	14	1	1	0	0	0	188
1 Hr	725	34	9	3	1	6	0	778
6 Hrs	2714	177	66	23	16	15	1	3096
12 Hrs	2862	194	76	29	16	19	4	3284



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Saturday 28th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction :		Eastbound						Total
Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C		

12:00	177	8	1	1	0	4	0	191
12:15	194	11	2	1	1	2	1	212
12:30	182	8	1	0	0	0	1	192
12:45	172	9	2	0	0	3	0	186
1 Hr	725	36	6	2	1	9	2	781

13:00	146	7	1	0	1	0	0	155
13:15	176	7	0	0	1	2	0	186
13:30	179	7	0	2	0	1	1	190
13:45	172	3	0	1	0	4	0	180
1 Hr	673	24	1	3	2	7	1	711

14:00	179	3	2	2	1	1	0	188
14:15	181	10	2	1	2	1	0	197
14:30	145	6	1	0	0	3	0	155
14:45	158	9	1	0	0	0	0	168
1 Hr	663	28	6	3	3	5	0	708

15:00	174	7	0	2	0	2	0	185
15:15	178	8	3	0	1	3	0	193
15:30	167	1	1	0	0	5	2	176
15:45	165	5	0	0	0	0	0	170
1 Hr	684	21	4	2	1	10	2	724

16:00	172	7	0	2	0	3	1	185
16:15	176	7	1	0	2	2	1	189
16:30	187	3	0	1	0	3	0	194
16:45	160	1	0	1	1	1	0	164
1 Hr	695	18	1	4	3	9	2	732

17:00	159	5	0	1	0	0	1	166
17:15	162	14	1	1	1	1	0	180
17:30	170	8	0	0	1	3	0	182
17:45	148	8	0	0	0	2	2	160
1 Hr	639	35	1	2	2	6	3	688

6 Hrs	4079	162	19	16	12	46	10	4344
-------	------	-----	----	----	----	----	----	------

Direction :		Westbound						Total
Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C		

12:00	142	8	2	0	0	3	1	156
12:15	132	8	1	0	0	1	0	142
12:30	146	13	2	0	2	1	0	164
12:45	149	6	1	0	1	1	0	158
1 Hr	569	35	6	0	3	6	1	620

13:00	135	12	1	0	0	3	0	151
13:15	149	10	1	2	0	0	0	162
13:30	139	8	2	0	1	0	0	150
13:45	117	9	2	0	0	3	0	131
1 Hr	540	39	6	2	1	6	0	594

14:00	126	14	2	2	0	0	0	144
14:15	119	7	3	1	1	6	0	137
14:30	102	10	2	2	1	0	0	117
14:45	115	6	1	0	0	5	0	127
1 Hr	462	37	8	5	2	11	0	525

15:00	115	3	1	0	0	3	0	122
15:15	125	6	0	1	0	0	0	132
15:30	105	2	2	2	2	5	1	119
15:45	104	6	3	0	0	1	0	114
1 Hr	449	17	6	3	2	9	1	487

16:00	115	7	2	0	1	1	0	126
16:15	113	5	0	2	0	1	0	121
16:30	108	4	1	1	1	0	0	115
16:45	109	6	5	0	1	0	0	121
1 Hr	445	22	8	3	3	2	0	483

17:00	141	3	1	0	0	0	0	145
17:15	122	5	1	0	0	1	0	129
17:30	106	6	1	1	1	0	0	115
17:45	107	5	0	0	2	3	0	117
1 Hr	476	19	3	1	3	4	0	506

6 Hrs	2941	169	37	14	14	38	2	3215
-------	------	-----	----	----	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Saturday 28th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	120	9	1	1	1	1	0	133
18:15	147	4	0	0	0	2	0	153
18:30	123	5	0	0	0	2	1	131
18:45	121	4	0	0	2	1	0	128
1 Hr	511	22	1	1	3	6	1	545
19:00	79	2	1	2	1	1	0	86
19:15	88	2	0	0	1	1	0	92
19:30	74	4	1	1	0	1	0	81
19:45	88	1	1	0	2	2	0	94
1 Hr	329	9	3	3	4	5	0	353
20:00	65	3	2	0	1	0	0	71
20:15	63	6	0	0	0	0	0	69
20:30	47	2	0	0	0	0	0	49
20:45	54	5	0	0	0	0	0	59
1 Hr	229	16	2	0	1	0	0	248
21:00	48	4	1	0	1	0	0	54
21:15	56	3	0	1	0	0	0	60
21:30	47	3	0	0	0	0	0	50
21:45	50	1	0	0	0	0	0	51
1 Hr	201	11	1	1	1	0	0	215
22:00	33	0	0	0	0	0	0	33
22:15	35	2	1	0	0	1	0	39
22:30	36	1	1	0	0	0	0	38
22:45	31	3	0	0	0	0	0	34
1 Hr	135	6	2	0	0	1	0	144
23:00	31	1	1	0	0	0	0	33
23:15	32	0	0	0	0	0	1	33
23:30	33	2	0	0	0	0	0	35
23:45	24	2	0	0	0	0	0	26
1 Hr	120	5	1	0	0	0	1	127
6 Hrs	1525	69	10	5	9	12	2	1632
12 Hrs	5604	231	29	21	21	58	12	5976
Total	8443	442	121	59	38	75	15	9283

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	151	11	1	0	1	0	0	164
18:15	112	9	0	2	1	1	0	125
18:30	95	3	0	1	2	1	0	102
18:45	120	3	1	0	1	0	0	125
1 Hr	478	26	2	3	5	2	0	516
19:00	122	10	2	0	2	2	0	138
19:15	86	7	0	1	1	1	0	96
19:30	77	2	1	0	2	2	0	84
19:45	95	5	0	0	1	1	0	102
1 Hr	380	24	3	1	6	6	0	420
20:00	82	9	2	1	0	0	0	94
20:15	49	1	0	2	0	0	0	52
20:30	53	2	0	2	1	1	0	59
20:45	47	3	0	0	0	0	0	50
1 Hr	231	15	2	5	1	1	0	255
21:00	45	4	0	0	0	0	0	49
21:15	57	2	1	0	0	0	0	60
21:30	48	2	0	0	0	1	0	51
21:45	42	2	0	0	0	0	0	44
1 Hr	192	10	1	0	0	1	0	204
22:00	45	3	0	1	0	0	0	49
22:15	39	1	0	0	0	0	0	40
22:30	37	1	0	0	0	0	0	38
22:45	26	2	1	0	0	1	0	30
1 Hr	147	7	1	1	0	1	0	157
23:00	26	2	1	0	0	0	0	29
23:15	44	0	0	0	0	0	0	44
23:30	16	0	0	0	0	0	0	16
23:45	32	1	1	0	0	0	0	34
1 Hr	118	3	2	0	0	0	0	123
6 Hrs	1546	85	11	10	12	11	0	1675
12 Hrs	4487	254	48	24	26	49	2	4890
Total	7349	448	124	53	42	68	6	8174



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Monday 30th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
00:00	4	2	1	1	0	0	0	8
00:15	8	0	0	0	0	0	0	8
00:30	6	0	1	0	0	0	0	7
00:45	2	0	0	0	0	0	0	2
1 Hr	20	2	2	1	0	0	0	25
01:00	4	0	1	0	0	0	0	5
01:15	0	2	0	0	0	0	0	2
01:30	6	1	1	1	0	0	0	9
01:45	4	0	1	0	0	0	0	5
1 Hr	14	3	3	1	0	0	0	21
02:00	1	0	0	1	0	0	0	2
02:15	4	0	0	0	0	0	0	4
02:30	1	0	0	1	0	0	0	2
02:45	0	0	0	1	0	0	1	2
1 Hr	6	0	0	3	0	0	1	10
03:00	3	0	0	0	0	0	0	3
03:15	2	0	0	0	0	0	0	2
03:30	0	0	1	0	0	0	0	1
03:45	3	0	0	0	1	0	0	4
1 Hr	8	0	1	0	1	0	0	10
04:00	1	0	0	0	0	0	0	1
04:15	3	3	1	0	0	0	0	7
04:30	4	4	3	1	0	0	0	12
04:45	3	0	2	1	0	0	0	6
1 Hr	11	7	6	2	0	0	0	26
05:00	5	3	2	1	0	0	0	11
05:15	5	1	2	0	0	0	0	8
05:30	7	2	1	1	0	0	0	11
05:45	13	5	1	0	0	1	0	20
1 Hr	30	11	6	2	0	1	0	50
6 Hrs	89	23	18	9	1	1	1	142

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
00:00	3	1	1	1	0	0	0	6
00:15	4	1	1	0	0	0	0	6
00:30	2	0	0	0	0	0	0	2
00:45	5	0	0	0	0	0	0	5
1 Hr	14	2	2	1	0	0	0	19
01:00	3	0	0	0	0	0	0	3
01:15	4	1	0	1	0	0	0	6
01:30	1	0	0	0	0	0	0	1
01:45	1	0	0	0	1	0	0	2
1 Hr	9	1	0	1	1	0	0	12
02:00	3	0	0	0	0	0	0	3
02:15	1	0	0	0	0	0	0	1
02:30	2	1	0	0	0	0	0	3
02:45	1	0	0	0	0	0	0	1
1 Hr	7	1	0	0	0	0	0	8
03:00	3	0	0	1	0	0	0	4
03:15	3	1	0	0	0	0	0	4
03:30	2	0	0	1	0	0	0	3
03:45	4	1	1	0	0	0	0	6
1 Hr	12	2	1	2	0	0	0	17
04:00	8	1	0	1	0	0	0	10
04:15	11	0	1	3	0	0	0	15
04:30	3	1	0	6	0	0	0	10
04:45	14	2	2	3	0	0	0	21
1 Hr	36	4	3	13	0	0	0	56
05:00	10	6	1	1	1	1	0	20
05:15	21	4	0	5	0	0	0	30
05:30	30	5	0	5	0	1	1	42
05:45	31	6	2	4	0	1	0	44
1 Hr	92	21	3	15	1	3	1	136
6 Hrs	170	31	9	32	2	3	1	248

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	1	0	0	0	1
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	1	0	0	0	1
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	1	0	0	0	1
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	1	0	0	0	1
3 Hr	2	0	0	0	2

	Direction : Westbound			Total
	Adult	Child	Unaccompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	1	0	0	1
1 Hr	2	0	0	2
09:00	0	0	0	0
09:15	1	0	0	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1
3 Hr	3	0	0	3

16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	1	0	0	0	1
16:45	1	0	0	0	1
1 Hr	2	0	0	0	2
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	1	0	0	0	1
17:45	0	0	0	0	0
1 Hr	1	0	0	0	1
18:00	1	0	0	0	1
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	2	0	0	0	2
1 Hr	3	0	0	0	3
3 Hrs	6	0	0	0	6
6 Hrs	8	0	0	0	8

16:00	1	0	0	0	1
16:15	0	0	0	0	0
16:30	1	0	0	0	1
16:45	1	0	0	0	1
1 Hr	3	0	0	0	3
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	1	0	0	0	1
17:45	1	0	0	0	1
1 Hr	2	0	0	0	2
18:00	1	0	0	0	1
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	1	0	0	0	1
3 Hrs	5	0	0	0	5
6 Hrs	8	0	0	0	8



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Monday 30th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	17	10	6	3	1	1	0	38
06:15	20	10	7	2	2	0	0	41
06:30	43	11	7	1	0	0	0	62
06:45	45	17	11	14	0	0	0	87
1 Hr	125	48	31	20	3	1	0	228
07:00	70	23	16	4	1	1	0	115
07:15	67	17	11	3	1	1	0	100
07:30	82	27	10	5	1	1	0	126
07:45	87	31	13	18	1	2	0	152
1 Hr	306	98	50	30	4	5	0	493
08:00	81	25	18	2	0	0	0	126
08:15	88	18	16	16	0	2	1	141
08:30	82	26	17	6	0	0	0	131
08:45	88	19	20	3	2	0	0	132
1 Hr	339	88	71	27	2	2	1	530
09:00	91	29	10	1	0	0	0	131
09:15	74	22	10	14	1	0	0	121
09:30	80	12	18	5	1	1	1	118
09:45	88	25	14	2	0	1	0	130
1 Hr	333	88	52	22	2	2	1	500
10:00	102	23	6	20	3	2	0	156
10:15	126	21	6	2	2	2	0	159
10:30	129	17	10	5	1	2	0	164
10:45	138	9	7	1	1	4	0	160
1 Hr	495	70	29	28	7	10	0	639
11:00	133	16	17	3	0	3	1	173
11:15	172	20	9	3	1	1	0	206
11:30	157	11	7	5	2	1	0	183
11:45	164	12	6	6	0	1	0	189
1 Hr	626	59	39	17	3	6	1	751
6 Hrs	2224	451	272	144	21	26	3	3141
12 Hrs	2313	474	290	153	22	27	4	3283

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	37	7	0	8	0	0	0	52
06:15	60	17	1	6	0	1	0	85
06:30	64	18	2	4	1	2	1	92
06:45	85	19	2	2	0	1	1	110
1 Hr	246	61	5	20	1	4	2	339
07:00	104	21	2	7	0	0	1	135
07:15	152	35	4	3	1	0	0	195
07:30	161	22	4	6	0	6	0	199
07:45	136	16	6	1	0	3	0	162
1 Hr	553	94	16	17	1	9	1	691
08:00	208	18	10	3	3	2	1	245
08:15	154	14	5	3	2	2	2	182
08:30	144	15	6	6	1	3	0	175
08:45	137	15	10	1	0	2	0	165
1 Hr	643	62	31	13	6	9	3	767
09:00	136	15	11	7	2	0	0	171
09:15	128	10	6	4	0	1	1	150
09:30	156	15	1	6	2	0	2	182
09:45	138	15	9	6	2	0	1	171
1 Hr	558	55	27	23	6	1	4	674
10:00	132	18	3	7	0	0	0	160
10:15	137	18	9	3	1	3	0	171
10:30	128	14	3	2	1	1	2	151
10:45	149	10	6	6	2	1	0	174
1 Hr	546	60	21	18	4	5	2	656
11:00	156	12	9	0	0	0	0	177
11:15	142	8	5	6	0	1	2	164
11:30	141	18	9	8	1	2	0	179
11:45	134	19	9	3	1	1	0	167
1 Hr	573	57	32	17	2	4	2	687
6 Hrs	3119	389	132	108	20	32	14	3814
12 Hrs	3289	420	141	140	22	35	15	4062



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Monday 30th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	156	11	8	8	1	1	0	185
12:15	126	17	2	7	2	2	1	157
12:30	131	14	4	2	0	1	1	153
12:45	123	12	7	4	1	1	0	148
1 Hr	536	54	21	21	4	5	2	643
13:00	132	13	4	3	0	3	0	155
13:15	131	12	7	2	1	2	0	155
13:30	144	9	3	5	0	0	1	162
13:45	113	11	2	3	1	1	0	131
1 Hr	520	45	16	13	2	6	1	603
14:00	125	14	6	5	1	3	0	154
14:15	121	11	2	6	1	0	1	142
14:30	135	12	6	10	2	2	0	167
14:45	126	8	3	2	2	2	2	145
1 Hr	507	45	17	23	6	7	3	608
15:00	144	14	7	4	0	5	0	174
15:15	136	14	9	4	2	2	1	168
15:30	131	12	4	4	2	1	0	154
15:45	136	18	3	4	0	3	0	164
1 Hr	547	58	23	16	4	11	1	660
16:00	128	10	6	10	0	2	0	156
16:15	150	24	8	2	3	8	3	198
16:30	161	18	5	5	0	2	0	191
16:45	188	22	1	2	0	3	0	216
1 Hr	627	74	20	19	3	15	3	761
17:00	165	20	6	2	1	4	0	198
17:15	152	10	5	4	3	7	0	181
17:30	197	12	3	1	1	9	0	223
17:45	155	11	3	4	0	6	2	181
1 Hr	669	53	17	11	5	26	2	783
6 Hrs	3406	329	114	103	24	70	12	4058

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	122	13	10	7	1	3	1	157
12:15	102	20	11	4	0	3	0	140
12:30	128	13	9	3	1	0	0	154
12:45	118	14	5	3	0	0	0	140
1 Hr	470	60	35	17	2	6	1	591
13:00	135	13	9	5	0	1	0	163
13:15	134	12	5	6	1	1	0	159
13:30	126	13	14	1	0	1	1	156
13:45	112	12	13	5	1	1	1	145
1 Hr	507	50	41	17	2	4	2	623
14:00	127	27	7	5	0	1	0	167
14:15	115	16	4	7	0	0	1	143
14:30	154	19	5	3	2	0	1	184
14:45	133	22	6	7	1	4	0	173
1 Hr	529	84	22	22	3	5	2	667
15:00	153	14	8	6	1	4	0	186
15:15	121	16	6	6	0	1	0	150
15:30	101	24	3	4	2	1	2	137
15:45	117	22	6	5	2	0	0	152
1 Hr	492	76	23	21	5	6	2	625
16:00	123	28	7	7	1	2	0	168
16:15	131	22	7	4	0	2	0	166
16:30	132	17	4	0	1	2	0	156
16:45	146	26	3	3	2	2	0	182
1 Hr	532	93	21	14	4	8	0	672
17:00	107	17	8	2	2	2	2	140
17:15	116	17	10	4	0	4	1	152
17:30	135	21	6	0	1	4	1	168
17:45	118	22	0	3	0	3	1	147
1 Hr	476	77	24	9	3	13	5	607
6 Hrs	3006	440	166	100	19	42	12	3785



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW1 - A158 Wragby Road East
 Date : Monday 30th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	150	8	2	2	1	5	6	174
18:15	129	6	2	2	0	0	1	140
18:30	116	10	0	1	1	0	2	130
18:45	89	6	2	0	0	2	0	99
1 Hr	484	30	6	5	2	7	9	543

108	14	2	0	2	2	3	131
104	13	1	1	1	1	4	125
99	13	3	5	0	2	0	122
102	9	4	2	0	3	0	120
413	49	10	8	3	8	7	498

19:00	99	9	2	0	2	2	1	115
19:15	116	6	1	2	0	0	0	125
19:30	93	5	1	1	0	3	1	104
19:45	92	6	0	0	0	2	0	100
1 Hr	400	26	4	3	2	7	2	444

81	3	2	1	1	4	0	92
62	9	0	1	1	2	1	76
66	6	2	3	1	8	0	86
77	5	1	2	0	1	0	86
286	23	5	7	3	15	1	340

20:00	71	2	3	1	2	1	0	80
20:15	71	3	0	0	0	0	0	74
20:30	60	0	1	0	0	0	0	61
20:45	54	4	0	1	0	0	0	59
1 Hr	256	9	4	2	2	1	0	274

60	1	0	1	0	4	0	66
47	2	0	3	0	0	0	52
43	3	2	0	1	2	1	52
38	2	0	0	0	2	1	43
188	8	2	4	1	8	2	213

21:00	63	2	1	1	1	1	3	72
21:15	58	3	0	0	0	0	1	62
21:30	43	6	0	1	0	0	0	50
21:45	37	4	1	0	0	1	0	43
1 Hr	201	15	2	2	1	2	4	227

27	3	1	1	0	1	0	33
46	2	0	0	0	0	0	48
33	4	1	0	0	3	0	41
27	1	0	1	0	1	0	30
133	10	2	2	0	5	0	152

22:00	25	0	0	1	0	0	0	26
22:15	23	0	0	0	0	0	0	23
22:30	22	1	1	1	0	0	0	25
22:45	18	0	0	1	0	0	0	19
1 Hr	88	1	1	3	0	0	0	93

27	0	1	1	0	0	2	31
18	0	0	1	0	0	0	19
11	1	0	1	0	0	0	13
20	1	0	0	0	0	0	21
76	2	1	3	0	0	2	84

23:00	18	2	0	0	0	0	0	20
23:15	10	1	1	0	0	0	0	12
23:30	17	0	0	1	0	0	0	18
23:45	6	2	0	1	0	0	0	9
1 Hr	51	5	1	2	0	0	0	59

14	2	0	0	0	0	0	16
3	0	0	0	0	0	0	3
4	0	0	0	0	0	0	4
6	0	0	1	0	0	0	7
27	2	0	1	0	0	0	30

6 Hrs	1480	86	18	17	7	17	15	1640
-------	------	----	----	----	---	----	----	------

1123	94	20	25	7	36	12	1317
------	----	----	----	---	----	----	------

12 Hrs	4886	415	132	120	31	87	27	5698
--------	------	-----	-----	-----	----	----	----	------

4129	534	186	125	26	78	24	5102
------	-----	-----	-----	----	----	----	------

Total	7199	889	422	273	53	114	31	8981
-------	------	-----	-----	-----	----	-----	----	------

7418	954	327	265	48	113	39	9164
------	-----	-----	-----	----	-----	----	------



Client: Lincolnshire County Council
 Project: 9320 Lincoln By Pass
 Site: EW1 - A158 Wragby Road East
 Date: Monday 23rd June - Monday 30th June 2014

Summary of Counts

Direction: Eastbound		Car	Lgv	Opr1	Opr2	Pev	M/C	P/C	Total
Day 1	Monday 23/06/2014	7377	880	281	271	49	88	20	8966
Day 2	Tuesday 24/06/2014	6237	946	318	243	54	75	28	7611
Day 3	Wednesday 25/06/2014	6833	966	356	228	64	201	19	8960
Day 4	Thursday 26/06/2014	7330	902	375	265	49	90	6	8917
Day 5	Friday 27/06/2014	9561	1015	360	251	53	57	10	11337
Day 6	Saturday 28/06/2014	8443	442	121	56	38	75	15	9199
Day 7	Monday 30/06/2014	7199	889	422	273	53	114	31	8981
		52910	6070	2298	1560	350	700	126	63855

Direction: Westbound		Car	Lgv	Opr1	Opr2	Pev	M/C	P/C	Total
Day 1	Monday 23/06/2014	7318	903	317	281	48	94	21	8962
Day 2	Tuesday 24/06/2014	6301	923	342	239	53	60	24	8000
Day 3	Wednesday 25/06/2014	6650	902	316	246	58	217	15	8407
Day 4	Thursday 26/06/2014	6605	980	315	278	48	92	17	8335
Day 5	Friday 27/06/2014	7443	946	332	217	61	38	14	9051
Day 6	Saturday 28/06/2014	7349	448	124	53	42	68	6	8090
Day 7	Monday 30/06/2014	7418	954	327	265	48	113	30	9164
		49144	6536	2071	1562	358	702	136	60009

Direction: Eastbound		Adult	Accomp	Unaccp	Child	Total
AM		5	0	0	0	5
PM		6	0	0	0	6
6 Hrs		4	0	0	0	4
AM		4	0	0	0	4
PM		3	0	0	0	3
6 Hrs		6	0	0	0	6
AM		8	0	0	0	8
PM		36	0	0	0	36

Direction: Westbound		Adult	Accomp	Unaccp	Child	Total
AM		5	0	0	0	5
PM		3	0	0	0	3
6 Hrs		4	0	0	0	4
AM		3	0	0	0	3
PM		1	0	0	0	1
6 Hrs		6	0	0	0	6
AM		8	0	0	0	8
PM		30	0	0	0	30

Direction: Combined Counts		Car	Lgv	Opr1	Opr2	Pev	M/C	P/C	Total
Day 1	Monday 23/06/2014	14695	1783	658	532	97	182	41	17928
Day 2	Tuesday 24/06/2014	12568	1849	658	482	107	155	52	15601
Day 3	Wednesday 25/06/2014	13483	1898	875	477	112	418	34	17097
Day 4	Thursday 26/06/2014	13835	1682	890	543	97	182	23	17252
Day 5	Friday 27/06/2014	17034	1991	692	488	114	95	24	20398
Day 6	Saturday 28/06/2014	15792	890	245	112	80	143	21	17263
Day 7	Monday 30/06/2014	14617	1843	749	538	101	227	70	18145
		102054	12108	4307	3152	708	1492	293	123994

Direction: Combined Counts		Adult	Accomp	Unaccp	Child	Total
AM		10	0	0	0	10
PM		9	0	0	0	9
6 Hrs		8	0	0	0	8
AM		7	0	0	0	7
PM		4	0	0	0	4
6 Hrs		12	0	0	0	12
AM		16	0	0	0	16
PM		66	0	0	0	66

Averages

Vehicles

Day 1

Direction: Eastbound		Car	Lgv	Opr1	Opr2	Pev	M/C	P/C	Total
AM		86.75	21.33	7.25	5.92	0.83	1.00	0.08	123.17
PM		145.08	14.92	2.98	2.75	0.58	1.33	0.81	168.92
6 Hrs		92.31	9.21	3.54	6.44	0.54	0.54	0.98	69.17
12:00-12:00		101.38	9.13	2.31	2.71	0.48	1.29	0.31	117.63
24 Hrs		76.84	9.17	2.93	2.82	0.51	0.92	0.21	93.40

Direction: Westbound		Car	Lgv	Opr1	Opr2	Pev	M/C	P/C	Total
AM		144.50	18.25	5.58	4.75	0.92	1.50	0.83	174.33
PM		115.05	18.92	3.67	3.08	0.92	2.17	0.33	142.33
6 Hrs		69.83	8.35	3.04	3.19	0.42	0.77	0.33	85.94
12:00-12:00		82.63	10.46	3.56	2.28	0.58	1.19	0.10	100.27
24 Hrs		76.23	9.41	3.30	2.72	0.50	0.88	0.22	93.35

Pedestrians

Day 1

Direction: Eastbound		Adult	Ac Child	Un Child	Total
AM		0.00	0.00	0.00	0.00
PM		0.42	0.00	0.00	0.42
6 Hrs		0.21	0.00	0.00	0.21

Direction: Westbound		Adult	Ac Child	Un Child	Total
AM		0.33	0.00	0.00	0.33
PM		0.08	0.00	0.00	0.08
6 Hrs		0.21	0.00	0.00	0.21

Day 2

Direction: Eastbound		Car	Lgv	Opr1	Opr2	Pev	M/C	P/C	Total
AM		87.17	25.08	10.92	4.58	1.50	0.99	0.42	130.25
PM		130.87	14.58	2.98	2.42	0.87	1.76	0.78	152.62
6 Hrs		41.04	10.29	4.48	2.50	0.67	0.48	0.19	62.54
12:00-12:00		88.90	9.46	2.19	2.56	0.48	1.08	0.40	105.00
24 Hrs		64.97	9.85	3.31	2.53	0.58	0.78	0.29	83.77

Direction: Westbound		Car	Lgv	Opr1	Opr2	Pev	M/C	P/C	Total
AM		136.83	16.00	6.42	4.58	0.92	2.08	0.42	168.75
PM		110.08	19.08	4.83	3.00	1.42	1.08	0.08	139.58
6 Hrs		56.48	7.60	2.83	2.92	0.38	0.81	0.31	76.08
12:00-12:00		79.04	11.21	4.48	2.98	0.73	0.85	0.18	95.54
24 Hrs		66.26	9.41	3.54	2.49	0.55	0.83	0.25	85.81

Day 2

Direction: Eastbound		Adult	Ac Child	Un Child	Total
AM		0.17	0.00	0.00	0.17
PM		0.33	0.00	0.00	0.33
6 Hrs		0.25	0.00	0.00	0.25

Direction: Westbound		Adult	Ac Child	Un Child	Total
AM		0.17	0.00	0.00	0.17
PM		0.08	0.00	0.00	0.08
6 Hrs		0.13	0.00	0.00	0.13

Day 3

Direction: Eastbound		Car	Lgv	Opr1	Opr2	Pev	M/C	P/C	Total
AM		89.17	23.42	11.08	3.92	1.50	1.08	0.08	130.25
PM		144.50	18.92	2.17	2.75	0.87	1.76	0.81	179.17
6 Hrs		46.38	8.88	5.10	2.25	0.67	0.73	0.08	65.58
12:00-12:00		95.98	10.88	2.38	2.50	0.46	3.46	0.33	116.98
24 Hrs		71.18	10.38	3.74	2.38	0.55	2.09	0.20	91.78

Direction: Westbound		Car	Lgv	Opr1	Opr2	Pev	M/C	P/C	Total
AM		141.25	18.17	6.42	4.25	1.17	1.58	0.50	171.33
PM		117.83	18.33	4.25	3.25	1.67	2.75	0.08	148.17
6 Hrs		58.42	7.69	3.08	2.92	0.50	0.63	0.21	77.94
12:00-12:00		80.13	11.10	3.50	2.27	0.71	3.90	0.10	101.71
24 Hrs		69.27	9.40	3.29	2.58	0.60	2.20	0.18	89.63

Day 3

Direction: Eastbound		Adult	Ac Child	Un Child	Total
AM		0.00	0.00	0.00	0.00
PM		0.33	0.00	0.00	0.33
6 Hrs		0.17	0.00	0.00	0.17

Direction: Westbound		Adult	Ac Child	Un Child	Total
AM		0.08	0.00	0.00	0.08
PM		0.25	0.00	0.00	0.25
6 Hrs		0.17	0.00	0.00	0.17

Day 4

Direction: Eastbound		Car	Lgv	Opr1	Opr2	Pev	M/C	P/C	Total
AM		91.75	20.33	11.58	4.50	1.17	0.75	0.17	130.25
PM		144.50	18.92	2.42	2.98	0.87	1.76	0.81	177.92
6 Hrs		48.90	8.79	4.21	2.90	0.56	0.35	0.08	67.58
12:00-12:00		103.87	10.00	2.60	2.63	0.46	1.52	0.04	120.92
24 Hrs		75.31	9.40	3.91	2.76	0.51	0.94	0.06	84.25

Direction: Westbound		Car	Lgv	Opr1	Opr2	Pev	M/C	P/C	Total
AM		129.50	19.17	5.92	4.58	0.75	1.25	0.50	161.87
PM		113.42	21.00	4.83	3.75	1.75	1.83	0.25	145.17
6 Hrs		56.75	8.63	2.73	3.19	0.27	0.69	0.17	76.65
12:00-12:00		80.83	11.79	3.83	2.80	0.78	1.23	0.18	99.54
24 Hrs		68.80	10.21	3.28	2.90	0.50	0.96	0.18	88.64

Day 4

Direction: Eastbound		Adult	Ac Child	Un Child	Total
AM		0.00	0.00	0.00	0.00
PM		0.33	0.00		



Sky High

Count On Us

Client : Lincolnshire County Council	Site plan for : EW1 - A158 Wragby Road East
Project : 9320 / Lincoln By Pass	Date : Monday 23rd June - Monday 30th June 2014



Unnamed Road

A518 Wragby Road

A518 Wragby Road
EB
WB



Sky High

Count On Us

Client: Lincolnshire County Council

Project: 9320 / Lincoln By Pass

Site: EW3 - B1308 Greetwell Road

Survey Date: Monday 2nd June - Saturday 7th June 2014

Survey Period: 07:00 - 19:00

Method: Video Observation

Incidents / Observations:

There were no incidents reported over the survey period.



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 2nd June 2014

AM Weather: Mild & Heavy Rain
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	1	0	0	0	0	0	0	1
00:30	0	0	0	0	0	0	0	0
00:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
01:00	1	0	0	0	0	0	0	1
01:15	0	1	0	0	0	0	0	1
01:30	2	0	1	0	0	0	0	3
01:45	1	0	0	0	0	0	0	1
1 Hr	4	1	1	0	0	0	0	6
02:00	0	0	0	0	0	1	0	1
02:15	1	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	1	0	2
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	2	0	0	0	0	0	0	2
04:30	0	1	1	0	0	0	0	2
04:45	0	0	2	0	0	0	0	2
1 Hr	2	1	3	0	0	0	0	6
05:00	0	0	0	0	0	0	0	0
05:15	0	0	0	0	0	0	0	0
05:30	0	0	0	0	0	0	0	0
05:45	1	1	0	0	0	0	0	2
1 Hr	1	1	0	0	0	0	0	2
6 Hrs	12	3	4	0	0	1	0	20

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	2	0	0	0	0	0	0	2
00:30	0	0	0	0	0	0	0	0
00:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	1	0	1
04:15	0	0	0	0	0	0	0	0
04:30	3	2	0	0	0	0	0	5
04:45	6	2	0	0	0	0	0	8
1 Hr	9	4	0	0	0	1	0	14
05:00	2	0	1	0	0	0	0	3
05:15	6	0	0	0	0	0	0	6
05:30	7	0	0	0	0	1	0	8
05:45	11	1	0	0	0	0	0	12
1 Hr	26	1	1	0	0	1	0	29
6 Hrs	40	5	1	0	0	2	0	48

	Direction : Eastbound				Total
	Adult	Accompanied Child	Unaccompanied Child		
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	0	0	0
08:15	1	0	0	1	1
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	1	0	0	1	1
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	1	0	0	1	1
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	1	0	0	1	1

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 2nd June 2014

AM Weather: Mild & Heavy Rain
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	0	0	0	0	0	0	1	1
06:15	2	0	0	0	1	1	0	4
06:30	7	1	0	0	0	0	0	8
06:45	6	0	0	0	0	0	1	7
1 Hr	15	1	0	0	1	1	2	20
07:00	9	1	1	0	1	0	0	12
07:15	15	3	1	0	1	0	0	20
07:30	25	7	0	1	1	0	0	34
07:45	14	3	0	0	1	1	0	19
1 Hr	63	14	2	1	4	1	0	85
08:00	12	3	2	0	0	0	0	17
08:15	22	3	2	0	1	0	0	28
08:30	23	12	1	0	0	0	0	36
08:45	30	2	3	0	2	0	0	37
1 Hr	87	20	8	0	3	0	0	118
09:00	13	1	1	0	1	0	0	16
09:15	26	8	1	0	0	0	0	35
09:30	23	6	2	0	1	0	0	32
09:45	31	4	0	0	1	0	0	36
1 Hr	93	19	4	0	3	0	0	119
10:00	37	6	2	0	1	0	0	46
10:15	27	6	0	0	0	1	0	34
10:30	39	1	2	0	1	2	0	45
10:45	44	1	3	0	0	1	0	49
1 Hr	147	14	7	0	2	4	0	174
11:00	29	3	1	0	1	0	0	34
11:15	38	2	1	0	1	0	0	42
11:30	37	6	2	0	1	3	0	49
11:45	38	8	0	0	0	0	0	46
1 Hr	142	19	4	0	3	3	0	171
6 Hrs	547	87	25	1	16	9	2	687
12 Hrs	559	90	29	1	16	10	2	707

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	14	1	1	0	0	1	0	17
06:15	19	2	0	0	0	0	1	22
06:30	23	4	1	0	1	1	1	31
06:45	35	3	1	0	0	0	1	40
1 Hr	91	10	3	0	1	2	3	110
07:00	50	7	1	0	0	0	1	59
07:15	77	9	1	0	0	2	0	89
07:30	87	8	1	0	1	4	1	102
07:45	112	14	2	1	0	4	2	135
1 Hr	326	38	5	1	1	10	4	385
08:00	144	7	0	0	2	0	1	154
08:15	125	11	2	0	0	1	0	139
08:30	142	5	1	0	1	0	1	150
08:45	97	6	5	0	1	0	1	110
1 Hr	508	29	8	0	4	1	3	553
09:00	102	6	0	0	1	1	0	110
09:15	69	6	1	0	1	1	0	78
09:30	68	3	2	0	1	0	1	75
09:45	60	7	1	0	3	0	0	71
1 Hr	299	22	4	0	6	2	1	334
10:00	51	2	0	0	0	0	0	53
10:15	39	3	2	0	1	0	0	45
10:30	36	4	1	0	0	0	0	41
10:45	38	8	0	1	1	3	0	51
1 Hr	164	17	3	1	2	3	0	190
11:00	43	8	1	0	0	0	0	52
11:15	32	5	0	0	1	0	0	38
11:30	31	4	1	0	0	0	0	36
11:45	42	5	0	0	1	0	0	48
1 Hr	148	22	2	0	2	0	0	174
6 Hrs	1536	138	25	2	16	18	11	1746
12 Hrs	1576	143	26	2	16	20	11	1794



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 2nd June 2014

AM Weather: Mild & Heavy Rain
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	33	4	0	0	1	0	0	38
12:15	52	5	1	0	0	0	4	62
12:30	45	3	2	0	1	3	0	54
12:45	34	8	1	0	0	0	0	43
1 Hr	164	20	4	0	2	3	4	197
13:00	35	2	2	0	1	1	1	42
13:15	43	5	3	0	0	0	0	51
13:30	33	5	0	0	1	0	0	39
13:45	40	3	0	0	0	0	1	44
1 Hr	151	15	5	0	2	1	2	176
14:00	29	4	1	0	2	2	1	39
14:15	55	1	1	0	0	1	0	58
14:30	48	4	0	0	2	0	0	54
14:45	62	5	0	0	1	1	0	69
1 Hr	194	14	2	0	5	4	1	220
15:00	71	8	2	0	1	3	1	86
15:15	77	6	1	0	0	1	0	85
15:30	54	7	2	0	2	3	0	68
15:45	49	2	0	0	0	1	0	52
1 Hr	251	23	5	0	3	8	1	291
16:00	77	7	0	0	0	0	0	84
16:15	87	9	0	0	0	0	0	96
16:30	83	6	4	0	1	1	1	96
16:45	103	4	0	0	1	4	0	112
1 Hr	350	26	4	0	2	5	1	388
17:00	118	7	1	0	0	1	1	128
17:15	120	7	0	0	0	2	3	132
17:30	80	12	1	0	1	3	1	98
17:45	94	6	0	0	1	4	1	106
1 Hr	412	32	2	0	2	10	6	464
6 Hrs	1522	130	22	0	16	31	15	1736

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	40	7	0	0	0	0	0	47
12:15	40	6	0	0	1	0	0	47
12:30	35	3	1	0	0	0	0	39
12:45	44	1	0	0	1	0	0	46
1 Hr	159	17	1	0	2	0	0	179
13:00	35	4	1	0	0	1	0	41
13:15	39	5	1	0	1	0	0	46
13:30	31	6	1	0	0	1	0	39
13:45	35	5	2	0	1	1	0	44
1 Hr	140	20	5	0	2	3	0	170
14:00	30	3	0	0	0	1	0	34
14:15	29	2	1	0	2	1	0	35
14:30	45	2	1	0	0	0	0	48
14:45	48	4	0	0	1	0	0	53
1 Hr	152	11	2	0	3	2	0	170
15:00	35	5	2	0	0	1	0	43
15:15	46	6	2	0	2	0	0	56
15:30	53	3	1	0	1	0	0	58
15:45	30	2	1	0	1	0	0	34
1 Hr	164	16	6	0	4	1	0	191
16:00	29	4	1	0	0	0	0	34
16:15	32	3	0	0	1	0	0	36
16:30	33	8	1	0	0	0	1	43
16:45	26	2	0	0	2	2	1	33
1 Hr	120	17	2	0	3	2	2	146
17:00	29	3	0	0	1	1	0	34
17:15	37	2	0	0	0	0	0	39
17:30	22	4	1	0	1	0	0	28
17:45	22	4	0	0	0	1	0	27
1 Hr	110	13	1	0	2	2	0	128
6 Hrs	845	94	17	0	16	10	2	984



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 2nd June 2014

AM Weather: Mild & Heavy Rain
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	59	4	0	0	0	1	1	65
18:15	43	7	0	0	0	3	3	56
18:30	35	4	1	0	0	0	0	40
18:45	32	5	0	0	0	0	0	37
1 Hr	169	20	1	0	0	4	4	198
19:00	31	2	0	0	1	0	0	34
19:15	24	3	0	0	0	2	0	29
19:30	30	1	0	0	0	0	1	32
19:45	31	0	0	0	0	0	0	31
1 Hr	116	6	0	0	1	2	1	126
20:00	36	2	0	0	0	0	0	38
20:15	28	1	2	0	0	1	1	33
20:30	26	2	1	0	0	0	0	29
20:45	22	1	0	0	0	1	1	25
1 Hr	112	6	3	0	0	2	2	125
21:00	13	0	0	0	0	1	0	14
21:15	22	1	0	0	0	0	0	23
21:30	8	1	0	0	0	0	0	9
21:45	10	0	0	0	0	0	0	10
1 Hr	53	2	0	0	0	1	0	56
22:00	17	0	0	0	0	0	0	17
22:15	19	0	0	0	0	0	0	19
22:30	12	0	0	0	0	0	0	12
22:45	5	0	0	0	0	0	0	5
1 Hr	53	0	0	0	0	0	0	53
23:00	6	1	0	0	0	0	0	7
23:15	10	0	0	0	0	0	0	10
23:30	5	0	0	0	0	0	0	5
23:45	1	0	0	0	0	0	0	1
1 Hr	22	1	0	0	0	0	0	23
6 Hrs	525	35	4	0	1	9	7	581
12 Hrs	2047	165	26	0	17	40	22	2317
Total	2606	255	55	1	33	50	24	3024

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	31	1	0	0	1	0	0	33
18:15	35	4	0	0	0	0	0	39
18:30	28	3	0	0	1	1	0	33
18:45	29	3	0	0	0	0	0	32
1 Hr	123	11	0	0	2	1	0	137
19:00	22	0	1	0	0	0	0	23
19:15	27	3	0	0	0	0	1	31
19:30	24	1	0	0	0	0	0	25
19:45	23	0	0	0	1	0	0	24
1 Hr	96	4	1	0	1	0	1	103
20:00	8	1	1	0	0	0	1	11
20:15	12	0	0	0	0	1	0	13
20:30	13	0	0	0	0	0	1	14
20:45	12	0	0	0	0	1	0	13
1 Hr	45	1	1	0	0	2	2	51
21:00	14	0	0	0	0	0	0	14
21:15	10	0	0	0	0	0	0	10
21:30	12	1	0	0	0	0	0	13
21:45	8	0	0	0	0	0	0	8
1 Hr	44	1	0	0	0	0	0	45
22:00	12	0	0	0	0	0	0	12
22:15	5	0	0	0	0	0	0	5
22:30	3	0	0	0	0	0	0	3
22:45	2	0	0	0	0	0	0	2
1 Hr	22	0	0	0	0	0	0	22
23:00	3	0	0	0	0	0	0	3
23:15	4	0	0	0	0	0	0	4
23:30	4	0	0	0	0	0	0	4
23:45	1	0	0	0	0	0	0	1
1 Hr	12	0	0	0	0	0	0	12
6 Hrs	342	17	2	0	3	3	3	370
12 Hrs	1187	111	19	0	19	13	5	1354
Total	2763	254	45	2	35	33	16	3148



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 3rd June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	4	0	0	0	0	0	0	4
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	2	0	0	0	0	0	0	2
1 Hr	8	0	0	0	0	0	0	8
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
03:00	4	0	0	0	0	0	0	4
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	0	1	2	0	0	0	0	3
04:45	0	0	0	0	0	0	0	0
1 Hr	0	1	2	0	0	0	0	3
05:00	0	0	0	0	0	0	0	0
05:15	1	0	0	0	0	0	0	1
05:30	0	0	0	0	0	0	0	0
05:45	1	0	1	0	0	0	0	2
1 Hr	2	0	1	0	0	0	0	3
6 Hrs	18	1	3	0	0	0	0	22

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	2	0	0	0	0	0	0	2
00:15	0	0	0	0	0	0	0	0
00:30	2	0	0	0	0	0	0	2
00:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	2	1	0	0	0	0	0	3
04:45	2	0	0	0	0	0	0	2
1 Hr	5	1	0	0	0	0	0	6
05:00	4	1	1	0	0	0	0	6
05:15	6	0	0	0	0	0	0	6
05:30	13	1	0	0	0	1	0	15
05:45	11	3	1	0	0	0	0	15
1 Hr	34	5	2	0	0	1	0	42
6 Hrs	48	6	2	0	0	1	0	57

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	1	0	0	0	1
07:45	0	0	0	0	0
1 Hr	1	0	0	0	1
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	1	0	0	0	1
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	1	0	0	0	1

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	1	0	0	1
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	1	0	0	1
3 Hrs	1	0	0	1
6 Hrs	2	0	0	2



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 3rd June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	1	1	0	0	1	0	0	3
06:15	4	0	0	0	0	0	0	4
06:30	5	0	0	0	0	1	0	6
06:45	15	2	0	0	0	0	0	17
1 Hr	25	3	0	0	1	1	0	30
07:00	15	5	2	0	1	0	0	23
07:15	17	3	2	0	2	0	0	24
07:30	26	4	0	0	1	2	0	33
07:45	21	1	0	1	1	0	0	24
1 Hr	79	13	4	1	5	2	0	104
08:00	10	5	1	0	0	0	0	16
08:15	21	5	2	0	1	0	0	29
08:30	20	2	3	0	0	0	0	25
08:45	29	4	0	0	1	0	0	34
1 Hr	80	16	6	0	2	0	0	104
09:00	22	10	2	0	0	0	0	34
09:15	24	3	3	0	1	0	0	31
09:30	21	7	1	0	1	0	0	30
09:45	25	2	3	0	0	1	0	31
1 Hr	92	22	9	0	2	1	0	126
10:00	27	1	1	0	1	0	0	30
10:15	37	5	3	3	0	0	1	49
10:30	22	8	2	0	1	0	0	33
10:45	35	5	1	0	0	1	0	42
1 Hr	121	19	7	3	2	1	1	154
11:00	27	2	1	0	1	1	0	32
11:15	24	7	2	0	1	0	0	34
11:30	39	10	3	0	1	0	0	53
11:45	35	3	1	0	0	2	0	41
1 Hr	125	22	7	0	3	3	0	160
6 Hrs	522	95	33	4	15	8	1	678
12 Hrs	540	96	36	4	15	8	1	700

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	11	2	1	0	0	1	0	15
06:15	20	1	0	0	0	0	0	21
06:30	27	4	1	0	1	1	2	36
06:45	24	6	1	0	0	1	2	34
1 Hr	82	13	3	0	1	3	4	106
07:00	49	10	1	0	0	2	0	62
07:15	74	13	2	0	0	2	1	92
07:30	93	12	1	0	1	1	0	108
07:45	118	13	0	0	0	6	0	137
1 Hr	334	48	4	0	1	11	1	399
08:00	147	6	3	0	2	0	2	160
08:15	136	7	0	0	0	1	1	145
08:30	127	11	2	1	1	0	0	142
08:45	114	8	1	0	1	0	2	126
1 Hr	524	32	6	1	4	1	5	573
09:00	108	5	2	0	0	2	1	118
09:15	66	7	1	0	0	1	0	75
09:30	57	5	0	0	2	0	0	64
09:45	41	2	0	0	1	0	0	44
1 Hr	272	19	3	0	3	3	1	301
10:00	51	4	0	0	1	2	0	58
10:15	42	5	4	1	1	0	0	53
10:30	40	7	1	0	0	1	0	49
10:45	46	7	2	0	1	0	0	56
1 Hr	179	23	7	1	3	3	0	216
11:00	37	6	2	0	0	1	0	46
11:15	35	5	1	0	2	0	0	43
11:30	37	6	0	0	0	1	0	44
11:45	46	5	0	0	1	0	0	52
1 Hr	155	22	3	0	3	2	0	185
6 Hrs	1546	157	26	2	15	23	11	1780
12 Hrs	1594	163	28	2	15	24	11	1837



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 3rd June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction :		Eastbound						
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total	

12:00	43	5	1	0	1	0	0	50
12:15	38	8	2	0	1	1	1	51
12:30	49	4	1	0	1	2	0	57
12:45	34	5	3	0	0	1	0	43
1 Hr	164	22	7	0	3	4	1	201

13:00	33	4	1	0	1	0	3	42
13:15	45	1	2	0	0	1	0	49
13:30	41	5	2	0	1	0	0	49
13:45	35	3	1	1	0	0	0	40
1 Hr	154	13	6	1	2	1	3	180

14:00	41	4	1	0	1	2	1	50
14:15	33	6	1	0	0	1	1	42
14:30	38	6	1	0	3	1	1	50
14:45	60	5	1	0	0	0	3	69
1 Hr	172	21	4	0	4	4	6	211

15:00	63	1	0	0	1	1	2	68
15:15	61	12	0	0	1	0	0	74
15:30	71	6	1	0	1	2	0	81
15:45	51	7	3	0	0	0	1	62
1 Hr	246	26	4	0	3	3	3	285

16:00	79	6	0	0	0	0	0	85
16:15	96	5	1	0	2	0	3	107
16:30	99	8	0	0	0	1	1	109
16:45	93	4	2	0	1	3	2	105
1 Hr	367	23	3	0	3	4	6	406

17:00	120	8	1	0	0	4	2	135
17:15	118	11	0	0	0	3	4	136
17:30	81	6	3	0	1	2	0	93
17:45	90	11	1	0	1	4	0	107
1 Hr	409	36	5	0	2	13	6	471

6 Hrs	1512	141	29	1	17	29	25	1754
-------	------	-----	----	---	----	----	----	------

Direction :		Westbound						
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total	

12:00	29	8	1	0	0	0	0	38
12:15	42	2	2	0	1	0	0	47
12:30	42	5	4	0	1	1	1	54
12:45	39	6	3	0	1	0	0	49
1 Hr	152	21	10	0	3	1	1	188

13:00	41	5	1	0	0	2	0	49
13:15	31	1	3	0	1	1	0	37
13:30	31	5	0	0	0	0	0	36
13:45	39	9	4	0	1	0	0	53
1 Hr	142	20	8	0	2	3	0	175

14:00	36	3	0	0	0	1	0	40
14:15	28	2	1	0	1	1	0	33
14:30	33	6	1	0	0	0	0	40
14:45	40	2	4	0	1	0	0	47
1 Hr	137	13	6	0	2	2	0	160

15:00	29	2	1	0	0	1	3	36
15:15	38	7	0	0	3	0	0	48
15:30	50	1	2	1	0	0	0	54
15:45	38	8	1	0	0	0	0	47
1 Hr	155	18	4	1	3	1	3	185

16:00	47	4	1	0	0	1	1	54
16:15	17	8	1	0	3	1	0	30
16:30	33	5	1	0	0	3	0	42
16:45	40	7	1	0	3	0	1	52
1 Hr	137	24	4	0	6	5	2	178

17:00	34	1	0	0	0	0	0	35
17:15	27	1	1	1	0	0	0	30
17:30	34	2	2	0	1	0	0	39
17:45	42	4	2	0	0	0	0	48
1 Hr	137	8	5	1	1	0	0	152

6 Hrs	860	104	37	2	17	12	6	1038
-------	-----	-----	----	---	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 3rd June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	56	8	0	0	0	0	2	66
18:15	49	5	0	0	0	1	1	56
18:30	62	5	2	0	0	3	0	72
18:45	35	5	1	0	0	0	0	41
1 Hr	202	23	3	0	0	4	3	235
19:00	24	1	0	0	1	0	1	27
19:15	29	4	1	0	0	1	0	35
19:30	25	2	0	0	0	0	0	27
19:45	29	2	0	0	0	1	0	32
1 Hr	107	9	1	0	1	2	1	121
20:00	33	1	2	0	0	2	0	38
20:15	32	1	0	0	0	0	0	33
20:30	22	1	0	0	0	0	0	23
20:45	17	0	0	0	0	0	0	17
1 Hr	104	3	2	0	0	2	0	111
21:00	20	1	0	0	0	0	0	21
21:15	22	0	0	0	0	0	0	22
21:30	12	1	0	0	0	0	0	13
21:45	17	0	0	0	0	0	0	17
1 Hr	71	2	0	0	0	0	0	73
22:00	20	0	0	0	0	0	0	20
22:15	18	3	0	0	0	0	0	21
22:30	12	2	0	0	0	0	0	14
22:45	9	0	0	0	0	0	0	9
1 Hr	59	5	0	0	0	0	0	64
23:00	9	0	0	0	0	0	0	9
23:15	10	0	0	0	0	0	0	10
23:30	5	0	0	0	0	0	0	5
23:45	4	0	0	0	0	0	0	4
1 Hr	28	0	0	0	0	0	0	28
6 Hrs	571	42	6	0	1	8	4	632
12 Hrs	2083	183	35	1	18	37	29	2386
Total	2623	279	71	5	33	45	30	3086

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	29	0	0	0	1	0	1	31
18:15	26	0	0	0	0	0	0	26
18:30	38	3	1	0	1	1	0	44
18:45	33	1	0	0	0	0	1	35
1 Hr	126	4	1	0	2	1	2	136
19:00	32	2	1	0	0	0	0	35
19:15	16	2	1	0	0	0	0	19
19:30	37	2	1	0	1	0	1	42
19:45	15	2	1	0	0	0	0	18
1 Hr	100	8	4	0	1	0	1	114
20:00	17	1	0	0	0	1	1	20
20:15	16	0	2	0	0	0	0	18
20:30	8	1	1	0	0	1	0	11
20:45	12	0	0	0	0	0	2	14
1 Hr	53	2	3	0	0	2	3	63
21:00	9	1	0	0	0	0	0	10
21:15	7	0	0	0	0	0	0	7
21:30	10	1	0	0	0	1	0	12
21:45	4	0	0	0	0	0	0	4
1 Hr	30	2	0	0	0	1	0	33
22:00	12	1	0	0	0	0	0	13
22:15	6	1	0	0	0	0	0	7
22:30	1	0	0	0	0	0	0	1
22:45	7	0	0	0	0	1	0	8
1 Hr	26	2	0	0	0	1	0	29
23:00	5	1	0	0	0	0	0	6
23:15	2	0	0	0	0	0	0	2
23:30	1	0	0	0	0	0	0	1
23:45	1	0	0	0	0	0	0	1
1 Hr	9	1	0	0	0	0	0	10
6 Hrs	344	19	8	0	3	5	6	385
12 Hrs	1204	123	45	2	20	17	12	1423
Total	2798	286	73	4	35	41	23	3260



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 4th June 2014

AM Weather: Mild & Heavy Rain
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	4	0	0	0	0	0	0	4
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	1	0	0	1	0	0	0	2
1 Hr	7	0	0	1	0	0	0	8
01:00	4	0	0	0	0	0	0	4
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
03:00	1	0	0	0	0	0	0	1
03:15	1	0	0	0	0	0	0	1
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
04:00	0	1	0	0	0	0	0	1
04:15	0	1	0	0	0	0	0	1
04:30	1	0	0	0	0	0	0	1
04:45	0	0	0	1	0	0	0	1
1 Hr	1	2	0	1	0	0	0	4
05:00	0	0	0	0	0	0	0	0
05:15	0	0	0	0	0	0	0	0
05:30	2	0	0	0	0	0	0	2
05:45	0	0	1	0	0	0	0	1
1 Hr	2	0	1	0	0	0	0	3
6 Hrs	20	2	1	2	0	0	0	25

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0
00:45	2	0	0	0	0	0	0	2
1 Hr	5	0	0	0	0	0	0	5
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
04:00	0	0	0	0	0	0	0	0
04:15	0	1	0	0	0	0	0	1
04:30	2	0	0	0	0	0	0	2
04:45	3	0	0	0	0	0	0	3
1 Hr	5	1	0	0	0	0	0	6
05:00	5	1	0	0	0	0	0	6
05:15	6	0	0	1	0	0	0	7
05:30	12	1	0	0	0	0	0	13
05:45	11	3	0	0	0	0	0	14
1 Hr	34	5	0	1	0	0	0	40
6 Hrs	49	6	0	1	0	0	0	56

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	0	0	0
08:15	0	0	1	1	1
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	1	1	1
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	0	0	1	1	1
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	0	0	1	1	1

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 4th June 2014

AM Weather: Mild & Heavy Rain
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	4	1	0	0	1	1	0	7
06:15	3	0	0	0	0	1	0	4
06:30	5	1	0	0	0	0	0	6
06:45	8	2	1	0	0	1	0	12
1 Hr	20	4	1	0	1	3	0	29

07:00	14	4	1	0	1	0	1	21
07:15	19	3	0	0	3	0	0	25
07:30	22	8	0	0	1	1	0	32
07:45	19	1	0	0	1	0	0	21
1 Hr	74	16	1	0	6	1	1	99

08:00	19	4	1	0	0	0	0	24
08:15	14	4	2	0	1	0	0	21
08:30	24	5	2	0	0	2	0	33
08:45	34	10	1	0	1	0	0	46
1 Hr	91	23	6	0	2	2	0	124

09:00	27	10	2	0	1	0	0	40
09:15	19	10	0	0	0	0	0	29
09:30	22	3	1	0	1	1	0	28
09:45	11	7	0	0	0	0	0	18
1 Hr	79	30	3	0	2	1	0	115

10:00	28	4	4	0	1	1	0	38
10:15	35	5	0	0	0	0	1	41
10:30	24	3	1	0	1	0	0	29
10:45	25	3	1	0	0	0	0	29
1 Hr	112	15	6	0	2	1	1	137

11:00	21	7	2	0	2	0	0	32
11:15	37	5	1	0	0	0	0	43
11:30	36	6	2	0	1	0	0	45
11:45	31	3	2	0	0	0	0	36
1 Hr	125	21	7	0	3	0	0	156

6 Hrs	501	109	24	0	16	8	2	660
-------	-----	-----	----	---	----	---	---	-----

12 Hrs	521	111	25	2	16	8	2	685
--------	-----	-----	----	---	----	---	---	-----

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	8	3	0	0	0	1	2	14
06:15	15	2	1	0	0	0	0	18
06:30	27	1	0	0	1	1	0	30
06:45	35	7	2	0	0	0	4	48
1 Hr	85	13	3	0	1	2	6	110

07:00	48	9	1	0	0	2	0	60
07:15	73	14	0	0	1	2	2	92
07:30	92	7	0	1	1	0	1	102
07:45	125	11	1	0	0	3	1	141
1 Hr	338	41	2	1	2	7	4	395

08:00	143	6	0	0	2	0	0	151
08:15	126	5	0	0	1	2	0	134
08:30	120	10	2	0	1	0	0	133
08:45	119	8	1	0	0	0	0	128
1 Hr	508	29	3	0	4	2	0	546

09:00	99	8	2	0	0	0	0	109
09:15	72	6	2	0	0	0	0	80
09:30	55	5	0	0	2	0	0	62
09:45	52	8	2	0	2	1	0	65
1 Hr	278	27	6	0	4	1	0	316

10:00	52	3	1	0	0	0	0	56
10:15	38	5	2	0	1	0	0	46
10:30	39	4	0	0	0	0	0	43
10:45	54	4	1	0	1	0	0	60
1 Hr	183	16	4	0	2	0	0	205

11:00	40	8	1	0	0	0	0	49
11:15	35	3	4	0	2	1	0	45
11:30	42	6	0	0	2	0	0	50
11:45	29	3	1	0	1	0	0	34
1 Hr	146	20	6	0	5	1	0	178

6 Hrs	1538	146	24	1	18	13	10	1750
-------	------	-----	----	---	----	----	----	------

12 Hrs	1587	152	24	2	18	13	10	1806
--------	------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 4th June 2014

AM Weather: Mild & Heavy Rain
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	Total

12:00	30	5	2	0	1	1	0	39
12:15	45	4	1	1	0	0	0	51
12:30	45	7	0	0	0	1	0	53
12:45	31	2	0	0	1	0	0	34
1 Hr	151	18	3	1	2	2	0	177

13:00	42	4	5	0	1	1	0	53
13:15	32	4	1	0	0	0	0	37
13:30	34	3	1	0	1	0	0	39
13:45	33	6	0	0	0	0	1	40
1 Hr	141	17	7	0	2	1	1	169

14:00	49	3	2	0	2	0	0	56
14:15	43	4	0	0	0	2	0	49
14:30	44	4	0	1	2	0	0	51
14:45	54	2	0	1	1	2	0	60
1 Hr	190	13	2	2	5	4	0	216

15:00	67	11	0	1	2	0	3	84
15:15	70	6	2	0	0	0	1	79
15:30	61	7	0	0	1	2	0	71
15:45	61	7	3	0	1	0	1	73
1 Hr	259	31	5	1	4	2	5	307

16:00	79	7	1	0	0	0	0	87
16:15	99	11	1	0	0	0	0	111
16:30	93	5	2	0	1	2	1	104
16:45	110	8	0	0	1	4	0	123
1 Hr	381	31	4	0	2	6	1	425

17:00	115	5	0	0	0	0	0	120
17:15	105	9	3	1	0	0	2	120
17:30	101	4	0	0	1	1	0	107
17:45	97	5	1	0	1	3	0	107
1 Hr	418	23	4	1	2	4	2	454

6 Hrs	1540	133	25	5	17	19	9	1748
-------	------	-----	----	---	----	----	---	------

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	Total

12:00	40	7	1	0	0	2	0	50
12:15	41	2	2	0	1	0	0	46
12:30	35	5	1	0	0	4	1	46
12:45	46	4	0	1	1	0	0	52
1 Hr	162	18	4	1	2	6	1	194

13:00	30	5	3	1	0	1	1	41
13:15	43	4	0	0	1	0	1	49
13:30	49	1	1	0	0	0	0	51
13:45	32	3	3	0	1	0	0	39
1 Hr	154	13	7	1	2	1	2	180

14:00	36	3	2	0	1	0	0	42
14:15	28	2	0	0	2	1	0	33
14:30	27	5	0	0	0	0	0	32
14:45	30	4	0	0	1	2	0	37
1 Hr	121	14	2	0	4	3	0	144

15:00	27	4	0	1	0	1	0	33
15:15	44	6	1	1	2	0	0	54
15:30	47	3	1	0	0	0	0	51
15:45	47	2	2	0	1	0	0	52
1 Hr	165	15	4	2	3	1	0	190

16:00	33	8	0	1	0	1	0	43
16:15	28	3	0	0	1	1	0	33
16:30	34	2	0	0	0	1	0	37
16:45	24	0	0	1	2	0	0	27
1 Hr	119	13	0	2	3	3	0	140

17:00	24	5	1	0	1	1	0	32
17:15	29	7	1	0	0	0	0	37
17:30	26	3	0	1	1	0	0	31
17:45	24	2	0	0	0	0	0	26
1 Hr	103	17	2	1	2	1	0	126

6 Hrs	824	90	19	7	16	15	3	974
-------	-----	----	----	---	----	----	---	-----



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 4th June 2014

AM Weather: Mild & Heavy Rain
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	68	3	1	0	0	0	1	73
18:15	47	3	0	0	0	1	1	52
18:30	36	1	2	0	0	0	0	39
18:45	31	3	0	0	0	1	1	36
1 Hr	182	10	3	0	0	2	3	200
19:00	39	4	0	0	1	0	0	44
19:15	29	2	0	0	0	0	0	31
19:30	28	2	0	0	0	0	0	30
19:45	35	3	0	0	0	0	0	38
1 Hr	131	11	0	0	1	0	0	143
20:00	26	5	0	0	0	0	0	31
20:15	33	2	0	0	0	1	0	36
20:30	17	2	0	0	0	0	0	19
20:45	24	0	1	0	0	0	0	25
1 Hr	100	9	1	0	0	1	0	111
21:00	16	1	0	0	0	0	0	17
21:15	27	2	0	0	0	0	0	29
21:30	16	0	0	0	0	0	0	16
21:45	13	1	0	0	0	1	0	15
1 Hr	72	4	0	0	0	1	0	77
22:00	10	0	0	0	0	0	0	10
22:15	16	0	0	0	0	0	0	16
22:30	12	0	0	0	0	0	0	12
22:45	9	0	0	0	0	0	0	9
1 Hr	47	0	0	0	0	0	0	47
23:00	8	0	0	0	0	0	0	8
23:15	9	0	0	0	0	0	0	9
23:30	5	0	0	0	0	0	0	5
23:45	2	0	0	0	0	0	0	2
1 Hr	24	0	0	0	0	0	0	24
6 Hrs	556	34	4	0	1	4	3	602
12 Hrs	2096	167	29	5	18	23	12	2350
Total	2617	278	54	7	34	31	14	3035

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	28	2	0	0	1	0	0	31
18:15	30	2	0	0	0	0	0	32
18:30	32	3	0	0	1	0	0	36
18:45	28	1	0	0	0	0	0	29
1 Hr	118	8	0	0	2	0	0	128
19:00	36	1	0	0	0	0	0	37
19:15	22	4	1	0	0	0	0	27
19:30	26	1	0	0	1	1	0	29
19:45	14	2	0	0	0	0	0	16
1 Hr	98	8	1	0	1	1	0	109
20:00	14	1	0	0	0	0	0	15
20:15	10	0	0	0	0	0	0	10
20:30	12	0	0	0	0	0	0	12
20:45	12	1	0	0	0	1	0	14
1 Hr	48	2	0	0	0	1	0	51
21:00	10	0	0	0	0	0	0	10
21:15	11	0	0	0	0	0	0	11
21:30	6	1	0	0	0	0	0	7
21:45	6	1	0	0	0	0	0	7
1 Hr	33	2	0	0	0	0	0	35
22:00	9	0	0	0	0	0	0	9
22:15	6	0	0	0	0	0	0	6
22:30	2	0	0	0	0	0	0	2
22:45	2	0	0	0	0	0	0	2
1 Hr	19	0	0	0	0	0	0	19
23:00	2	0	0	0	0	0	0	2
23:15	3	0	0	0	0	0	0	3
23:30	2	0	0	0	0	0	0	2
23:45	3	0	0	0	0	0	0	3
1 Hr	10	0	0	0	0	0	0	10
6 Hrs	326	20	1	0	3	2	0	352
12 Hrs	1150	110	20	7	19	17	3	1326
Total	2737	262	44	9	37	30	13	3132



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 5th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	2	0	0	0	0	0	0	2
00:15	5	0	0	0	0	0	0	5
00:30	1	0	0	0	0	0	0	1
00:45	1	0	0	0	0	0	0	1
1 Hr	9	0	0	0	0	0	0	9
01:00	2	0	0	0	0	0	0	2
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
02:00	0	0	0	0	0	0	0	0
02:15	2	0	0	0	0	0	0	2
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	1	0	0	0	2
03:30	1	0	0	0	0	0	0	1
03:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	1	0	0	0	4
04:00	0	0	0	0	0	0	0	0
04:15	0	1	1	0	0	0	0	2
04:30	4	0	1	0	0	0	0	5
04:45	1	0	0	0	0	0	0	1
1 Hr	5	1	2	0	0	0	0	8
05:00	0	0	0	0	0	0	0	0
05:15	0	0	0	0	0	0	0	0
05:30	1	0	0	0	0	0	0	1
05:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
6 Hrs	23	1	2	1	0	0	0	27

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	3	0	0	0	0	0	0	3
04:45	2	0	0	0	0	0	0	2
1 Hr	6	0	0	0	0	0	0	6
05:00	4	2	0	0	0	0	0	6
05:15	7	0	1	0	0	0	0	8
05:30	10	1	0	0	0	0	0	11
05:45	10	2	1	0	0	0	0	13
1 Hr	31	5	2	0	0	0	0	38
6 Hrs	41	5	2	0	0	0	0	48

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	

07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	1	0	0	0	1
1 Hr	1	0	0	0	1
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	1	0	0	0	1
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	1	0	0	0	1

	Direction : Westbound			Total
	Adult	Child	Unaccompanied	

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	1	0	0	1
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 5th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction :		Eastbound						Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

Direction :		Westbound						Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

06:00	1	0	0	0	0	1	0	2
06:15	3	1	1	0	1	0	0	6
06:30	4	1	0	0	0	1	0	6
06:45	16	4	1	0	0	0	0	21
1 Hr	24	6	2	0	1	2	0	35

13	3	0	0	0	0	2	18
16	2	0	0	0	0	0	18
28	4	1	0	0	1	1	35
25	4	2	0	1	1	0	33
82	13	3	0	1	2	3	104

07:00	14	3	0	0	1	0	0	18
07:15	15	3	1	0	1	0	1	21
07:30	21	6	1	0	2	0	0	30
07:45	13	3	0	0	1	1	0	18
1 Hr	63	15	2	0	5	1	1	87

54	7	2	0	0	2	0	65
61	11	0	0	0	2	0	74
91	9	2	0	1	3	1	107
120	11	3	0	0	2	0	136
326	38	7	0	1	9	1	382

08:00	16	1	1	0	0	0	0	18
08:15	15	7	3	0	1	0	0	26
08:30	24	6	1	0	0	0	0	31
08:45	26	6	2	1	1	0	0	36
1 Hr	81	20	7	1	2	0	0	111

145	9	0	0	2	0	0	156
132	7	3	1	0	1	0	144
122	9	1	0	0	4	1	137
118	8	3	0	1	2	2	134
517	33	7	1	3	7	3	571

09:00	25	2	2	0	1	0	0	30
09:15	23	6	1	0	0	0	0	30
09:30	22	3	1	0	1	0	1	28
09:45	26	7	4	0	0	0	0	37
1 Hr	96	18	8	0	2	0	1	125

104	7	1	0	0	0	0	112
68	1	1	1	1	1	0	73
62	6	1	0	3	1	0	73
56	3	0	0	2	0	0	61
290	17	3	1	6	2	0	319

10:00	38	5	0	0	1	0	3	47
10:15	29	6	2	0	0	0	0	37
10:30	34	7	1	0	1	0	0	43
10:45	34	6	0	0	0	2	0	42
1 Hr	135	24	3	0	2	2	3	169

51	4	5	0	0	1	0	61
35	4	0	0	0	0	1	40
43	3	2	0	1	0	0	49
33	6	3	0	1	0	0	43
162	17	10	0	2	1	1	193

11:00	32	4	2	0	1	0	1	40
11:15	32	7	1	0	1	0	0	41
11:30	41	4	0	0	1	0	0	46
11:45	54	7	3	0	0	5	0	69
1 Hr	159	22	6	0	3	5	1	196

41	3	2	0	0	0	1	47
52	3	2	0	0	0	0	57
44	3	3	0	1	0	0	51
40	2	1	0	2	1	0	46
177	11	8	0	3	1	1	201

6 Hrs	558	105	28	1	15	10	6	723
-------	-----	-----	----	---	----	----	---	-----

1554	129	38	2	16	22	9	1770
------	-----	----	---	----	----	---	------

12 Hrs	581	106	30	2	15	10	6	750
--------	-----	-----	----	---	----	----	---	-----

1595	134	40	2	16	22	9	1818
------	-----	----	---	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 5th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	42	4	2	0	2	0	0	50
12:15	44	3	1	0	0	1	0	49
12:30	44	7	0	0	1	0	0	52
12:45	37	4	0	0	0	1	0	42
1 Hr	167	18	3	0	3	2	0	193

13:00	35	5	1	1	1	2	1	46
13:15	37	2	3	0	0	1	0	43
13:30	32	2	1	0	1	0	0	36
13:45	27	4	1	0	0	3	1	36
1 Hr	131	13	6	1	2	6	2	161

14:00	51	7	0	0	2	0	0	60
14:15	55	4	1	0	0	2	0	62
14:30	43	4	0	0	3	0	0	50
14:45	43	3	2	0	1	0	0	49
1 Hr	192	18	3	0	6	2	0	221

15:00	70	2	2	0	2	3	1	80
15:15	66	6	2	1	0	0	1	76
15:30	57	5	0	0	1	4	0	67
15:45	57	8	1	0	1	1	0	68
1 Hr	250	21	5	1	4	8	2	291

16:00	71	7	2	1	0	1	1	83
16:15	93	6	3	0	1	0	0	103
16:30	98	6	2	0	0	0	2	108
16:45	92	7	1	0	1	4	2	107
1 Hr	354	26	8	1	2	5	5	401

17:00	117	5	2	0	0	2	1	127
17:15	109	7	1	0	1	2	1	121
17:30	77	6	2	0	0	4	0	89
17:45	77	4	1	0	1	2	2	87
1 Hr	380	22	6	0	2	10	4	424

6 Hrs	1474	118	31	3	19	33	13	1691
-------	------	-----	----	---	----	----	----	------

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

12:00	28	4	1	0	0	5	0	38
12:15	44	4	1	0	3	0	0	52
12:30	42	6	2	0	0	0	0	50
12:45	30	1	0	0	1	0	0	32
1 Hr	144	15	4	0	4	5	0	172

13:00	45	5	2	1	0	1	0	54
13:15	27	3	1	0	1	0	0	32
13:30	42	2	5	1	0	0	0	50
13:45	47	5	1	0	1	0	0	54
1 Hr	161	15	9	2	2	1	0	190

14:00	25	5	2	0	1	0	0	33
14:15	25	4	1	0	0	0	1	31
14:30	32	3	3	1	1	1	0	41
14:45	33	10	1	0	1	0	0	45
1 Hr	115	22	7	1	3	1	1	150

15:00	36	2	0	0	0	1	0	39
15:15	32	3	2	0	4	1	0	42
15:30	50	8	2	0	0	1	1	62
15:45	37	6	3	0	1	2	0	49
1 Hr	155	19	7	0	5	5	1	192

16:00	36	6	0	0	0	0	0	42
16:15	31	6	1	1	1	1	0	41
16:30	32	4	2	0	0	0	0	38
16:45	24	5	3	0	3	0	2	37
1 Hr	123	21	6	1	4	1	2	158

17:00	37	3	1	1	0	1	0	43
17:15	36	5	1	0	0	2	1	45
17:30	35	2	1	0	1	0	0	39
17:45	24	5	0	0	0	0	0	29
1 Hr	132	15	3	1	1	3	1	156

6 Hrs	830	107	36	5	19	16	5	1018
-------	-----	-----	----	---	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 5th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	57	2	0	0	0	1	0	60
18:15	50	0	0	0	0	0	0	50
18:30	34	3	1	0	0	0	1	39
18:45	34	4	1	0	0	0	1	40
1 Hr	175	9	2	0	0	1	2	189
19:00	29	4	0	0	1	1	2	37
19:15	36	3	2	0	0	0	0	41
19:30	37	1	0	0	0	3	0	41
19:45	39	4	1	0	0	1	1	46
1 Hr	141	12	3	0	1	5	3	165
20:00	30	1	1	0	0	1	2	35
20:15	38	1	0	0	0	0	0	39
20:30	20	2	0	0	0	0	2	24
20:45	16	0	0	0	0	0	0	16
1 Hr	104	4	1	0	0	1	4	114
21:00	22	0	0	0	0	0	0	22
21:15	24	3	0	0	0	1	0	28
21:30	16	0	0	0	0	1	0	17
21:45	15	0	0	0	0	0	0	15
1 Hr	77	3	0	0	0	2	0	82
22:00	18	0	0	0	0	2	0	20
22:15	19	0	0	0	0	0	0	19
22:30	14	0	0	0	0	0	0	14
22:45	11	0	0	0	0	0	0	11
1 Hr	62	0	0	0	0	2	0	64
23:00	12	0	0	0	0	0	0	12
23:15	8	0	0	0	0	0	0	8
23:30	4	0	0	0	0	0	0	4
23:45	3	0	0	0	0	0	0	3
1 Hr	27	0	0	0	0	0	0	27
6 Hrs	586	28	6	0	1	11	9	641
12 Hrs	2060	146	37	3	20	44	22	2332
Total	2641	252	67	5	35	54	28	3082

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	33	1	0	0	1	0	0	35
18:15	36	3	0	0	0	1	0	40
18:30	25	0	0	0	1	1	0	27
18:45	30	3	0	0	0	1	0	34
1 Hr	124	7	0	0	2	3	0	136
19:00	49	1	0	0	0	0	2	52
19:15	21	1	0	0	0	0	0	22
19:30	26	1	0	0	1	0	0	28
19:45	10	2	0	0	0	1	0	13
1 Hr	106	5	0	0	1	1	2	115
20:00	19	2	0	0	0	0	0	21
20:15	24	0	0	0	0	0	0	24
20:30	15	1	0	0	0	0	0	16
20:45	11	0	0	0	0	2	0	13
1 Hr	69	3	0	0	0	2	0	74
21:00	13	0	0	0	0	0	1	14
21:15	9	0	0	0	0	0	0	9
21:30	10	0	0	0	0	1	0	11
21:45	11	0	1	0	0	0	0	12
1 Hr	43	0	1	0	0	1	1	46
22:00	8	0	0	0	0	0	0	8
22:15	5	0	0	0	0	0	0	5
22:30	10	1	0	0	0	0	0	11
22:45	4	0	0	0	0	0	0	4
1 Hr	27	1	0	0	0	0	0	28
23:00	4	0	0	0	0	0	0	4
23:15	1	0	0	0	0	0	0	1
23:30	4	0	0	0	0	0	0	4
23:45	2	0	0	0	0	0	0	2
1 Hr	11	0	0	0	0	0	0	11
6 Hrs	380	16	1	0	3	7	3	410
12 Hrs	1210	123	37	5	22	23	8	1428
Total	2805	257	77	7	38	45	17	3246



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 6th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	4	0	0	0	0	0	0	4
00:15	4	0	0	0	0	0	0	4
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	9	0	0	0	0	0	0	9
01:00	2	0	0	0	0	0	0	2
01:15	2	0	0	0	0	0	0	2
01:30	3	0	0	0	0	0	0	3
01:45	1	0	0	0	0	0	0	1
1 Hr	8	0	0	0	0	0	0	8
02:00	1	0	0	0	0	0	0	1
02:15	4	0	0	0	0	0	0	4
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	6	0	0	0	0	0	0	6
03:00	2	0	0	0	0	0	0	2
03:15	0	0	0	0	0	0	0	0
03:30	2	0	0	0	0	0	0	2
03:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	0	0	1	0	0	0	0	1
04:45	1	0	0	0	0	0	0	1
1 Hr	1	0	1	0	0	0	0	2
05:00	1	0	0	0	0	0	0	1
05:15	1	0	2	0	0	0	0	3
05:30	1	1	0	1	0	0	0	3
05:45	3	1	0	0	0	0	1	5
1 Hr	6	2	2	1	0	0	1	12
6 Hrs	34	2	3	1	0	0	1	41

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	2	0	0	0	0	0	0	2
04:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
05:00	5	3	0	0	0	0	0	8
05:15	6	1	1	0	0	0	0	8
05:30	13	0	0	0	0	0	0	13
05:45	8	2	1	1	0	0	2	14
1 Hr	32	6	2	1	0	0	2	43
6 Hrs	44	6	2	1	0	0	2	55

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	0	0	0
08:15	1	0	0	1	1
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	1	0	0	1	1
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	1	0	0	1	1
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	1	0	0	1	1
1 Hr	1	0	0	1	1
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	1	0	0	1	1
6 Hrs	2	0	0	2	2

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 6th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	3	1	0	0	1	1	0	6
06:15	5	0	0	0	0	0	0	5
06:30	8	3	0	0	0	2	1	14
06:45	13	0	2	0	0	0	0	15
1 Hr	29	4	2	0	1	3	1	40
07:00	13	5	1	0	1	0	0	20
07:15	19	2	1	0	0	1	1	24
07:30	27	4	2	0	3	1	0	37
07:45	17	1	1	1	1	0	0	21
1 Hr	76	12	5	1	5	2	1	102
08:00	24	2	2	0	0	0	0	28
08:15	18	10	2	0	1	1	0	32
08:30	26	4	3	1	0	1	0	35
08:45	29	4	1	0	1	0	0	35
1 Hr	97	20	8	1	2	2	0	130
09:00	21	4	0	0	0	0	0	25
09:15	33	5	0	0	2	0	0	40
09:30	31	8	1	0	1	0	0	41
09:45	24	3	3	0	0	0	1	31
1 Hr	109	20	4	0	3	0	1	137
10:00	37	5	1	0	1	0	0	44
10:15	29	2	1	0	0	0	0	32
10:30	25	3	0	0	1	0	1	30
10:45	42	6	3	0	0	0	0	51
1 Hr	133	16	5	0	2	0	1	157
11:00	38	3	3	0	1	1	0	46
11:15	42	6	0	0	1	0	0	49
11:30	35	3	2	1	1	0	0	42
11:45	35	7	1	0	0	0	1	44
1 Hr	150	19	6	1	3	1	1	181
6 Hrs	594	91	30	3	16	8	5	747
12 Hrs	628	93	33	4	16	8	6	788

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	7	3	1	0	0	0	2	13
06:15	20	2	0	0	0	0	0	22
06:30	25	3	1	0	1	1	3	34
06:45	36	8	0	0	0	1	2	47
1 Hr	88	16	2	0	1	2	7	116
07:00	48	11	1	0	0	3	2	65
07:15	67	11	0	0	0	1	0	79
07:30	86	13	1	0	1	2	1	104
07:45	97	10	1	0	0	2	1	111
1 Hr	298	45	3	0	1	8	4	359
08:00	143	5	0	0	2	3	0	153
08:15	126	7	4	0	0	2	0	139
08:30	108	7	2	0	0	2	2	121
08:45	102	7	0	0	1	2	1	113
1 Hr	479	26	6	0	3	9	3	526
09:00	106	9	3	0	0	0	0	118
09:15	60	3	0	0	2	0	2	67
09:30	62	10	1	0	1	1	1	76
09:45	58	7	0	0	2	2	0	69
1 Hr	286	29	4	0	5	3	3	330
10:00	55	3	1	0	0	0	0	59
10:15	45	3	1	0	1	1	0	51
10:30	52	4	2	0	0	0	1	59
10:45	37	6	0	0	1	0	0	44
1 Hr	189	16	4	0	2	1	1	213
11:00	30	6	0	0	0	0	1	37
11:15	39	2	3	0	2	0	0	46
11:30	40	6	3	0	0	1	0	50
11:45	35	7	1	0	1	0	3	47
1 Hr	144	21	7	0	3	1	4	180
6 Hrs	1484	153	26	0	15	24	22	1724
12 Hrs	1528	159	28	1	15	24	24	1779



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 6th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	39	6	1	0	1	0	0	47
12:15	37	5	0	1	2	0	1	46
12:30	44	4	0	1	1	3	2	55
12:45	46	1	1	0	0	2	0	50
1 Hr	166	16	2	2	4	5	3	198
13:00	38	3	2	0	1	0	0	44
13:15	41	2	1	0	0	0	0	44
13:30	37	4	2	0	1	0	0	44
13:45	59	6	1	0	0	1	0	67
1 Hr	175	15	6	0	2	1	0	199
14:00	40	6	1	0	1	0	0	48
14:15	53	5	4	0	0	0	0	62
14:30	53	6	0	1	3	0	0	63
14:45	58	5	1	0	0	0	2	66
1 Hr	204	22	6	1	4	0	2	239
15:00	85	3	1	0	2	2	1	94
15:15	90	2	0	0	1	3	0	96
15:30	79	3	0	0	1	2	1	86
15:45	54	6	1	0	0	2	0	63
1 Hr	308	14	2	0	4	9	2	339
16:00	101	7	0	0	0	3	2	113
16:15	93	6	2	0	0	2	1	104
16:30	98	9	1	0	1	1	0	110
16:45	94	8	0	0	1	2	3	108
1 Hr	386	30	3	0	2	8	6	435
17:00	104	8	2	0	0	4	1	119
17:15	103	8	0	0	1	2	0	114
17:30	82	7	0	0	0	4	2	95
17:45	62	5	1	0	1	1	0	70
1 Hr	351	28	3	0	2	11	3	398
6 Hrs	1590	125	22	3	18	34	16	1808

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	42	12	0	0	0	2	0	56
12:15	33	3	1	0	1	1	0	39
12:30	43	7	1	0	2	1	0	54
12:45	41	7	3	0	1	1	1	54
1 Hr	159	29	5	0	4	5	1	203
13:00	41	7	0	1	0	2	0	51
13:15	51	3	0	0	1	1	1	57
13:30	47	3	4	0	0	0	1	55
13:45	36	5	2	0	1	1	0	45
1 Hr	175	18	6	1	2	4	2	208
14:00	31	5	2	0	0	1	0	39
14:15	39	3	3	0	1	0	1	47
14:30	37	4	1	0	0	0	0	42
14:45	35	7	3	0	1	1	0	47
1 Hr	142	19	9	0	2	2	1	175
15:00	32	4	1	0	0	0	0	37
15:15	48	2	1	0	3	7	1	62
15:30	56	4	1	1	1	2	0	65
15:45	30	5	2	0	0	1	1	39
1 Hr	166	15	5	1	4	10	2	203
16:00	40	3	1	0	0	0	0	44
16:15	41	2	0	0	1	0	0	44
16:30	34	5	0	1	0	0	1	41
16:45	32	4	0	1	0	1	0	38
1 Hr	147	14	1	2	1	1	1	167
17:00	26	5	0	0	1	1	1	34
17:15	29	4	0	0	1	1	1	36
17:30	24	4	0	0	1	0	1	30
17:45	30	3	0	0	0	1	0	34
1 Hr	109	16	0	0	3	3	3	134
6 Hrs	898	111	26	4	16	25	10	1090



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 6th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	53	11	1	0	0	2	1	68
18:15	23	4	1	0	0	2	1	31
18:30	33	5	0	0	0	1	2	41
18:45	29	4	0	0	0	1	1	35
1 Hr	138	24	2	0	0	6	5	175
19:00	43	1	0	0	1	0	0	45
19:15	26	2	0	0	1	0	1	30
19:30	54	3	0	0	0	3	0	60
19:45	32	3	0	0	0	1	0	36
1 Hr	155	9	0	0	2	4	1	171
20:00	42	3	0	0	0	0	0	45
20:15	30	1	1	0	0	1	0	33
20:30	23	2	1	0	0	0	1	27
20:45	23	2	0	0	0	0	0	25
1 Hr	118	8	2	0	0	1	1	130
21:00	22	1	0	1	0	1	0	25
21:15	27	0	0	0	0	0	0	27
21:30	15	0	0	0	0	0	0	15
21:45	18	0	0	1	0	0	0	19
1 Hr	82	1	0	2	0	1	0	86
22:00	17	0	0	0	0	0	0	17
22:15	27	0	0	0	0	0	0	27
22:30	24	0	0	0	0	0	0	24
22:45	16	0	0	0	0	0	0	16
1 Hr	84	0	0	0	0	0	0	84
23:00	9	0	0	0	0	0	0	9
23:15	10	0	0	0	0	0	0	10
23:30	6	0	0	0	0	0	0	6
23:45	7	0	0	0	0	0	0	7
1 Hr	32	0	0	0	0	0	0	32
6 Hrs	609	42	4	2	2	12	7	678
12 Hrs	2199	167	26	5	20	46	23	2486
Total	2827	260	59	9	36	54	29	3274

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	42	6	0	0	1	0	1	50
18:15	40	1	0	0	0	2	0	43
18:30	34	5	0	0	1	1	0	41
18:45	42	1	0	0	0	0	0	43
1 Hr	158	13	0	0	2	3	1	177
19:00	24	2	0	0	0	2	0	28
19:15	29	2	0	0	0	5	0	36
19:30	32	1	0	0	1	0	0	34
19:45	18	2	0	0	0	1	0	21
1 Hr	103	7	0	0	1	8	0	119
20:00	19	0	0	0	0	1	0	20
20:15	23	1	0	0	0	0	0	24
20:30	20	0	1	0	0	1	0	22
20:45	16	1	0	0	0	1	0	18
1 Hr	78	2	1	0	0	3	0	84
21:00	19	0	1	0	0	0	0	20
21:15	22	0	1	0	0	1	0	24
21:30	10	0	0	0	0	0	1	11
21:45	19	0	1	0	0	0	0	20
1 Hr	70	0	3	0	0	1	1	75
22:00	9	0	0	0	0	0	0	9
22:15	11	0	0	0	0	0	0	11
22:30	13	0	0	0	0	0	0	13
22:45	13	0	0	0	0	0	0	13
1 Hr	46	0	0	0	0	0	0	46
23:00	4	0	0	0	0	0	0	4
23:15	2	0	0	0	0	0	0	2
23:30	3	0	0	0	0	0	0	3
23:45	4	0	0	0	0	0	0	4
1 Hr	13	0	0	0	0	0	0	13
6 Hrs	468	22	4	0	3	15	2	514
12 Hrs	1366	133	30	4	19	40	12	1604
Total	2894	292	58	5	34	64	36	3383



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 7th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Heavy Rain

Flowcount

Direction :	Eastbound						Total	
	Car	Lgv	Ogv1	Ogv2	Psv	M/C		P/C
00:00	9	0	0	0	0	0	0	9
00:15	4	0	0	0	0	0	0	4
00:30	5	0	0	0	0	0	0	5
00:45	6	0	0	0	0	0	0	6
1 Hr	24	0	0	0	0	0	0	24
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	0	1	0	0	0	0	0	1
01:45	2	0	0	0	0	0	0	2
1 Hr	3	1	0	0	0	0	0	4
02:00	3	0	0	0	0	0	0	3
02:15	2	0	0	0	0	0	0	2
02:30	4	1	0	0	0	0	0	5
02:45	0	0	0	0	0	0	0	0
1 Hr	9	1	0	0	0	0	0	10
03:00	0	0	0	0	0	0	0	0
03:15	2	0	0	0	0	0	0	2
03:30	1	0	0	0	0	0	0	1
03:45	4	0	0	0	0	0	0	4
1 Hr	7	0	0	0	0	0	0	7
04:00	1	0	0	0	0	0	0	1
04:15	2	0	0	0	0	0	0	2
04:30	2	0	1	0	0	0	0	3
04:45	2	0	0	0	0	0	0	2
1 Hr	7	0	1	0	0	0	0	8
05:00	1	0	0	0	0	0	0	1
05:15	3	0	0	0	0	0	0	3
05:30	0	0	0	0	0	0	0	0
05:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4
6 Hrs	54	2	1	0	0	0	0	57

Direction :	Westbound						Total	
	Car	Lgv	Ogv1	Ogv2	Psv	M/C		P/C
00:00	4	0	0	0	0	0	0	4
00:15	1	0	0	0	0	0	0	1
00:30	2	0	0	0	0	0	0	2
00:45	2	0	0	0	0	0	0	2
1 Hr	9	0	0	0	0	0	0	9
01:00	4	0	0	0	0	0	0	4
01:15	2	0	0	0	0	0	0	2
01:30	1	0	0	0	0	0	0	1
01:45	0	0	0	0	0	0	0	0
1 Hr	7	0	0	0	0	0	0	7
02:00	2	0	0	0	0	0	0	2
02:15	1	0	0	0	0	0	0	1
02:30	1	0	0	0	0	0	0	1
02:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
03:00	2	0	0	0	0	0	0	2
03:15	2	0	0	0	0	0	0	2
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	0	5
04:00	1	0	0	0	0	0	0	1
04:15	1	0	0	0	0	0	0	1
04:30	2	0	0	0	0	0	0	2
04:45	3	0	0	0	0	0	0	3
1 Hr	7	0	0	0	0	0	0	7
05:00	2	0	0	0	0	0	0	2
05:15	3	0	1	0	0	0	0	4
05:30	7	1	0	0	0	0	0	8
05:45	6	0	0	0	0	0	0	6
1 Hr	18	1	1	0	0	0	0	20
6 Hrs	51	1	1	0	0	0	0	53

Direction :	Eastbound				Total
Adult	Child	Accompanied	Unaccompanied		
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	1	0	0	0	1
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	1	0	0	0	1
3 Hr	1	0	0	0	1

Direction :	Westbound			Total
Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	1	0	0	1
09:15	0	0	1	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	1	2
3 Hr	1	0	1	2

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	1	0	0	1
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	1	0	0	1
09:15	0	0	1	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	1	2

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	1	0	0	1
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	1	0	0	1

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

3 Hrs	1	0	0	1
6 Hrs	2	0	0	2

3 Hrs	0	0	0	0
6 Hrs	1	0	1	2



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 7th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Heavy Rain

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	2	0	0	0	0	0	0	2
06:15	2	0	0	0	0	0	0	2
06:30	1	0	0	0	0	0	0	1
06:45	7	2	0	0	0	0	0	9
1 Hr	12	2	0	0	0	0	0	14
07:00	6	0	0	0	0	0	0	6
07:15	6	0	1	0	0	1	0	8
07:30	10	1	0	0	0	0	0	11
07:45	9	0	0	0	0	1	0	10
1 Hr	31	1	1	0	0	2	0	35
08:00	15	1	0	0	1	0	0	17
08:15	12	3	0	0	0	0	0	15
08:30	9	4	0	0	1	0	0	14
08:45	19	4	1	0	0	0	0	24
1 Hr	55	12	1	0	2	0	0	70
09:00	14	6	0	0	1	0	0	21
09:15	20	3	0	0	0	0	0	23
09:30	23	3	2	0	1	0	0	29
09:45	27	7	0	0	0	2	0	36
1 Hr	84	19	2	0	2	2	0	109
10:00	28	3	1	0	1	0	1	34
10:15	36	3	0	0	0	0	0	39
10:30	40	2	0	0	1	0	0	43
10:45	42	3	0	0	0	2	0	47
1 Hr	146	11	1	0	2	2	1	163
11:00	41	3	0	0	1	0	0	45
11:15	37	4	1	0	0	0	0	42
11:30	42	1	0	0	1	0	0	44
11:45	45	1	1	0	0	0	0	47
1 Hr	165	9	2	0	2	0	0	178
6 Hrs	493	54	7	0	8	6	1	569
12 Hrs	547	56	8	0	8	6	1	626

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	3	0	0	0	0	0	0	3
06:15	9	0	0	0	0	0	0	9
06:30	16	3	0	0	0	0	1	20
06:45	15	5	0	0	0	0	0	20
1 Hr	43	8	0	0	0	0	1	52
07:00	13	3	0	0	0	0	0	16
07:15	15	0	0	1	0	0	0	16
07:30	29	4	0	0	0	1	1	35
07:45	39	2	0	0	0	0	1	42
1 Hr	96	9	0	1	0	1	2	109
08:00	36	3	1	0	1	1	0	42
08:15	44	1	2	0	0	0	1	48
08:30	39	4	0	0	0	0	0	43
08:45	40	2	1	0	1	1	0	45
1 Hr	159	10	4	0	2	2	1	178
09:00	46	3	0	0	0	0	0	49
09:15	52	6	0	0	1	0	0	59
09:30	63	7	1	0	0	0	0	71
09:45	57	5	1	0	1	0	0	64
1 Hr	218	21	2	0	2	0	0	243
10:00	52	1	1	0	0	0	0	54
10:15	56	4	1	0	1	1	0	63
10:30	51	4	0	0	0	0	0	55
10:45	64	5	0	0	1	1	1	72
1 Hr	223	14	2	0	2	2	1	244
11:00	59	6	0	0	0	0	0	65
11:15	61	3	0	0	1	0	0	65
11:30	49	2	1	0	1	0	0	53
11:45	58	3	0	0	1	0	0	62
1 Hr	227	14	1	0	3	0	0	245
6 Hrs	966	76	9	1	9	5	5	1071
12 Hrs	1017	77	10	1	9	5	5	1124



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 7th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Heavy Rain

Flowcount

Direction : Eastbound								
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
12:00	69	7	0	0	1	0	1	78
12:15	51	3	1	0	0	1	0	56
12:30	53	5	2	1	1	0	0	62
12:45	49	4	1	0	0	1	0	55
1 Hr	222	19	4	1	2	2	1	251
13:00	47	5	0	0	1	0	0	53
13:15	50	4	0	0	1	3	0	58
13:30	45	4	1	0	1	0	0	51
13:45	37	0	0	0	0	0	0	37
1 Hr	179	13	1	0	3	3	0	199
14:00	42	2	0	0	1	0	0	45
14:15	61	1	0	0	0	0	0	62
14:30	44	1	0	0	1	1	0	47
14:45	47	2	0	0	0	1	0	50
1 Hr	194	6	0	0	2	2	0	204
15:00	58	1	0	0	1	2	0	62
15:15	59	4	0	0	0	0	0	63
15:30	52	0	0	0	1	1	0	54
15:45	53	1	1	0	0	1	0	56
1 Hr	222	6	1	0	2	4	0	235
16:00	48	3	0	0	0	1	0	52
16:15	48	2	0	0	1	0	0	51
16:30	56	4	0	0	0	0	0	60
16:45	45	3	0	0	1	2	0	51
1 Hr	197	12	0	0	2	3	0	214
17:00	46	3	1	0	0	0	0	50
17:15	57	3	0	0	1	1	0	62
17:30	61	4	0	0	0	1	0	66
17:45	39	2	0	0	0	2	0	43
1 Hr	203	12	1	0	1	4	0	221
6 Hrs	1217	68	7	1	12	18	1	1324

Direction : Westbound								
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
12:00	53	4	2	0	0	0	4	63
12:15	62	1	1	0	1	0	0	65
12:30	55	4	0	0	0	1	0	60
12:45	36	3	0	0	1	0	0	40
1 Hr	206	12	3	0	2	1	4	228
13:00	43	1	3	0	0	0	0	47
13:15	40	3	0	1	1	0	1	46
13:30	58	5	0	0	0	0	0	63
13:45	60	2	0	0	1	0	0	63
1 Hr	201	11	3	1	2	0	1	219
14:00	52	0	1	0	1	1	0	55
14:15	42	1	0	0	1	0	2	46
14:30	41	2	0	0	0	3	0	46
14:45	28	1	0	0	1	0	0	30
1 Hr	163	4	1	0	3	4	2	177
15:00	30	3	0	0	0	2	0	35
15:15	35	1	1	0	1	0	0	38
15:30	37	2	0	0	0	1	0	40
15:45	27	0	0	0	1	0	0	28
1 Hr	129	6	1	0	2	3	0	141
16:00	37	3	1	0	0	0	0	41
16:15	29	4	0	0	1	1	0	35
16:30	33	2	0	0	0	0	0	35
16:45	34	1	0	0	1	1	1	38
1 Hr	133	10	1	0	2	2	1	149
17:00	20	0	0	0	0	0	0	20
17:15	30	2	0	0	0	0	0	32
17:30	27	4	0	0	1	0	0	32
17:45	17	0	1	0	0	1	1	20
1 Hr	94	6	1	0	1	1	1	104
6 Hrs	926	49	10	1	12	11	9	1018



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 7th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Heavy Rain

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	31	3	0	0	0	0	0	34
18:15	40	1	1	0	0	0	0	42
18:30	33	1	0	0	0	0	0	34
18:45	28	0	0	0	0	1	0	29
1 Hr	132	5	1	0	0	1	0	139
19:00	33	1	0	0	1	0	0	35
19:15	26	1	0	0	0	0	0	27
19:30	23	1	0	0	0	0	1	25
19:45	19	0	0	0	0	0	0	19
1 Hr	101	3	0	0	1	0	1	106
20:00	14	0	0	0	0	0	0	14
20:15	16	1	0	0	0	0	0	17
20:30	12	0	0	0	0	0	0	12
20:45	13	0	0	0	0	2	0	15
1 Hr	55	1	0	0	0	2	0	58
21:00	18	2	0	0	0	0	0	20
21:15	16	0	0	0	0	0	0	16
21:30	17	1	0	0	0	0	0	18
21:45	12	0	0	0	0	0	0	12
1 Hr	63	3	0	0	0	0	0	66
22:00	15	0	0	0	0	1	0	16
22:15	12	1	0	0	0	1	0	14
22:30	11	0	0	0	0	0	0	11
22:45	8	0	0	0	0	0	0	8
1 Hr	46	1	0	0	0	2	0	49
23:00	12	0	0	0	0	0	0	12
23:15	8	0	0	0	0	0	0	8
23:30	10	0	0	0	0	0	0	10
23:45	6	0	0	0	0	0	0	6
1 Hr	36	0	0	0	0	0	0	36
6 Hrs	433	13	1	0	1	5	1	454
12 Hrs	1650	81	8	1	13	23	2	1778
Total	2197	137	16	1	21	29	3	2404

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	29	2	0	0	1	1	1	34
18:15	24	1	0	0	0	0	0	25
18:30	36	1	0	0	0	0	0	37
18:45	19	0	0	0	0	0	0	19
1 Hr	108	4	0	0	1	1	1	115
19:00	37	0	0	0	0	0	0	37
19:15	25	0	0	0	0	2	0	27
19:30	20	0	0	0	0	0	0	20
19:45	21	0	0	0	1	0	0	22
1 Hr	103	0	0	0	1	2	0	106
20:00	19	0	0	0	0	0	0	19
20:15	14	0	0	0	0	0	2	16
20:30	8	1	0	0	0	2	0	11
20:45	15	3	0	0	0	0	0	18
1 Hr	56	4	0	0	0	2	2	64
21:00	9	0	0	0	0	2	0	11
21:15	10	0	0	0	0	0	0	10
21:30	7	0	0	0	0	0	0	7
21:45	13	1	0	0	0	0	0	14
1 Hr	39	1	0	0	0	2	0	42
22:00	12	0	0	0	0	0	0	12
22:15	10	0	0	0	0	0	0	10
22:30	11	0	0	0	0	0	0	11
22:45	8	0	0	0	0	0	1	9
1 Hr	41	0	0	0	0	0	1	42
23:00	9	0	0	0	0	0	0	9
23:15	5	0	0	0	0	0	0	5
23:30	1	0	0	0	0	0	0	1
23:45	5	0	0	0	0	0	0	5
1 Hr	20	0	0	0	0	0	0	20
6 Hrs	367	9	0	0	2	7	4	389
12 Hrs	1293	58	10	1	14	18	13	1407
Total	2310	135	20	2	23	23	18	2531



Client : Lincolnshire County Council
 Project : 0320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 2nd June - Saturday 7th June 2014

Summary of Counts

			Direction: Eastbound							Total
			Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	
Day 1	Monday	02/06/2014	2606	255	55	1	33	50	24	3024
Day 2	Tuesday	03/06/2014	2623	278	71	5	33	45	30	3086
Day 3	Wednesday	04/06/2014	2617	278	54	7	34	31	14	3035
Day 4	Thursday	05/06/2014	2641	252	67	5	35	54	28	3082
Day 5	Friday	06/06/2014	2827	280	59	9	36	54	29	3274
Day 6	Saturday	07/06/2014	2187	137	16	1	21	29	3	2404
			15511	1461	322	28	192	263	128	17905

			Direction: Westbound							Total
			Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	
			2763	254	45	2	35	33	16	3148
			2798	286	73	4	35	41	23	3260
			2737	262	44	9	37	30	13	3132
			2805	257	77	7	38	45	17	3246
			2894	292	58	5	34	64	36	3383
			2310	125	20	2	23	23	18	2531
			16307	1486	317	29	202	236	123	18700

			Direction: Eastbound					Total
			Adult	Accompanied Child	Unaccompanied Child	Unaccompanied Infant	Unaccompanied Toddler	
			1	0	0	0	1	1
			1	0	0	0	1	1
			0	0	1	1	1	1
			1	0	0	0	1	1
			2	0	0	0	2	2
			2	0	0	0	2	2
			7	0	1	1	8	8

			Direction: Westbound					Total
			Adult	Accompanied Child	Unaccompanied Child	Unaccompanied Infant	Unaccompanied Toddler	
			1	0	0	0	1	1
			2	0	0	0	2	2
			1	0	0	0	1	1
			1	0	0	0	1	1
			1	0	0	0	1	1
			7	0	1	1	8	8

			Direction: Combined Counts							Total
			Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	

Day 1	Monday	02/06/2014	5369	509	100	3	68	83	40	6172
Day 2	Tuesday	03/06/2014	5421	565	144	9	68	86	53	6346
Day 3	Wednesday	04/06/2014	5354	540	98	16	71	61	27	6167
Day 4	Thursday	05/06/2014	5446	509	144	12	73	99	46	6328
Day 5	Friday	06/06/2014	5721	552	117	14	70	118	65	6657
Day 6	Saturday	07/06/2014	4507	272	36	3	44	52	21	4935
			31818	2947	639	57	394	499	251	38655

			Direction: Combined Counts					Total
			Adult	Accompanied Child	Unaccompanied Child	Unaccompanied Infant	Unaccompanied Toddler	
			2	0	0	0	2	2
			3	0	0	0	3	3
			1	0	1	1	2	2
			2	0	0	0	2	2
			3	0	0	0	3	3
			3	0	1	1	4	4
			14	0	2	2	16	16

Averages Vehicles

			Direction: Eastbound							Total
			Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	
Day 1	AM	20.25	4.42	1.17	0.08	0.83	0.08	0.00	0.00	26.83
	PM	77.58	6.50	0.58	0.00	0.33	1.58	0.92	0.00	87.50
	00:00-12:00	11.65	1.88	0.60	0.02	0.33	0.21	0.04	0.00	14.73
	12:00-24:00	42.85	3.44	0.54	0.00	0.35	0.83	0.46	0.27	48.27
	24 Hrs	27.15	2.66	0.57	0.01	0.34	0.52	0.25	0.00	31.50

			Direction: Westbound							Total
			Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	
			94.42	7.42	1.42	0.08	0.92	1.08	0.67	106.00
			29.42	3.42	0.25	0.00	0.58	0.42	0.17	34.25
			32.83	2.98	0.54	0.04	0.33	0.42	0.23	37.38
			24.73	2.31	0.40	0.00	0.40	0.27	0.10	28.21
			28.78	2.85	0.47	0.02	0.36	0.34	0.17	32.79

			Direction: Eastbound					Total
			Adult	Ac Child	Un Child	Un Infant	Un Toddler	
AM	0.08	0.00	0.00	0.00	0.08	0.08	0.00	0.00
PM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6 Hrs	0.04	0.00	0.00	0.00	0.04	0.04	0.00	0.00

			Direction: Westbound					Total
			Adult	Ac Child	Un Child	Un Infant	Un Toddler	
AM	0.08	0.00	0.00	0.00	0.08	0.08	0.00	0.00
PM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6 Hrs	0.04	0.00	0.00	0.00	0.04	0.04	0.00	0.00

			Direction: Eastbound							Total
			Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	
Day 2	AM	20.92	4.25	1.58	0.08	0.75	0.25	0.00	0.00	27.83
	PM	81.50	6.83	0.92	0.00	0.42	1.75	1.25	0.00	92.67
	00:00-12:00	11.25	2.00	0.75	0.08	0.31	0.17	0.02	0.00	14.58
	12:00-24:00	43.40	3.81	0.73	0.02	0.38	0.77	0.60	0.00	49.71
	24 Hrs	27.32	2.91	0.74	0.05	0.34	0.47	0.31	0.00	32.15

			Direction: Westbound							Total
			Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	
			94.17	8.25	1.08	0.08	0.67	1.25	0.58	106.08
			33.33	3.00	0.83	0.08	0.75	0.50	0.33	38.83
			33.21	3.40	0.58	0.04	0.31	0.50	0.23	38.27
			25.08	2.56	0.84	0.04	0.42	0.35	0.25	29.65
			29.15	2.98	0.76	0.04	0.36	0.43	0.24	33.96

			Direction: Eastbound					Total
			Adult	Ac Child	Un Child	Un Infant	Un Toddler	
AM	0.08	0.00	0.00	0.00	0.08	0.08	0.00	0.00
PM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6 Hrs	0.04	0.00	0.00	0.00	0.04	0.04	0.00	0.00

			Direction: Westbound					Total
			Adult	Ac Child	Un Child	Un Infant	Un Toddler	
AM	0.08	0.00	0.00	0.00	0.08	0.08	0.00	0.00
PM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6 Hrs	0.04	0.00	0.00	0.00	0.04	0.04	0.00	0.00

			Direction: Eastbound							Total
			Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	
Day 3	AM	20.33	5.75	0.83	0.00	0.83	0.33	0.08	0.00	28.17
	PM	81.75	5.33	0.92	0.08	0.33	1.00	0.50	0.00	89.92
	00:00-12:00	10.85	2.31	0.52	0.04	0.33	0.17	0.04	0.00	14.27
	12:00-24:00	43.67	3.48	0.60	0.10	0.38	0.48	0.25	0.00	48.96
	24 Hrs	27.28	2.90	0.56	0.07	0.35	0.32	0.15	0.00	31.61

			Direction: Westbound							Total
			Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	
			93.67	8.08	0.92	0.08	0.83	0.83	0.33	104.75
			28.33	3.17	0.17	0.25	0.58	0.33	0.00	32.83
			33.06	3.17	0.50	0.04	0.38	0.27	0.21	37.63
			23.96	2.29	0.42	0.15	0.40	0.35	0.06	27.63
			28.51	2.73	0.46	0.09	0.39	0.31	0.14	32.63

			Direction: Eastbound					Total
			Adult	Ac Child	Un Child	Un Infant	Un Toddler	
AM	0.00	0.00	0.00	0.00	0.08	0.08	0.00	0.00
PM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6 Hrs	0.00	0.00	0.00	0.00	0.04	0.04	0.00	0.00

			Direction: Westbound					Total
			Adult	Ac Child	Un Child	Un Infant	Un Toddler	
AM	0.08	0.00	0.00	0.00	0.08	0.08	0.00	0.00
PM	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6 Hrs	0.04	0.00	0.00	0.00	0.04	0.04	0.00	0.00

			Direction: Eastbound							Total
			Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	
Day 4	AM	20.00	4.42	1.42	0.08	0.75	0.08	0.17	0.00	26.62
	PM	75.75	4.75	1.33	0.08	0.33	1.33	0.92	0.00	84.50
	00:00-12:00	12.10	2.21	0.63	0.04	0.31	0.21	0.13	0.00	15.63
	12:00-24:00	42.92	3.04	0.77	0.08	0.42	0.92	0.48	0.00	48.58
	24 Hrs	27.51	2.63	0.70	0.05	0.36	0.56	0.29	0.00	32.10

			Direction: Westbound							Total
			Car	Lgv	Ogv1	Ogv2	Psv	MC	PC	
			94.42	7.33	1.42	0.17	0.83	1.50	0.33	106.00
			31.58	3.58	0.75	0.17	0.58	0.58	0.25	37.50
			33.23	2.79	0.83	0.04	0.33	0.46	0.19	37.88
			25.21							



Sky High

Count On Us

Client : Lincolnshire County Council	Site plan for : EW3 - B1308 Greetwell Road
Project : 9320 / Lincoln By Pass	Date : Monday 2nd June - Saturday 7th June 2014

