



Sky High

Count On Us

Client: Lincolnshire County Council
Project: 9320 / Lincoln By Pass
Site: EW3 - B1308 Greetwell Road
Survey Date: Monday 9th June - Saturday 14th June 2014
Survey Period: 07:00 - 19:00
Method: Video Observation

Incidents / Observations:

There were no incidents reported over the survey period.



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 9th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound								
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
00:00	1	0	0	0	0	0	0	1
00:15	3	0	0	0	0	0	0	3
00:30	2	0	0	0	0	0	0	2
00:45	2	0	0	0	0	0	0	2
1 Hr	8	0	0	0	0	0	0	8
01:00	1	0	0	0	0	0	0	1
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	1	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	0	1	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	1	0	1	0	0	0	0	2
04:45	1	1	0	0	0	0	0	2
1 Hr	2	1	1	0	0	0	0	4
05:00	0	0	0	0	0	0	0	0
05:15	1	0	0	0	0	0	0	1
05:30	2	1	0	0	0	0	0	3
05:45	1	0	0	0	0	0	0	1
1 Hr	4	1	0	0	0	0	0	5
6 Hrs	18	3	1	0	0	0	0	22

Direction : Westbound								
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
00:00	1	0	0	0	0	0	0	1
00:15	1	0	0	0	0	0	0	1
00:30	2	0	0	0	0	0	0	2
00:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
02:00	0	0	0	0	0	0	0	0
02:15	1	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
03:00	1	0	0	0	0	0	0	1
03:15	0	0	0	0	0	1	0	1
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	1	0	2
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	2	0	0	0	0	0	0	2
04:45	2	0	0	0	0	0	0	2
1 Hr	4	0	0	0	0	0	0	4
05:00	4	0	1	0	0	0	0	5
05:15	7	3	0	0	0	0	0	10
05:30	12	2	0	0	0	0	0	14
05:45	14	3	0	0	0	0	0	17
1 Hr	37	8	1	0	0	0	0	46
6 Hrs	49	8	1	0	0	1	0	59

Direction : Eastbound				
	Adult	Accompanied Child	Unaccompanied Child	Total
07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	2	0	0	2
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	2	0	0	2

Direction : Westbound				
	Adult	Accompanied Child	Unaccompanied Child	Total
07:00	0	0	0	0
07:15	0	0	0	0
07:30	2	0	0	2
07:45	0	0	0	0
1 Hr	2	0	0	2
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	1	0	0	1
1 Hr	1	0	0	1
3 Hr	3	0	0	3
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	3	0	0	3



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 9th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	0	1	1	0	1	0	1	4
06:15	4	1	0	0	0	0	0	5
06:30	14	1	0	0	0	1	1	17
06:45	9	1	1	0	0	0	0	11
1 Hr	27	4	2	0	1	1	2	37

14	1	1	0	0	0	0	0	16
16	5	0	0	0	0	0	0	21
24	1	0	0	1	1	1	1	28
29	6	1	0	0	0	0	2	38
83	13	2	0	1	1	3	3	103

07:00	14	1	0	0	1	0	0	16
07:15	19	5	3	0	3	0	2	32
07:30	19	1	0	0	0	2	0	22
07:45	23	2	3	0	1	0	0	29
1 Hr	75	9	6	0	5	2	2	99

46	7	2	0	0	4	1	1	60
67	12	0	0	0	1	1	1	81
86	9	1	0	1	4	2	2	103
121	11	1	0	1	1	1	2	137
320	39	4	0	2	10	6	6	381

08:00	25	2	0	0	0	1	0	28
08:15	19	4	1	0	1	0	0	25
08:30	22	3	4	0	0	0	0	29
08:45	27	3	2	0	1	0	0	33
1 Hr	93	12	7	0	2	1	0	115

157	11	1	0	2	2	0	0	173
134	4	1	0	0	1	0	0	140
124	6	1	0	2	2	0	0	135
100	3	3	0	1	2	2	2	111
515	24	6	0	5	7	2	2	559

09:00	26	4	0	0	0	0	0	30
09:15	23	1	0	0	1	0	1	26
09:30	14	6	2	0	2	0	0	24
09:45	27	5	0	0	0	0	0	32
1 Hr	90	16	2	0	3	0	1	112

103	7	0	0	0	0	0	0	110
73	2	0	0	1	0	0	0	76
62	6	1	0	1	0	0	0	70
48	5	1	0	1	1	0	0	56
286	20	2	0	3	1	0	0	312

10:00	28	0	0	0	1	0	0	29
10:15	35	7	2	0	0	2	0	46
10:30	32	3	3	0	1	0	1	40
10:45	38	5	1	0	0	0	0	44
1 Hr	133	15	6	0	2	2	1	159

54	4	0	0	1	0	0	0	59
48	3	1	0	1	1	0	0	54
39	7	1	0	0	0	0	2	49
58	8	4	0	1	0	0	0	71
199	22	6	0	3	1	2	2	233

11:00	49	4	4	0	1	0	0	58
11:15	34	3	1	0	1	0	0	39
11:30	48	6	0	1	1	0	0	56
11:45	38	7	3	0	0	0	0	48
1 Hr	169	20	8	1	3	0	0	201

42	10	2	0	0	2	0	0	56
38	7	1	0	1	1	0	0	48
45	3	2	0	0	0	0	0	50
35	8	1	0	1	1	0	0	46
160	28	6	0	2	4	0	0	200

6 Hrs	587	76	31	1	16	6	6	723
-------	-----	----	----	---	----	---	---	-----

1563	146	26	0	16	24	13	13	1788
------	-----	----	---	----	----	----	----	------

12 Hrs	605	79	32	1	16	6	6	745
--------	-----	----	----	---	----	---	---	-----

1612	154	27	0	16	25	13	13	1847
------	-----	----	---	----	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 9th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Cloudy

Flowcount

Direction :		Eastbound						Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

12:00	45	4	2	0	1	0	0	52
12:15	35	3	0	1	0	1	0	40
12:30	43	3	0	0	1	2	0	49
12:45	47	6	2	0	1	0	1	57
1 Hr	170	16	4	1	3	3	1	198

13:00	34	2	0	0	1	0	0	37
13:15	57	2	2	0	0	0	0	61
13:30	33	7	1	0	1	1	0	43
13:45	41	7	0	0	0	0	0	48
1 Hr	165	18	3	0	2	1	0	189

14:00	40	4	2	0	0	1	0	47
14:15	47	7	0	0	1	0	0	55
14:30	58	5	2	1	4	1	0	71
14:45	50	4	0	0	0	0	0	54
1 Hr	195	20	4	1	5	2	0	227

15:00	69	4	1	0	0	3	1	78
15:15	67	8	1	0	1	2	0	79
15:30	59	7	0	0	1	1	1	69
15:45	51	4	0	0	2	2	0	59
1 Hr	246	23	2	0	4	8	2	285

16:00	80	5	0	0	1	0	0	86
16:15	73	7	1	0	0	2	0	83
16:30	93	10	2	0	1	1	0	107
16:45	120	8	0	0	1	2	0	131
1 Hr	366	30	3	0	3	5	0	407

17:00	124	9	1	0	0	2	1	137
17:15	105	9	1	0	0	3	1	119
17:30	110	10	0	0	1	2	1	124
17:45	82	6	0	0	0	2	1	91
1 Hr	421	34	2	0	1	9	4	471

6 Hrs	1563	141	18	2	18	28	7	1777
-------	------	-----	----	---	----	----	---	------

Direction :		Westbound						Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

12:00	53	2	0	0	0	0	0	55
12:15	36	3	2	0	1	0	0	42
12:30	44	4	0	0	0	0	0	48
12:45	47	5	1	0	2	1	1	57
1 Hr	180	14	3	0	3	1	1	202

13:00	38	8	2	0	0	1	1	50
13:15	39	6	1	0	1	3	1	51
13:30	33	6	0	0	0	0	1	40
13:45	37	8	3	0	1	1	0	50
1 Hr	147	28	6	0	2	5	3	191

14:00	38	5	0	0	0	0	0	43
14:15	32	5	2	0	1	0	1	41
14:30	35	1	1	0	0	2	0	39
14:45	36	3	1	0	1	0	0	41
1 Hr	141	14	4	0	2	2	1	164

15:00	25	4	0	0	1	0	0	30
15:15	44	3	0	0	2	0	1	50
15:30	66	2	2	0	1	0	1	72
15:45	26	3	0	0	1	0	0	30
1 Hr	161	12	2	0	5	0	2	182

16:00	38	4	0	0	0	1	0	43
16:15	23	6	0	0	2	1	1	33
16:30	41	7	2	0	0	0	0	50
16:45	35	2	0	0	0	0	0	37
1 Hr	137	19	2	0	2	2	1	163

17:00	36	4	1	0	3	1	0	45
17:15	23	5	0	0	0	1	1	30
17:30	29	4	0	0	1	0	0	34
17:45	34	3	0	0	1	0	1	39
1 Hr	122	16	1	0	5	2	2	148

6 Hrs	888	103	18	0	19	12	10	1050
-------	-----	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 9th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Cloudy

Flowcount

Direction :		Eastbound						Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

Direction :		Westbound						Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

18:00	60	6	1	0	1	1	1	70
18:15	35	2	0	0	0	1	2	40
18:30	41	3	0	0	0	1	0	45
18:45	33	2	0	0	0	1	1	36
1 Hr	169	13	1	0	1	3	4	191

18:00	28	3	0	0	1	0	0	32
18:15	34	2	1	0	0	1	0	38
18:30	19	3	0	0	1	0	0	23
18:45	27	2	0	0	0	0	1	30
1 Hr	108	10	1	0	2	1	1	123

19:00	30	4	1	0	0	1	1	37
19:15	33	1	0	0	0	0	2	36
19:30	36	1	0	0	0	0	0	37
19:45	26	4	1	0	0	0	2	33
1 Hr	125	10	2	0	0	1	5	143

19:00	36	2	1	0	0	0	1	40
19:15	28	1	0	0	0	0	0	29
19:30	22	1	1	0	0	1	1	26
19:45	19	2	0	0	1	0	1	23
1 Hr	105	6	2	0	1	1	3	118

20:00	31	0	0	0	0	0	1	32
20:15	26	0	0	0	0	0	4	30
20:30	20	1	1	0	0	0	1	23
20:45	26	2	0	0	0	0	0	28
1 Hr	103	3	1	0	0	0	6	113

20:00	11	0	0	0	0	0	0	11
20:15	12	2	1	0	0	0	0	15
20:30	11	1	0	0	0	0	0	12
20:45	7	0	0	0	0	1	0	8
1 Hr	41	3	1	0	0	1	0	46

21:00	23	1	0	0	0	2	0	26
21:15	21	1	0	0	0	0	0	22
21:30	15	0	0	0	0	0	0	15
21:45	11	0	0	0	0	0	0	11
1 Hr	70	2	0	0	0	2	0	74

21:00	17	1	0	0	0	0	0	18
21:15	6	0	0	0	0	0	0	6
21:30	7	0	0	0	0	1	0	8
21:45	8	1	0	0	0	0	0	9
1 Hr	38	2	0	0	0	1	0	41

22:00	14	1	0	0	0	1	0	16
22:15	12	1	0	0	0	1	0	14
22:30	5	0	0	0	0	0	0	5
22:45	10	1	0	0	0	0	0	11
1 Hr	41	3	0	0	0	2	0	46

22:00	11	0	0	0	0	0	0	11
22:15	8	0	0	0	0	0	0	8
22:30	7	0	0	0	0	0	0	7
22:45	4	0	0	0	0	0	0	4
1 Hr	30	0	0	0	0	0	0	30

23:00	6	0	0	0	0	0	0	6
23:15	7	0	0	0	0	0	0	7
23:30	5	0	0	0	0	0	0	5
23:45	0	0	0	0	0	0	0	0
1 Hr	18	0	0	0	0	0	0	18

23:00	2	0	0	0	0	0	0	2
23:15	2	0	0	0	0	0	0	2
23:30	1	0	0	0	0	0	0	1
23:45	3	0	0	0	0	0	0	3
1 Hr	8	0	0	0	0	0	0	8

6 Hrs	526	31	4	0	1	8	15	585
-------	-----	----	---	---	---	---	----	-----

6 Hrs	330	21	4	0	3	4	4	366
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2089	172	22	2	19	36	22	2362
--------	------	-----	----	---	----	----	----	------

12 Hrs	1218	124	22	0	22	16	14	1416
--------	------	-----	----	---	----	----	----	------

Total	2694	251	54	3	35	42	28	3107
-------	------	-----	----	---	----	----	----	------

Total	2830	278	49	0	38	41	27	3263
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 10th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	2	0	0	0	0	0	0	2
00:30	2	0	0	0	0	0	0	2
00:45	2	0	0	0	0	0	0	2
1 Hr	9	0	0	0	0	0	0	9
01:00	3	0	0	0	0	0	0	3
01:15	0	0	0	0	0	0	0	0
01:30	1	0	0	0	0	0	0	1
01:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4
02:00	0	0	0	0	0	0	0	0
02:15	1	0	0	0	0	0	0	1
02:30	3	0	0	0	0	0	0	3
02:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	1	0	0	0	0	0	0	1
03:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	1	1	1	0	0	0	0	3
04:45	0	0	0	0	0	0	0	0
1 Hr	2	1	1	0	0	0	0	4
05:00	0	0	0	0	0	0	0	0
05:15	2	0	0	0	0	0	0	2
05:30	2	2	0	0	0	0	0	4
05:45	1	0	0	0	0	0	0	1
1 Hr	5	2	0	0	0	0	0	7
6 Hrs	27	3	1	0	0	0	0	31

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
00:00	2	0	0	0	0	0	0	2
00:15	1	0	0	0	0	0	0	1
00:30	2	0	0	0	0	0	0	2
00:45	1	0	0	0	0	0	0	1
1 Hr	6	0	0	0	0	0	0	6
01:00	3	0	0	0	0	0	0	3
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	1	0	0	0	0	0	2
1 Hr	1	1	0	0	0	0	0	2
04:00	0	0	0	0	0	0	0	0
04:15	2	1	0	0	0	0	0	3
04:30	3	1	0	0	0	0	0	4
04:45	0	0	0	0	0	0	0	0
1 Hr	5	2	0	0	0	0	0	7
05:00	3	0	1	0	0	0	0	4
05:15	9	1	0	0	0	0	0	10
05:30	9	0	0	0	0	1	0	10
05:45	15	3	1	0	0	0	0	19
1 Hr	36	4	2	0	0	1	0	43
6 Hrs	51	7	2	0	0	1	0	61

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	1	0	0	0	1
07:45	0	0	0	0	0
1 Hr	1	0	0	0	1
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	1	0	0	0	1
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	1	0	0	0	1

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	1	0	0	1
17:45	0	0	0	0
1 Hr	1	0	0	1
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	1	0	0	1
6 Hrs	2	0	0	2



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 10th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	2	1	0	0	1	0	0	4
06:15	3	1	1	0	0	1	0	6
06:30	7	0	0	0	0	0	0	7
06:45	13	1	0	0	0	0	2	16
1 Hr	25	3	1	0	1	1	2	33
07:00	8	1	1	0	1	1	0	12
07:15	25	4	2	0	3	0	1	35
07:30	19	6	2	0	0	1	0	28
07:45	16	3	0	0	1	0	0	20
1 Hr	68	14	5	0	5	2	1	95
08:00	17	2	4	0	0	1	0	24
08:15	21	5	1	0	1	0	0	28
08:30	24	2	2	1	0	3	0	32
08:45	31	6	1	0	1	0	0	39
1 Hr	93	15	8	1	2	4	0	123
09:00	17	2	0	1	1	0	1	22
09:15	26	2	1	0	0	1	0	30
09:30	20	4	5	0	1	2	3	35
09:45	25	8	3	0	0	1	0	37
1 Hr	88	16	9	1	2	4	4	124
10:00	29	6	1	0	1	0	0	37
10:15	31	2	2	0	1	2	0	38
10:30	27	3	1	0	2	0	0	33
10:45	47	7	1	0	0	1	0	56
1 Hr	134	18	5	0	4	3	0	164
11:00	34	6	0	0	1	4	1	46
11:15	39	7	1	0	0	0	0	47
11:30	41	2	0	0	1	0	2	46
11:45	43	8	2	0	0	0	0	53
1 Hr	157	23	3	0	2	4	3	192
6 Hrs	565	89	31	2	16	18	10	731
12 Hrs	592	92	32	2	16	18	10	762

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	11	1	2	0	0	0	1	15
06:15	19	2	0	0	0	1	0	22
06:30	30	3	1	0	1	1	1	37
06:45	21	7	1	0	0	0	2	31
1 Hr	81	13	4	0	1	2	4	105
07:00	52	8	2	0	0	2	2	66
07:15	81	10	0	0	0	2	0	93
07:30	97	13	2	0	1	1	0	114
07:45	120	3	1	0	0	2	0	126
1 Hr	350	34	5	0	1	7	2	399
08:00	140	10	0	0	2	1	1	154
08:15	134	9	0	0	0	2	1	146
08:30	120	8	2	0	1	1	1	133
08:45	102	5	1	0	0	4	0	112
1 Hr	496	32	3	0	3	8	3	545
09:00	120	5	1	0	0	1	1	128
09:15	73	3	3	0	1	0	0	80
09:30	56	8	0	0	1	1	0	66
09:45	43	5	2	1	2	0	0	53
1 Hr	292	21	6	1	4	2	1	327
10:00	34	4	0	0	0	0	0	38
10:15	41	3	0	0	1	1	0	46
10:30	48	5	1	0	0	0	0	54
10:45	41	3	2	0	1	0	0	47
1 Hr	164	15	3	0	2	1	0	185
11:00	68	4	2	0	0	0	0	74
11:15	35	5	2	0	1	1	0	44
11:30	29	3	1	0	0	0	0	33
11:45	34	6	1	0	1	0	0	42
1 Hr	166	18	6	0	2	1	0	193
6 Hrs	1549	133	27	1	13	21	10	1754
12 Hrs	1600	140	29	1	13	22	10	1815



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 10th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :		Eastbound							Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C			

12:00	36	4	2	0	2	0	0	44
12:15	48	3	3	1	0	0	0	55
12:30	35	2	1	0	0	0	0	38
12:45	44	5	3	0	1	2	0	55
1 Hr	163	14	9	1	3	2	0	192

13:00	38	3	2	0	1	1	0	45
13:15	37	4	0	0	0	2	0	43
13:30	32	5	0	0	1	0	0	38
13:45	50	4	2	0	0	1	0	57
1 Hr	157	16	4	0	2	4	0	183

14:00	45	4	3	0	0	0	0	52
14:15	34	2	0	0	2	0	0	38
14:30	40	4	1	0	3	0	0	48
14:45	58	2	3	0	0	0	0	63
1 Hr	177	12	7	0	5	0	0	201

15:00	73	6	0	0	1	2	1	83
15:15	61	5	2	0	0	4	0	72
15:30	73	3	1	0	1	2	0	80
15:45	68	6	1	0	0	0	1	76
1 Hr	275	20	4	0	2	8	2	311

16:00	86	7	0	0	0	0	3	96
16:15	91	7	2	0	1	0	0	101
16:30	86	7	2	0	0	2	0	97
16:45	94	4	0	0	1	4	1	104
1 Hr	357	25	4	0	2	6	4	398

17:00	122	7	1	0	0	4	0	134
17:15	124	14	1	0	2	2	2	145
17:30	98	4	2	0	0	5	2	111
17:45	87	6	2	0	1	1	2	99
1 Hr	431	31	6	0	3	12	6	489

6 Hrs	1560	118	34	1	17	32	12	1774
-------	------	-----	----	---	----	----	----	------

Direction :		Westbound							Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C			

12:00	32	5	4	0	1	1	1	44
12:15	27	6	0	0	1	0	0	34
12:30	37	1	2	0	0	1	0	41
12:45	40	3	2	1	1	1	0	48
1 Hr	136	15	8	1	3	3	1	167

13:00	37	4	3	0	0	1	0	45
13:15	39	7	1	1	1	1	0	50
13:30	41	3	4	0	0	2	2	52
13:45	40	3	0	0	1	1	0	45
1 Hr	157	17	8	1	2	5	2	192

14:00	29	8	1	0	0	0	0	38
14:15	45	3	1	1	2	1	0	53
14:30	40	2	2	1	0	0	0	45
14:45	33	8	2	0	1	2	1	47
1 Hr	147	21	6	2	3	3	1	183

15:00	29	6	0	0	0	1	0	36
15:15	39	4	0	0	2	1	0	46
15:30	45	2	3	0	0	1	0	51
15:45	42	4	1	0	1	1	0	49
1 Hr	155	16	4	0	3	4	0	182

16:00	41	3	1	0	0	0	0	45
16:15	34	5	0	0	1	1	1	42
16:30	36	7	2	0	0	1	0	46
16:45	30	2	1	0	0	1	0	34
1 Hr	141	17	4	0	1	3	1	167

17:00	40	3	0	0	3	1	0	47
17:15	23	2	0	0	1	0	1	27
17:30	33	5	0	0	1	0	0	39
17:45	39	0	3	0	0	1	0	43
1 Hr	135	10	3	0	5	2	1	156

6 Hrs	871	96	33	4	17	20	6	1047
-------	-----	----	----	---	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 10th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	77	5	1	0	0	1	3	87
18:15	43	3	0	0	0	1	1	48
18:30	57	5	1	0	0	2	1	66
18:45	36	2	1	0	0	0	0	39
1 Hr	213	15	3	0	0	4	5	240

19:00	38	1	1	0	1	2	1	44
19:15	34	1	1	0	0	1	0	37
19:30	26	0	1	0	0	0	0	27
19:45	29	0	1	0	0	0	0	30
1 Hr	127	2	4	0	1	3	1	138

20:00	34	2	0	0	0	1	1	38
20:15	32	0	1	0	0	0	0	33
20:30	30	2	0	0	0	0	0	32
20:45	24	0	0	0	0	1	0	25
1 Hr	120	4	1	0	0	2	1	128

21:00	26	0	0	0	0	1	0	27
21:15	17	0	0	0	0	1	0	18
21:30	19	0	1	0	0	1	0	21
21:45	21	1	0	0	0	0	0	22
1 Hr	83	1	1	0	0	3	0	88

22:00	10	0	0	0	0	1	0	11
22:15	19	0	0	0	0	0	0	19
22:30	13	0	1	0	0	0	0	14
22:45	5	0	0	0	0	0	0	5
1 Hr	47	0	1	0	0	1	0	49

23:00	5	0	0	0	0	0	0	5
23:15	9	0	0	0	0	0	0	9
23:30	5	0	0	0	0	0	0	5
23:45	6	0	0	0	0	0	0	6
1 Hr	25	0	0	0	0	0	0	25

6 Hrs	615	22	10	0	1	13	7	668
-------	-----	----	----	---	---	----	---	-----

12 Hrs	2175	140	44	1	18	45	19	2442
--------	------	-----	----	---	----	----	----	------

Total	2767	232	76	3	34	63	29	3204
-------	------	-----	----	---	----	----	----	------

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

18:00	41	0	1	0	1	1	1	45
18:15	34	0	1	0	0	1	1	37
18:30	33	2	1	0	1	0	0	37
18:45	41	3	1	0	0	1	1	47
1 Hr	149	5	4	0	2	3	3	166

19:00	37	2	0	0	0	2	0	41
19:15	27	0	1	0	0	1	2	31
19:30	18	1	1	0	1	1	0	22
19:45	17	1	1	0	0	0	0	19
1 Hr	99	4	3	0	1	4	2	113

20:00	24	1	0	0	0	0	0	25
20:15	15	1	0	0	0	0	0	16
20:30	16	0	1	0	0	1	0	18
20:45	16	0	0	0	0	0	0	16
1 Hr	71	2	1	0	0	1	0	75

21:00	16	0	0	0	0	0	0	16
21:15	13	1	0	0	0	0	0	14
21:30	6	0	0	0	0	1	0	7
21:45	11	0	0	0	0	1	0	12
1 Hr	46	1	0	0	0	2	0	49

22:00	10	0	0	0	0	0	0	10
22:15	5	0	0	0	0	0	0	5
22:30	7	0	1	0	0	0	0	8
22:45	3	0	0	0	0	1	0	4
1 Hr	25	0	1	0	0	1	0	27

23:00	4	0	0	0	0	0	0	4
23:15	7	0	0	0	0	1	0	8
23:30	5	0	0	0	0	0	0	5
23:45	3	0	0	0	0	0	0	3
1 Hr	19	0	0	0	0	1	0	20

6 Hrs	409	12	9	0	3	12	5	450
-------	-----	----	---	---	---	----	---	-----

12 Hrs	1280	108	42	4	20	32	11	1497
--------	------	-----	----	---	----	----	----	------

Total	2880	248	71	5	33	54	21	3312
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 11th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	2	0	0	0	0	0	0	2
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4
01:00	1	0	0	0	0	0	0	1
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4
02:00	1	0	0	0	0	0	0	1
02:15	1	0	0	0	0	0	0	1
02:30	3	0	0	0	0	0	0	3
02:45	0	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	0	5
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
04:00	1	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0
04:30	0	0	1	0	0	0	0	1
04:45	2	0	0	0	0	0	0	2
1 Hr	3	0	1	0	0	0	0	4
05:00	2	0	0	0	0	0	0	2
05:15	0	0	0	0	0	0	0	0
05:30	2	1	1	0	0	0	0	4
05:45	0	0	0	0	0	0	0	0
1 Hr	4	1	1	0	0	0	0	6
6 Hrs	22	1	2	0	0	0	0	25

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	1	0	0	0	0	0	0	1
00:30	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	2	0	0	0	0	0	0	2
1 Hr	3	0	0	0	0	0	0	3
02:00	0	0	0	0	0	0	0	0
02:15	1	0	0	0	0	0	0	1
02:30	1	0	0	0	0	0	0	1
02:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	2	0	0	0	0	0	0	2
04:45	3	0	0	0	0	0	0	3
1 Hr	5	0	0	0	0	0	0	5
05:00	5	0	0	0	0	0	0	5
05:15	6	1	0	0	0	0	0	7
05:30	17	1	2	0	0	1	0	21
05:45	11	3	1	0	0	0	0	15
1 Hr	39	5	3	0	0	1	0	48
6 Hrs	53	5	3	0	0	1	0	62

	Direction : Eastbound			Total
	Adult	Child	Accompanied	
07:00	1	0	0	1
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	1	0	0	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1
3 Hr	2	0	0	2

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	1	0	0	1
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1

07:00	1	0	0	1
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	1	0	0	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1
3 Hr	2	0	0	2
16:00	0	0	0	0
16:15	0	0	0	0
16:30	1	0	0	1
16:45	0	0	0	0
1 Hr	1	0	0	1
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	1	0	0	1
6 Hrs	3	0	0	3

07:00	1	0	0	1
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	2	0	0	2
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	2	0	0	2
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	2	0	0	2
6 Hrs	3	0	0	3



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 11th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	0	0	0	0	1	0	1	2
06:15	7	0	0	0	0	0	0	7
06:30	10	1	0	0	0	1	1	13
06:45	11	0	0	0	0	0	0	11
1 Hr	28	1	0	0	1	1	2	33
07:00	13	2	1	0	1	0	1	18
07:15	24	4	2	0	2	1	0	33
07:30	19	7	0	0	1	0	0	27
07:45	21	2	2	0	1	0	0	26
1 Hr	77	15	5	0	5	1	1	104
08:00	20	4	3	0	0	0	0	27
08:15	18	4	2	0	1	1	0	26
08:30	24	3	2	0	0	1	1	31
08:45	33	6	0	0	1	0	2	42
1 Hr	95	17	7	0	2	2	3	126
09:00	25	5	0	0	0	0	0	30
09:15	27	3	0	1	2	0	1	34
09:30	22	8	0	0	1	0	0	31
09:45	30	1	1	0	0	0	0	32
1 Hr	104	17	1	1	3	0	1	127
10:00	31	6	0	0	1	0	0	38
10:15	21	3	1	0	0	1	0	26
10:30	31	6	2	0	1	0	0	40
10:45	31	3	0	0	0	0	0	34
1 Hr	114	18	3	0	2	1	0	138
11:00	40	5	2	0	1	0	0	48
11:15	32	3	1	0	0	0	0	36
11:30	47	4	0	0	2	0	0	53
11:45	40	5	0	0	1	2	1	49
1 Hr	159	17	3	0	4	2	1	186
6 Hrs	577	85	19	1	17	7	8	714
12 Hrs	599	86	21	1	17	7	8	739

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	14	2	0	0	0	0	1	17
06:15	26	1	1	0	0	0	0	28
06:30	28	0	0	0	1	1	1	31
06:45	30	5	1	0	0	1	4	41
1 Hr	98	8	2	0	1	2	6	117
07:00	50	9	1	0	0	3	0	63
07:15	74	10	2	0	0	2	0	88
07:30	89	11	1	0	1	3	2	107
07:45	134	5	1	0	0	3	2	145
1 Hr	347	35	5	0	1	11	4	403
08:00	124	8	2	0	2	2	2	140
08:15	154	10	0	0	0	1	0	165
08:30	116	8	1	0	0	0	1	126
08:45	94	9	2	1	1	0	0	107
1 Hr	488	35	5	1	3	3	3	538
09:00	109	8	1	0	0	0	0	118
09:15	82	7	0	0	1	0	0	90
09:30	49	7	1	0	2	3	0	62
09:45	49	8	1	0	2	0	2	62
1 Hr	289	30	3	0	5	3	2	332
10:00	38	4	0	0	0	0	0	42
10:15	38	6	3	0	1	0	0	48
10:30	48	6	4	1	0	0	0	59
10:45	35	3	2	0	1	0	0	41
1 Hr	159	19	9	1	2	0	0	190
11:00	37	4	2	0	0	0	0	43
11:15	42	1	2	1	1	0	0	47
11:30	32	1	0	0	1	1	1	36
11:45	41	4	0	0	1	2	0	48
1 Hr	152	10	4	1	3	3	1	174
6 Hrs	1533	137	28	3	15	22	16	1754
12 Hrs	1586	142	31	3	15	23	16	1816



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 11th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	44	4	1	0	1	4	0	54
12:15	34	3	0	0	0	4	0	41
12:30	39	3	1	0	1	2	0	46
12:45	44	3	2	0	0	1	0	50
1 Hr	161	13	4	0	2	11	0	191
13:00	37	6	2	0	1	0	2	48
13:15	28	2	2	0	0	0	0	32
13:30	40	3	4	1	1	0	0	49
13:45	44	2	0	0	0	1	0	47
1 Hr	149	13	8	1	2	1	2	176
14:00	41	4	1	0	1	1	0	48
14:15	41	5	1	0	1	2	0	50
14:30	39	7	0	0	5	1	0	52
14:45	66	5	1	0	0	6	1	79
1 Hr	187	21	3	0	7	10	1	229
15:00	76	3	0	1	1	2	2	85
15:15	57	4	1	0	1	1	0	64
15:30	70	7	0	0	1	0	0	78
15:45	56	3	0	0	1	2	0	62
1 Hr	259	17	1	1	4	5	2	289
16:00	60	7	0	0	0	0	2	69
16:15	76	8	1	0	1	0	0	86
16:30	103	5	0	0	0	4	1	113
16:45	111	12	0	0	1	3	0	127
1 Hr	350	32	1	0	2	7	3	395
17:00	122	7	3	0	0	4	1	137
17:15	107	8	1	0	1	5	3	125
17:30	84	10	1	0	0	4	1	100
17:45	75	6	0	0	0	0	0	81
1 Hr	388	31	5	0	1	13	5	443
6 Hrs	1494	127	22	2	18	47	13	1723

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	37	6	1	0	1	0	1	46
12:15	41	0	0	0	1	0	3	45
12:30	39	6	1	0	0	4	0	50
12:45	33	5	1	0	1	0	0	40
1 Hr	150	17	3	0	3	4	4	181
13:00	30	2	1	0	0	1	0	34
13:15	34	1	1	0	1	2	0	39
13:30	45	5	2	0	0	0	1	53
13:45	48	1	2	0	1	2	0	54
1 Hr	157	9	6	0	2	5	1	180
14:00	31	2	2	0	0	0	0	35
14:15	38	0	0	0	2	0	0	40
14:30	38	5	0	0	3	2	0	48
14:45	35	6	1	1	1	0	0	44
1 Hr	142	13	3	1	6	2	0	167
15:00	32	3	1	1	0	2	0	39
15:15	41	3	1	0	2	4	0	51
15:30	56	1	1	0	0	0	0	58
15:45	40	6	0	0	1	1	0	48
1 Hr	169	13	3	1	3	7	0	196
16:00	34	8	1	1	0	2	0	46
16:15	27	3	1	1	1	2	1	36
16:30	34	5	0	0	0	0	0	39
16:45	29	7	2	0	3	0	1	42
1 Hr	124	23	4	2	4	4	2	163
17:00	32	5	2	0	0	2	1	42
17:15	30	3	1	0	0	2	3	39
17:30	30	7	0	1	1	0	0	39
17:45	36	2	0	0	0	0	0	38
1 Hr	128	17	3	1	1	4	4	158
6 Hrs	870	92	22	5	19	26	11	1045



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 11th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	49	7	3	0	0	3	4	66
18:15	41	8	1	0	0	7	3	60
18:30	40	1	1	1	0	0	0	43
18:45	44	2	1	0	0	1	0	48
1 Hr	174	18	6	1	0	11	7	217
19:00	34	2	0	0	1	1	1	39
19:15	29	2	0	0	0	1	0	32
19:30	45	1	2	0	0	3	0	51
19:45	25	0	0	0	0	0	0	25
1 Hr	133	5	2	0	1	5	1	147
20:00	28	2	0	0	0	1	1	32
20:15	30	4	0	0	0	0	0	34
20:30	39	3	0	0	0	3	0	45
20:45	25	3	0	0	0	1	2	31
1 Hr	122	12	0	0	0	5	3	142
21:00	19	2	0	0	0	5	0	26
21:15	22	1	0	0	0	0	0	23
21:30	16	0	0	0	0	1	0	17
21:45	19	1	0	0	0	0	0	20
1 Hr	76	4	0	0	0	6	0	86
22:00	18	0	0	0	0	3	0	21
22:15	21	0	0	0	0	1	0	22
22:30	8	0	0	0	0	0	0	8
22:45	12	0	0	0	0	0	0	12
1 Hr	59	0	0	0	0	4	0	63
23:00	7	0	0	0	0	0	0	7
23:15	1	0	0	0	0	0	0	1
23:30	5	0	0	0	0	0	0	5
23:45	5	0	0	0	0	0	0	5
1 Hr	18	0	0	0	0	0	0	18
6 Hrs	582	39	8	1	1	31	11	673
12 Hrs	2076	166	30	3	19	78	24	2396
Total	2675	252	51	4	36	85	32	3135

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	31	5	2	0	0	2	1	41
18:15	38	2	0	0	0	2	0	42
18:30	41	2	1	0	1	2	0	47
18:45	35	2	0	0	0	2	0	39
1 Hr	145	11	3	0	1	8	1	169
19:00	34	2	0	0	0	0	0	36
19:15	22	5	1	0	0	1	0	29
19:30	24	1	0	0	1	2	1	29
19:45	19	0	0	0	0	0	0	19
1 Hr	99	8	1	0	1	3	1	113
20:00	21	2	1	0	0	1	2	27
20:15	15	0	0	0	0	1	0	16
20:30	11	0	0	0	0	0	0	11
20:45	12	0	0	0	0	2	0	14
1 Hr	59	2	1	0	0	4	2	68
21:00	16	0	0	0	0	0	0	16
21:15	19	0	0	0	0	1	0	20
21:30	9	0	0	0	0	0	0	9
21:45	11	2	0	0	0	1	0	14
1 Hr	55	2	0	0	0	2	0	59
22:00	16	0	0	0	0	1	0	17
22:15	8	0	0	0	0	1	0	9
22:30	6	0	0	0	0	0	0	6
22:45	4	0	0	0	0	0	0	4
1 Hr	34	0	0	0	0	2	0	36
23:00	0	0	0	0	0	0	0	0
23:15	0	0	0	0	0	0	0	0
23:30	0	0	0	0	0	0	0	0
23:45	4	0	0	0	0	0	0	4
1 Hr	4	0	0	0	0	0	0	4
6 Hrs	396	23	5	0	2	19	4	449
12 Hrs	1266	115	27	5	21	45	15	1494
Total	2852	257	58	8	36	68	31	3310



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Thursday 12th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	4	0	0	0	0	0	0	4
00:15	2	0	0	0	0	0	0	2
00:30	1	0	0	0	0	0	0	1
00:45	1	0	0	0	0	0	0	1
1 Hr	8	0	0	0	0	0	0	8
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
02:00	2	0	0	0	0	0	0	2
02:15	0	0	1	0	0	0	0	1
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	3	0	1	0	0	0	0	4
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	1	0	0	0	2
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	1	0	0	0	3
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	1	0	1	0	0	0	0	2
04:45	0	0	1	0	0	0	0	1
1 Hr	2	0	2	0	0	0	0	4
05:00	0	0	0	0	0	0	0	0
05:15	1	0	0	0	0	0	0	1
05:30	0	1	0	0	0	0	0	1
05:45	2	1	0	0	0	0	0	3
1 Hr	3	2	0	0	0	0	0	5
6 Hrs	20	2	3	1	0	0	0	26

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	0	0	0	0	0	0	0	0
00:30	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
01:00	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
02:00	1	0	0	0	0	0	0	1
02:15	1	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	1	0	0	0	0	0	1
1 Hr	0	1	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	3	0	0	0	0	0	0	3
04:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4
05:00	6	0	0	0	0	0	0	6
05:15	3	2	1	0	0	0	0	6
05:30	12	1	0	0	0	0	0	13
05:45	10	5	1	0	0	0	0	16
1 Hr	31	8	2	0	0	0	0	41
6 Hrs	40	9	2	0	0	0	0	51

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	1	0	0	0	1
07:45	0	0	0	0	0
1 Hr	1	0	0	0	1
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	1	0	0	0	1
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	1	0	0	0	1

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 12th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	4	2	0	0	1	1	0	8
06:15	1	1	1	0	0	0	0	3
06:30	3	0	0	0	0	1	0	4
06:45	15	0	1	0	0	0	0	16
1 Hr	23	3	2	0	1	2	0	31
07:00	10	4	2	0	1	0	0	17
07:15	19	3	0	0	3	0	1	26
07:30	14	6	3	0	0	1	0	24
07:45	22	5	1	0	1	0	0	29
1 Hr	65	18	6	0	5	1	1	96
08:00	18	3	5	0	0	1	0	27
08:15	18	4	0	0	1	0	0	23
08:30	31	6	2	1	0	0	0	40
08:45	29	2	3	1	1	1	0	37
1 Hr	96	15	10	2	2	2	0	127
09:00	32	2	2	1	2	0	0	39
09:15	22	4	1	0	0	1	0	28
09:30	26	3	2	0	1	0	1	33
09:45	35	5	3	0	0	0	1	44
1 Hr	115	14	8	1	3	1	2	144
10:00	32	5	3	0	1	0	0	41
10:15	27	2	1	0	0	0	1	31
10:30	42	6	0	0	1	0	1	50
10:45	34	3	2	1	0	0	1	41
1 Hr	135	16	6	1	2	0	3	163
11:00	32	1	1	0	1	1	0	36
11:15	35	4	0	0	0	1	0	40
11:30	36	1	2	0	1	0	0	40
11:45	49	5	3	0	0	3	0	60
1 Hr	152	11	6	0	2	5	0	176
6 Hrs	586	77	38	4	15	11	6	737
12 Hrs	606	79	41	5	15	11	6	763

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	11	2	1	0	0	0	1	15
06:15	23	1	0	0	0	0	0	24
06:30	19	3	0	0	1	1	1	25
06:45	33	4	2	0	0	0	3	42
1 Hr	86	10	3	0	1	1	5	106
07:00	56	14	5	0	0	1	1	77
07:15	67	9	2	0	0	2	1	81
07:30	75	13	1	0	1	0	1	91
07:45	130	12	1	0	0	4	0	147
1 Hr	328	48	9	0	1	7	3	396
08:00	129	7	0	0	2	0	1	139
08:15	140	5	4	0	0	4	0	153
08:30	102	7	2	0	1	2	1	115
08:45	124	7	1	0	0	1	2	135
1 Hr	495	26	7	0	3	7	4	542
09:00	111	9	2	0	1	1	0	124
09:15	79	3	1	0	1	0	0	84
09:30	57	4	2	0	1	0	0	64
09:45	55	1	1	0	1	2	0	60
1 Hr	302	17	6	0	4	3	0	332
10:00	43	3	2	0	1	3	0	52
10:15	51	6	1	0	1	0	0	59
10:30	42	3	2	0	0	1	1	49
10:45	24	3	1	0	1	2	1	32
1 Hr	160	15	6	0	3	6	2	192
11:00	35	11	4	0	0	0	1	51
11:15	42	4	3	0	1	1	0	51
11:30	36	4	3	0	0	0	0	43
11:45	38	1	3	0	1	0	0	43
1 Hr	151	20	13	0	2	1	1	188
6 Hrs	1522	136	44	0	14	25	15	1756
12 Hrs	1562	145	46	0	14	25	15	1807



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 12th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	41	5	2	0	1	0	0	49
12:15	51	6	0	0	0	0	0	57
12:30	40	5	0	0	1	3	1	50
12:45	34	7	2	0	0	0	0	43
1 Hr	166	23	4	0	2	3	1	199
13:00	34	8	0	0	1	0	0	43
13:15	34	3	2	0	0	0	0	39
13:30	41	3	0	0	2	1	0	47
13:45	31	5	1	1	0	1	0	39
1 Hr	140	19	3	1	3	2	0	168
14:00	50	4	1	0	2	0	0	57
14:15	50	6	1	0	1	1	0	59
14:30	44	5	0	0	3	1	0	53
14:45	53	6	1	0	0	7	0	67
1 Hr	197	21	3	0	6	9	0	236
15:00	70	11	2	0	2	1	1	87
15:15	59	6	1	0	0	0	0	66
15:30	54	6	2	0	1	2	1	66
15:45	66	8	2	1	1	1	0	79
1 Hr	249	31	7	1	4	4	2	298
16:00	71	6	0	0	0	1	1	79
16:15	93	5	5	2	0	2	1	108
16:30	98	10	1	0	0	2	1	112
16:45	96	6	0	0	0	2	2	106
1 Hr	358	27	6	2	0	7	5	405
17:00	129	11	1	0	1	4	3	149
17:15	91	5	3	0	1	3	2	105
17:30	95	8	0	0	0	3	0	106
17:45	67	4	3	0	1	3	0	78
1 Hr	382	28	7	0	3	13	5	438
6 Hrs	1492	149	30	4	18	38	13	1744

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	41	6	2	1	0	0	0	50
12:15	39	4	1	0	1	1	0	46
12:30	44	8	0	0	0	0	1	53
12:45	32	5	0	0	1	0	0	38
1 Hr	156	23	3	1	2	1	1	187
13:00	34	8	3	0	0	2	0	47
13:15	40	5	3	0	1	3	0	52
13:30	50	1	1	0	0	3	0	55
13:45	36	6	1	0	1	1	0	45
1 Hr	160	20	8	0	2	9	0	199
14:00	39	3	1	0	0	0	0	43
14:15	41	1	1	1	3	1	0	48
14:30	41	2	2	0	0	1	0	46
14:45	45	6	3	0	1	0	0	55
1 Hr	166	12	7	1	4	2	0	192
15:00	25	5	2	0	0	2	0	34
15:15	27	3	0	0	3	1	0	34
15:30	48	6	1	0	0	2	0	57
15:45	36	5	4	0	1	1	0	47
1 Hr	136	19	7	0	4	6	0	172
16:00	36	7	2	0	0	0	0	45
16:15	20	2	0	1	1	1	1	26
16:30	32	6	1	1	0	2	0	42
16:45	26	6	3	0	3	0	0	38
1 Hr	114	21	6	2	4	3	1	151
17:00	50	8	0	0	0	1	0	59
17:15	32	0	0	0	0	0	1	33
17:30	22	7	0	0	1	0	1	31
17:45	29	0	0	0	1	0	1	31
1 Hr	133	15	0	0	2	1	3	154
6 Hrs	865	110	31	4	18	22	5	1055



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 12th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	60	1	0	0	0	1	1	63
18:15	51	2	0	0	0	0	3	56
18:30	47	2	1	0	0	0	1	51
18:45	41	6	0	0	0	0	3	50
1 Hr	199	11	1	0	0	1	8	220
19:00	27	2	0	0	1	2	0	32
19:15	39	2	1	0	0	1	0	43
19:30	35	1	1	0	0	0	0	37
19:45	40	4	0	0	0	2	1	47
1 Hr	141	9	2	0	1	5	1	159
20:00	32	1	0	0	0	2	0	35
20:15	36	1	0	1	0	0	0	38
20:30	21	0	0	0	0	0	0	21
20:45	26	2	1	0	0	0	1	30
1 Hr	115	4	1	1	0	2	1	124
21:00	18	0	0	0	0	0	0	18
21:15	17	1	0	0	0	0	0	18
21:30	18	1	0	0	0	0	0	19
21:45	17	0	0	0	0	0	0	17
1 Hr	70	2	0	0	0	0	0	72
22:00	34	0	0	0	0	3	0	37
22:15	13	2	0	0	0	1	0	16
22:30	15	0	0	0	0	0	0	15
22:45	13	0	0	0	0	0	0	13
1 Hr	75	2	0	0	0	4	0	81
23:00	13	0	0	0	0	0	0	13
23:15	4	0	0	0	0	0	0	4
23:30	3	0	1	0	0	0	0	4
23:45	4	0	0	0	0	0	0	4
1 Hr	24	0	1	0	0	0	0	25
6 Hrs	624	28	5	1	1	12	10	681
12 Hrs	2116	177	35	5	19	50	23	2425
Total	2722	256	76	10	34	61	29	3188

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	44	2	1	0	1	1	1	50
18:15	37	1	2	0	0	0	1	41
18:30	40	3	1	0	1	0	0	45
18:45	30	1	0	0	0	0	0	31
1 Hr	151	7	4	0	2	1	2	167
19:00	28	0	0	0	0	0	0	28
19:15	39	3	0	0	0	0	2	44
19:30	28	2	1	0	0	0	1	32
19:45	31	1	0	0	1	1	0	34
1 Hr	126	6	1	0	1	1	3	138
20:00	24	0	0	0	0	0	0	24
20:15	11	1	0	0	0	0	0	12
20:30	16	2	0	0	0	0	3	21
20:45	21	0	1	0	0	1	0	23
1 Hr	72	3	1	0	0	1	3	80
21:00	14	0	0	0	0	1	0	15
21:15	11	1	0	0	0	0	0	12
21:30	9	0	1	0	0	0	0	10
21:45	12	0	0	0	0	0	0	12
1 Hr	46	1	1	0	0	1	0	49
22:00	8	0	0	0	0	1	1	10
22:15	6	1	0	0	0	0	0	7
22:30	4	0	0	0	0	1	0	5
22:45	9	0	0	0	0	0	0	9
1 Hr	27	1	0	0	0	2	1	31
23:00	8	0	0	0	0	1	0	9
23:15	2	0	0	0	0	0	0	2
23:30	3	0	0	0	0	0	0	3
23:45	1	0	0	0	0	0	0	1
1 Hr	14	0	0	0	0	1	0	15
6 Hrs	436	18	7	0	3	7	9	480
12 Hrs	1301	128	38	4	21	29	14	1535
Total	2863	273	84	4	35	54	29	3342



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Friday 13th June 2014

AM Weather: Mild & Clear
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	4	0	0	0	0	0	0	4
00:15	3	0	0	0	0	0	0	3
00:30	2	0	0	0	0	0	0	2
00:45	2	0	0	0	0	0	0	2
1 Hr	11	0	0	0	0	0	0	11
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	2	0	0	0	0	0	0	2
02:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	2	0	1	0	0	0	0	3
04:45	2	0	0	0	0	0	0	2
1 Hr	4	0	1	0	0	0	0	5
05:00	1	0	0	0	0	1	0	2
05:15	0	0	0	0	0	0	0	0
05:30	2	1	0	0	0	0	0	3
05:45	4	0	0	0	0	0	0	4
1 Hr	7	1	0	0	0	1	0	9
6 Hrs	27	1	1	0	0	1	0	30

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	2	0	0	0	0	0	0	2
00:15	0	0	0	0	0	0	0	0
00:30	1	0	0	0	0	0	0	1
00:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
02:00	0	0	0	0	0	0	0	0
02:15	1	0	0	0	0	0	0	1
02:30	2	0	0	0	0	0	0	2
02:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
04:00	1	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0
04:30	1	0	0	0	0	0	0	1
04:45	0	1	0	0	0	0	0	1
1 Hr	2	1	0	0	0	0	0	3
05:00	4	0	1	0	0	0	0	5
05:15	5	2	0	0	0	0	0	7
05:30	9	0	0	0	0	0	0	9
05:45	10	2	1	0	0	0	0	13
1 Hr	28	4	2	0	0	0	0	34
6 Hrs	40	5	2	0	0	0	0	47

	Direction : Eastbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	1	1
07:45	0	0	0	0
1 Hr	0	0	1	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	1	1

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	1	1
07:45	0	0	0	0
1 Hr	0	0	1	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	1	1

	Direction : Eastbound			Total
	Adult	Child	Accompanied	
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	1	1

	Direction : Westbound			Total
	Adult	Child	Accompanied	
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	1	0	0	1
1 Hr	1	0	0	1
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	1	0	0	1
6 Hrs	1	0	1	2



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 13th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	1	1	0	0	1	0	1	4
06:15	1	0	0	0	0	0	0	1
06:30	10	1	0	0	0	0	1	12
06:45	10	2	1	0	0	0	2	15
1 Hr	22	4	1	0	1	0	4	32
07:00	10	3	3	0	1	0	0	17
07:15	20	2	0	0	0	0	1	23
07:30	19	6	4	0	3	1	1	34
07:45	24	2	3	1	1	0	0	31
1 Hr	73	13	10	1	5	1	2	105
08:00	16	5	0	0	0	1	0	22
08:15	22	4	1	0	1	0	0	28
08:30	28	2	1	0	0	0	0	31
08:45	38	5	2	0	1	1	0	47
1 Hr	104	16	4	0	2	2	0	128
09:00	30	1	2	0	1	0	0	34
09:15	28	2	1	1	0	0	0	32
09:30	28	5	0	0	1	0	0	34
09:45	26	6	1	0	0	1	0	34
1 Hr	112	14	4	1	2	1	0	134
10:00	34	6	2	0	1	0	0	43
10:15	40	5	1	0	0	1	0	47
10:30	39	6	1	0	1	2	0	49
10:45	33	7	1	0	0	1	0	42
1 Hr	146	24	5	0	2	4	0	181
11:00	43	4	1	0	1	0	0	49
11:15	51	7	0	0	1	1	0	60
11:30	38	5	1	0	1	0	2	47
11:45	40	10	1	0	1	1	1	54
1 Hr	172	26	3	0	4	2	3	210
6 Hrs	629	97	27	2	16	10	9	790
12 Hrs	656	98	28	2	16	11	9	820

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	10	4	0	0	0	0	0	14
06:15	25	3	0	0	0	0	0	28
06:30	20	2	1	1	1	2	1	28
06:45	32	7	2	0	0	1	0	42
1 Hr	87	16	3	1	1	3	1	112
07:00	45	11	2	0	0	2	1	61
07:15	64	12	0	0	0	4	1	81
07:30	96	15	4	0	1	2	0	118
07:45	105	11	2	0	0	3	2	123
1 Hr	310	49	8	0	1	11	4	383
08:00	115	8	2	0	1	0	1	127
08:15	144	7	4	0	1	4	0	160
08:30	115	6	1	0	0	2	2	126
08:45	103	5	3	0	1	1	0	113
1 Hr	477	26	10	0	3	7	3	526
09:00	98	4	0	0	0	0	0	102
09:15	87	4	2	0	0	1	1	95
09:30	56	5	3	1	1	1	0	67
09:45	67	3	0	0	2	0	0	72
1 Hr	308	16	5	1	3	2	1	336
10:00	44	5	1	0	0	1	0	51
10:15	39	2	1	0	1	2	0	45
10:30	38	4	1	0	0	0	0	43
10:45	50	2	1	0	1	0	0	54
1 Hr	171	13	4	0	2	3	0	193
11:00	53	1	1	0	0	1	1	57
11:15	36	7	2	0	2	0	0	47
11:30	40	3	1	0	0	2	0	46
11:45	38	2	0	0	1	1	0	42
1 Hr	167	13	4	0	3	4	1	192
6 Hrs	1520	133	34	2	13	30	10	1742
12 Hrs	1560	138	36	2	13	30	10	1789



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 13th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	38	2	1	0	1	1	0	43
12:15	40	5	0	0	1	1	0	47
12:30	45	9	0	0	1	2	3	60
12:45	44	6	1	0	0	1	0	52
1 Hr	167	22	2	0	3	5	3	202
13:00	38	0	2	0	1	0	0	41
13:15	37	4	3	0	0	1	1	46
13:30	52	4	4	0	1	1	0	62
13:45	45	3	3	0	0	2	0	53
1 Hr	172	11	12	0	2	4	1	202
14:00	49	4	1	0	1	2	0	57
14:15	41	5	0	0	0	4	0	50
14:30	53	4	2	0	2	1	0	62
14:45	67	1	1	0	1	0	0	70
1 Hr	210	14	4	0	4	7	0	239
15:00	86	7	2	0	1	3	1	100
15:15	78	4	2	0	0	0	0	84
15:30	67	12	1	0	1	3	1	85
15:45	69	8	1	0	0	0	0	78
1 Hr	300	31	6	0	2	6	2	347
16:00	88	8	0	0	4	0	2	102
16:15	95	8	0	0	0	2	2	107
16:30	92	3	1	0	1	2	1	100
16:45	84	8	1	0	1	1	0	95
1 Hr	359	27	2	0	6	5	5	404
17:00	74	2	0	0	0	7	0	83
17:15	93	12	0	0	0	1	0	106
17:30	69	5	0	0	1	1	3	79
17:45	70	4	1	0	2	1	2	80
1 Hr	306	23	1	0	3	10	5	348
6 Hrs	1514	128	27	0	20	37	16	1742

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	41	7	2	0	1	0	1	52
12:15	46	5	4	2	1	2	0	60
12:30	42	7	3	0	1	5	0	58
12:45	32	5	1	0	1	0	0	39
1 Hr	161	24	10	2	4	7	1	209
13:00	53	7	3	0	0	4	0	67
13:15	49	7	1	0	1	3	0	61
13:30	56	5	0	0	0	0	1	62
13:45	38	3	0	0	1	0	0	42
1 Hr	196	22	4	0	2	7	1	232
14:00	36	3	3	0	0	1	0	43
14:15	36	3	2	0	1	1	1	44
14:30	47	5	1	0	1	2	0	56
14:45	37	6	1	0	1	2	0	47
1 Hr	156	17	7	0	3	6	1	190
15:00	24	4	2	0	0	1	0	31
15:15	25	4	0	0	2	1	0	32
15:30	45	8	2	0	1	0	0	56
15:45	48	3	1	1	0	0	0	53
1 Hr	142	19	5	1	3	2	0	172
16:00	58	8	2	0	1	1	0	70
16:15	36	8	0	0	1	1	1	47
16:30	27	7	0	0	0	0	0	34
16:45	31	2	0	0	0	2	1	36
1 Hr	152	25	2	0	2	4	2	187
17:00	25	3	0	0	1	0	0	29
17:15	22	3	2	0	1	1	1	30
17:30	27	1	2	0	1	1	0	32
17:45	33	1	0	0	0	0	0	34
1 Hr	107	8	4	0	3	2	1	125
6 Hrs	914	115	32	3	17	28	6	1115



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 13th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound								
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
18:00	61	6	0	0	0	2	0	69
18:15	64	7	0	0	0	2	0	73
18:30	51	7	0	0	0	1	0	59
18:45	33	2	0	0	0	1	0	36
1 Hr	209	22	0	0	0	6	0	237
19:00	40	6	0	0	1	1	0	48
19:15	39	1	0	0	0	0	0	40
19:30	38	2	1	0	0	0	0	41
19:45	28	2	0	0	0	0	0	30
1 Hr	145	11	1	0	1	1	0	159
20:00	34	0	0	0	0	1	0	35
20:15	26	1	0	0	0	0	0	27
20:30	19	2	0	0	0	0	0	21
20:45	17	0	2	0	0	0	0	19
1 Hr	96	3	2	0	0	1	0	102
21:00	22	1	0	0	0	0	0	23
21:15	12	1	0	0	0	0	0	13
21:30	19	0	0	0	0	2	0	21
21:45	25	0	0	0	0	1	0	26
1 Hr	78	2	0	0	0	3	0	83
22:00	13	0	0	0	0	0	0	13
22:15	15	0	1	0	0	1	0	17
22:30	14	0	0	0	0	0	0	14
22:45	18	0	0	0	0	0	0	18
1 Hr	60	0	1	0	0	1	0	62
23:00	17	0	0	0	0	0	0	17
23:15	14	0	0	0	0	0	0	14
23:30	8	0	0	0	0	0	0	8
23:45	9	0	0	0	0	0	0	9
1 Hr	48	0	0	0	0	0	0	48
6 Hrs	636	38	4	0	1	12	0	691
12 Hrs	2150	166	31	0	21	49	16	2433
Total	2806	264	59	2	37	60	25	3253

Direction : Westbound								
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
18:00	37	1	0	0	2	1	0	41
18:15	52	0	0	0	0	0	0	52
18:30	36	1	1	0	1	0	1	40
18:45	35	2	0	0	0	0	0	37
1 Hr	160	4	1	0	3	1	1	170
19:00	33	2	0	0	0	2	1	38
19:15	30	2	0	0	0	1	0	33
19:30	30	2	0	0	1	1	0	34
19:45	21	1	0	0	0	0	2	24
1 Hr	114	7	0	0	1	4	3	129
20:00	24	2	0	0	0	1	0	27
20:15	15	0	0	0	0	1	0	16
20:30	8	0	0	0	0	0	0	8
20:45	22	1	0	0	0	0	0	23
1 Hr	69	3	0	0	0	2	0	74
21:00	7	0	0	0	0	0	0	7
21:15	10	0	1	0	0	0	0	11
21:30	12	0	1	0	0	0	0	13
21:45	11	0	0	0	0	1	0	12
1 Hr	40	0	2	0	0	1	0	43
22:00	12	0	0	0	0	0	0	12
22:15	10	1	0	0	0	0	0	11
22:30	10	0	0	0	0	0	0	10
22:45	7	0	0	0	0	0	0	7
1 Hr	39	1	0	0	0	0	0	40
23:00	5	0	0	0	0	0	0	5
23:15	7	0	0	0	0	0	0	7
23:30	6	0	0	0	0	0	1	7
23:45	4	0	0	0	0	0	0	4
1 Hr	22	0	0	0	0	0	1	23
6 Hrs	444	15	3	0	4	8	5	479
12 Hrs	1358	130	35	3	21	36	11	1594
Total	2918	268	71	5	34	66	21	3383



Sky High

Count On Us

Client : Lincolnshire County Council
Project : 9320 / Lincoln By Pass
Site : EW3 - B1308 Greetwell Road
Date : Saturday 14th June 2014

AM Weather: Mild & Cloudy
PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	6	0	0	0	0	0	0	6
00:30	4	0	0	0	0	0	0	4
00:45	2	0	0	0	0	0	0	2
1 Hr	15	0	0	0	0	0	0	15
01:00	6	0	0	0	0	0	0	6
01:15	2	0	0	0	0	0	0	2
01:30	3	0	0	0	0	0	0	3
01:45	2	0	0	1	0	0	0	3
1 Hr	13	0	0	1	0	0	0	14
02:00	2	0	0	0	0	0	0	2
02:15	1	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
03:00	4	0	0	0	0	0	1	5
03:15	1	0	0	0	0	0	0	1
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	6	0	0	0	0	0	1	7
04:00	2	0	0	0	0	0	0	2
04:15	1	0	0	0	0	0	0	1
04:30	3	0	1	0	0	0	0	4
04:45	2	0	0	0	0	0	0	2
1 Hr	8	0	1	0	0	0	0	9
05:00	2	0	0	0	0	0	0	2
05:15	0	0	0	0	0	0	0	0
05:30	0	1	0	0	0	0	0	1
05:45	1	0	0	0	0	0	0	1
1 Hr	3	1	0	0	0	0	0	4
6 Hrs	48	1	1	1	0	0	1	52

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	3	0	0	0	0	0	0	3
00:30	5	0	0	0	0	0	0	5
00:45	2	0	0	0	0	0	0	2
1 Hr	13	0	0	0	0	0	0	13
01:00	2	0	0	0	0	0	0	2
01:15	4	0	0	0	0	0	0	4
01:30	2	0	0	0	0	0	0	2
01:45	0	0	0	0	0	0	0	0
1 Hr	8	0	0	0	0	0	0	8
02:00	2	0	0	0	0	0	0	2
02:15	1	0	0	0	0	0	0	1
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4
03:00	0	0	0	0	0	0	0	0
03:15	4	0	0	0	0	0	0	4
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	0	5
04:00	3	0	0	0	0	0	0	3
04:15	2	0	0	0	0	0	0	2
04:30	3	0	0	0	0	0	0	3
04:45	2	0	0	0	0	0	0	2
1 Hr	10	0	0	0	0	0	0	10
05:00	2	0	1	0	0	0	0	3
05:15	3	0	0	0	0	0	0	3
05:30	8	0	0	0	0	0	0	8
05:45	13	0	0	0	0	0	0	13
1 Hr	26	0	1	0	0	0	0	27
6 Hrs	66	0	1	0	0	0	0	67

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	1	0	0	0	1
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	1	0	0	0	1
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	1	0	1
1 Hr	0	0	1	0	1
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	1	0	1	0	2
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	1	0	1	0	2

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	1	1
1 Hr	0	0	1	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	1	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	1	1



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 14th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	1	0	0	0	0	0	0	1
06:15	1	0	0	0	0	0	0	1
06:30	8	0	0	0	0	0	0	8
06:45	8	0	0	0	0	0	0	8
1 Hr	18	0	0	0	0	0	0	18
07:00	7	2	0	0	0	0	0	9
07:15	7	2	0	0	1	0	0	10
07:30	7	3	1	0	0	0	0	11
07:45	7	2	1	0	0	0	0	10
1 Hr	28	9	2	0	1	0	0	40
08:00	12	3	1	0	1	0	0	17
08:15	11	3	1	1	0	1	0	17
08:30	18	3	0	0	1	0	0	22
08:45	13	2	1	1	1	0	2	20
1 Hr	54	11	3	2	3	1	2	76
09:00	21	3	0	0	1	0	2	27
09:15	27	6	0	0	0	0	2	35
09:30	31	4	1	0	1	0	0	37
09:45	36	3	1	0	0	0	0	40
1 Hr	115	16	2	0	2	0	4	139
10:00	33	3	1	0	1	0	8	46
10:15	39	1	0	0	0	0	1	41
10:30	32	2	1	0	1	0	0	36
10:45	35	6	0	0	0	0	0	41
1 Hr	139	12	2	0	2	0	9	164
11:00	49	3	0	0	1	1	0	54
11:15	48	5	0	0	0	1	1	55
11:30	48	4	0	0	1	1	0	54
11:45	47	1	0	0	0	1	0	49
1 Hr	192	13	0	0	2	4	1	212
6 Hrs	546	61	9	2	10	5	16	649
12 Hrs	594	62	10	3	10	5	17	701

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	2	1	0	0	0	0	0	3
06:15	4	2	0	0	0	0	0	6
06:30	20	0	0	0	0	0	2	22
06:45	19	2	0	0	0	0	0	21
1 Hr	45	5	0	0	0	0	2	52
07:00	14	2	0	0	0	0	0	16
07:15	21	4	0	0	0	0	0	25
07:30	31	4	1	0	0	0	1	37
07:45	37	2	0	0	0	0	3	42
1 Hr	103	12	1	0	0	0	4	120
08:00	26	2	2	0	1	0	1	32
08:15	40	6	1	0	0	1	0	48
08:30	39	5	0	1	0	0	1	46
08:45	47	7	0	0	1	0	1	56
1 Hr	152	20	3	1	2	1	3	182
09:00	53	11	0	1	1	0	1	67
09:15	63	5	0	0	1	0	0	69
09:30	67	7	0	0	0	2	0	76
09:45	68	5	0	0	1	2	0	76
1 Hr	251	28	0	1	3	4	1	288
10:00	54	5	1	0	0	0	1	61
10:15	48	4	0	1	1	0	0	54
10:30	64	1	1	0	0	0	0	66
10:45	58	3	2	0	1	0	0	64
1 Hr	224	13	4	1	2	0	1	245
11:00	62	4	0	0	0	0	0	66
11:15	60	6	0	0	1	1	0	68
11:30	56	3	1	0	0	1	0	61
11:45	48	1	0	0	1	1	1	52
1 Hr	226	14	1	0	2	3	1	247
6 Hrs	1001	92	9	3	9	8	12	1134
12 Hrs	1067	92	10	3	9	8	12	1201



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 14th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	50	1	0	0	1	1	0	53
12:15	50	2	0	0	0	0	0	52
12:30	44	4	0	0	0	1	1	50
12:45	30	2	1	0	0	2	0	35
1 Hr	174	9	1	0	1	4	1	190
13:00	58	3	1	1	1	2	0	66
13:15	44	2	0	0	0	0	0	46
13:30	44	4	1	0	1	1	0	51
13:45	41	1	2	0	0	0	0	44
1 Hr	187	10	4	1	2	3	0	207
14:00	54	1	0	0	0	1	1	57
14:15	53	2	0	1	0	1	0	57
14:30	55	1	0	0	1	0	0	57
14:45	44	2	1	0	0	5	0	52
1 Hr	206	6	1	1	1	7	1	223
15:00	55	2	0	0	1	0	0	58
15:15	40	4	0	0	0	1	1	46
15:30	51	0	1	0	1	1	0	54
15:45	53	2	0	1	0	0	1	57
1 Hr	199	8	1	1	2	2	2	215
16:00	59	5	1	0	0	0	0	65
16:15	59	1	0	0	1	2	0	63
16:30	52	0	0	0	0	1	0	53
16:45	50	3	0	0	1	0	2	56
1 Hr	220	9	1	0	2	3	2	237
17:00	59	3	0	0	0	3	0	65
17:15	37	3	1	0	1	0	0	42
17:30	35	2	1	0	0	0	0	38
17:45	37	2	0	0	0	1	0	40
1 Hr	168	10	2	0	1	4	0	185
6 Hrs	1154	52	10	3	9	23	6	1257

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	49	2	0	0	0	0	0	51
12:15	43	3	0	0	1	1	0	48
12:30	47	4	0	0	0	1	0	52
12:45	35	2	0	0	1	0	0	38
1 Hr	174	11	0	0	2	2	0	189
13:00	45	2	2	0	0	2	2	53
13:15	62	5	1	0	0	1	0	69
13:30	43	6	0	0	0	0	1	50
13:45	53	3	0	0	0	1	0	57
1 Hr	203	16	3	0	0	4	3	229
14:00	41	2	1	0	0	1	0	45
14:15	54	2	1	0	1	2	0	60
14:30	43	0	1	1	0	0	1	46
14:45	34	2	0	0	1	0	1	38
1 Hr	172	6	3	1	2	3	2	189
15:00	32	2	0	0	0	0	0	34
15:15	33	1	0	0	1	2	0	37
15:30	29	2	0	0	0	1	0	32
15:45	39	2	1	0	1	0	0	43
1 Hr	133	7	1	0	2	3	0	146
16:00	35	3	1	0	0	1	0	40
16:15	38	1	0	0	1	1	0	41
16:30	32	2	0	0	0	1	1	36
16:45	32	5	1	0	1	2	2	43
1 Hr	137	11	2	0	2	5	3	160
17:00	30	0	0	0	0	0	0	30
17:15	26	2	1	0	0	3	0	32
17:30	26	2	1	0	1	0	1	31
17:45	23	1	0	0	0	0	0	24
1 Hr	105	5	2	0	1	3	1	117
6 Hrs	924	56	11	1	9	20	9	1030



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 14th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	41	4	0	0	0	0	2	47
18:15	50	0	0	0	0	0	0	50
18:30	43	1	0	0	0	1	0	45
18:45	26	2	0	0	0	0	0	28
1 Hr	160	7	0	0	0	1	2	170
19:00	29	0	1	0	1	0	0	31
19:15	30	3	0	0	0	3	1	37
19:30	26	1	0	0	0	1	0	28
19:45	25	0	0	0	0	0	0	25
1 Hr	110	4	1	0	1	4	1	121
20:00	20	0	0	0	0	0	1	21
20:15	25	2	0	0	0	0	0	27
20:30	20	0	0	0	0	1	0	21
20:45	21	0	0	0	0	0	0	21
1 Hr	86	2	0	0	0	1	1	90
21:00	13	1	0	0	0	0	0	14
21:15	16	0	0	0	0	1	0	17
21:30	15	0	0	0	0	0	0	15
21:45	12	0	0	0	0	0	0	12
1 Hr	56	1	0	0	0	1	0	58
22:00	15	0	0	0	0	1	0	16
22:15	19	1	0	0	0	0	0	20
22:30	19	0	0	0	0	0	0	19
22:45	16	0	0	0	0	0	0	16
1 Hr	69	1	0	0	0	1	0	71
23:00	9	0	0	0	0	0	0	9
23:15	7	0	0	0	0	0	0	7
23:30	5	0	0	0	0	0	0	5
23:45	6	0	0	0	0	0	0	6
1 Hr	27	0	0	0	0	0	0	27
6 Hrs	508	15	1	0	1	8	4	537
12 Hrs	1662	67	11	3	10	31	10	1794
Total	2256	129	21	6	20	36	27	2495


	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	23	3	0	0	1	0	0	27
18:15	38	0	0	0	0	0	0	38
18:30	28	1	0	0	0	0	2	31
18:45	20	2	0	0	0	0	1	23
1 Hr	109	6	0	0	1	0	3	119
19:00	25	0	0	0	0	0	0	25
19:15	26	3	0	0	0	0	0	29
19:30	24	0	0	0	0	1	0	25
19:45	21	1	0	0	1	0	0	23
1 Hr	96	4	0	0	1	1	0	102
20:00	16	0	0	0	0	0	1	17
20:15	20	0	0	0	0	0	0	20
20:30	22	2	0	0	0	0	1	25
20:45	8	3	0	1	0	2	0	14
1 Hr	66	5	0	1	0	2	2	76
21:00	16	1	0	0	0	0	2	19
21:15	15	0	0	0	0	0	0	15
21:30	17	0	0	0	0	1	0	18
21:45	14	1	0	0	0	0	1	16
1 Hr	62	2	0	0	0	1	3	68
22:00	14	1	0	0	0	0	0	15
22:15	10	0	0	0	0	0	0	10
22:30	8	0	0	0	0	0	0	8
22:45	4	0	0	0	0	0	0	4
1 Hr	36	1	0	0	0	0	0	37
23:00	7	0	0	0	0	0	0	7
23:15	4	0	0	0	0	0	0	4
23:30	3	0	0	0	0	0	0	3
23:45	3	0	0	0	0	0	0	3
1 Hr	17	0	0	0	0	0	0	17
6 Hrs	386	18	0	1	2	4	8	419
12 Hrs	1310	74	11	2	11	24	17	1449
Total	2377	166	21	5	20	32	29	2650



Sky High

Count On Us

Client : Lincolnshire County Council	Site plan for : EW3 - B1308 Greetwell Road
Project : 9320 / Lincoln By Pass	Date : Monday 9th June - Saturday 14th June 2014





Sky High

Count On Us

Client: Lincolnshire County Council

Project: 9320 / Lincoln By Pass

Site: EW3 - B1308 Greetwell Road

Survey Date: Monday 16th June - Saturday 21st June 2014

Survey Period: 07:00 - 19:00

Method: Video Observation

Incidents / Observations:

There were no incidents reported over the survey period.



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 16th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	0	0	0	0	0	0	0	0
00:15	2	0	0	0	0	0	0	2
00:30	0	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	2	0	0	0	0	0	0	2
1 Hr	2	0	0	0	0	0	0	2
04:00	0	2	0	0	0	0	0	2
04:15	0	0	0	0	0	0	0	0
04:30	1	0	1	0	0	0	0	2
04:45	0	0	0	0	0	0	0	0
1 Hr	1	2	1	0	0	0	0	4
05:00	0	0	0	0	0	0	0	0
05:15	2	1	0	0	0	0	0	3
05:30	0	0	0	0	0	0	0	0
05:45	2	1	0	0	0	0	0	3
1 Hr	4	2	0	0	0	0	0	6
6 Hrs	12	4	1	0	0	0	0	17

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	0	0	0	0	0	0	0	0
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
01:00	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	0	0	0	0	0	0	0	0
04:45	3	0	0	0	0	0	0	3
1 Hr	4	0	0	0	0	0	0	4
05:00	3	2	1	0	0	0	0	6
05:15	5	0	0	0	0	0	0	5
05:30	11	1	0	0	0	0	0	12
05:45	10	1	1	0	0	0	0	12
1 Hr	29	4	2	0	0	0	0	35
6 Hrs	37	4	2	0	0	0	0	43

	Direction : Eastbound				Total
	Adult	Accompanied Child	Unaccompanied Child		
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	1	1	1
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	1	1	1
3 Hr	0	0	1	1	1
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	0	0	1	1	1

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	1	1
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	1	1
3 Hr	0	0	1	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	0	0	1	1



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 16th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	1	0	0	0	1	0	0	2
06:15	0	0	0	0	0	0	0	0
06:30	3	0	0	0	0	2	1	6
06:45	10	1	0	0	0	0	0	11
1 Hr	14	1	0	0	1	2	1	19
07:00	18	2	2	0	1	0	0	23
07:15	20	4	0	0	0	0	1	25
07:30	20	6	0	0	3	1	0	30
07:45	25	4	1	0	1	0	0	31
1 Hr	83	16	3	0	5	1	1	109
08:00	16	7	0	1	0	0	0	24
08:15	19	4	3	0	1	1	0	28
08:30	31	4	2	1	0	0	0	38
08:45	36	4	1	0	1	0	0	42
1 Hr	102	19	6	2	2	1	0	132
09:00	18	7	0	0	1	0	3	29
09:15	27	3	2	1	0	0	0	33
09:30	20	7	1	0	1	0	0	29
09:45	24	3	1	0	0	0	1	29
1 Hr	89	20	4	1	2	0	4	120
10:00	33	10	2	0	1	2	0	48
10:15	27	6	0	1	0	0	0	34
10:30	37	2	2	0	1	0	0	42
10:45	29	3	1	0	0	0	0	33
1 Hr	126	21	5	1	2	2	0	157
11:00	30	8	2	0	1	0	0	41
11:15	39	3	2	1	1	0	0	46
11:30	27	4	0	1	1	2	0	35
11:45	50	5	3	0	0	0	0	58
1 Hr	146	20	7	2	3	2	0	180
6 Hrs	560	97	25	6	15	8	6	717
12 Hrs	572	101	26	6	15	8	6	734

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	14	3	1	0	0	1	2	21
06:15	22	1	0	0	0	0	0	23
06:30	20	4	0	0	1	1	2	28
06:45	29	2	1	0	0	0	1	33
1 Hr	85	10	2	0	1	2	5	105
07:00	47	8	2	1	0	0	1	59
07:15	67	15	0	0	0	0	0	82
07:30	103	11	2	0	1	2	2	121
07:45	110	11	2	0	0	2	3	128
1 Hr	327	45	6	1	1	4	6	390
08:00	146	7	0	0	2	4	2	161
08:15	111	13	1	0	0	2	0	127
08:30	127	5	2	0	1	0	1	136
08:45	114	9	1	0	1	1	1	127
1 Hr	498	34	4	0	4	7	4	551
09:00	98	5	0	0	0	0	0	103
09:15	55	3	0	0	0	2	0	60
09:30	49	3	2	0	2	0	0	56
09:45	45	2	0	0	2	0	0	49
1 Hr	247	13	2	0	4	2	0	268
10:00	52	4	0	0	0	0	0	56
10:15	40	6	3	0	1	0	0	50
10:30	49	5	1	1	0	0	0	56
10:45	38	3	0	2	1	1	0	45
1 Hr	179	18	4	3	2	1	0	207
11:00	34	5	1	0	0	0	0	40
11:15	50	7	1	0	1	0	0	59
11:30	40	3	2	0	0	0	0	45
11:45	43	4	2	0	1	1	0	51
1 Hr	167	19	6	0	2	1	0	195
6 Hrs	1503	139	24	4	14	17	15	1716
12 Hrs	1540	143	26	4	14	17	15	1759



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 16th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :		Eastbound						Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

12:00	37	4	0	0	1	0	0	42
12:15	37	5	0	0	0	0	0	42
12:30	41	4	0	0	1	0	0	46
12:45	49	5	2	0	0	0	0	56
1 Hr	164	18	2	0	2	0	0	186

13:00	33	1	0	0	1	0	0	35
13:15	31	4	1	0	0	1	0	37
13:30	35	1	1	0	1	0	0	38
13:45	47	5	2	0	0	0	1	55
1 Hr	146	11	4	0	2	1	1	165

14:00	30	4	0	0	1	1	0	36
14:15	42	9	1	0	0	2	0	54
14:30	46	1	1	0	3	1	0	52
14:45	63	4	1	0	0	1	0	69
1 Hr	181	18	3	0	4	5	0	211

15:00	69	3	1	0	2	1	1	77
15:15	61	4	1	0	0	1	0	67
15:30	65	4	1	0	1	1	1	73
15:45	64	4	0	0	0	0	2	70
1 Hr	259	15	3	0	3	3	4	287

16:00	72	5	0	0	0	0	0	77
16:15	85	9	0	0	1	0	1	96
16:30	88	8	1	0	0	0	0	97
16:45	104	6	0	0	1	1	1	113
1 Hr	349	28	1	0	2	1	2	383

17:00	125	8	1	0	0	5	0	139
17:15	113	14	0	0	0	3	2	132
17:30	90	5	0	0	1	5	3	104
17:45	64	3	3	0	1	0	4	75
1 Hr	392	30	4	0	2	13	9	450

6 Hrs	1491	120	17	0	15	23	16	1682
-------	------	-----	----	---	----	----	----	------

Direction :		Westbound						Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

12:00	33	10	1	0	0	0	0	44
12:15	37	10	5	0	1	0	0	53
12:30	29	4	1	0	0	0	0	34
12:45	41	4	0	0	1	0	0	46
1 Hr	140	28	7	0	2	0	0	177

13:00	37	4	2	0	0	1	1	45
13:15	38	2	2	0	1	0	0	43
13:30	47	7	1	0	0	1	0	56
13:45	50	2	1	0	1	0	0	54
1 Hr	172	15	6	0	2	2	1	198

14:00	37	4	3	0	0	0	0	44
14:15	40	7	2	0	1	1	0	51
14:30	42	6	0	0	0	2	0	50
14:45	31	2	0	0	1	0	0	34
1 Hr	150	19	5	0	2	3	0	179

15:00	27	4	3	0	0	0	0	34
15:15	45	4	1	0	3	1	0	54
15:30	55	7	2	0	0	0	0	64
15:45	40	4	1	0	0	0	0	45
1 Hr	167	19	7	0	3	1	0	197

16:00	33	4	2	0	0	0	0	39
16:15	29	6	0	0	2	1	1	39
16:30	34	6	1	0	0	0	0	41
16:45	31	6	0	0	3	1	0	41
1 Hr	127	22	3	0	5	2	1	160

17:00	28	3	0	0	0	0	0	31
17:15	29	8	0	1	0	0	1	39
17:30	21	4	0	0	1	0	0	26
17:45	27	4	0	0	0	1	0	32
1 Hr	105	19	0	1	1	1	1	128

6 Hrs	861	122	28	1	15	9	3	1039
-------	-----	-----	----	---	----	---	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 16th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	68	2	0	0	0	0	2	72
18:15	41	4	1	0	0	0	0	46
18:30	30	3	1	0	0	0	0	34
18:45	24	2	2	0	0	0	3	31
1 Hr	163	11	4	0	0	0	5	183
19:00	41	4	0	0	1	0	0	46
19:15	39	3	1	0	0	0	1	44
19:30	25	3	0	0	0	0	0	28
19:45	23	1	1	0	0	0	0	25
1 Hr	128	11	2	0	1	0	1	143
20:00	39	0	0	0	0	0	0	39
20:15	35	0	0	0	0	1	0	36
20:30	20	1	0	0	0	0	0	21
20:45	15	1	0	0	0	0	0	16
1 Hr	109	2	0	0	0	1	0	112
21:00	10	0	0	0	0	0	0	10
21:15	22	2	0	0	0	0	0	24
21:30	11	1	0	0	0	1	0	13
21:45	13	0	0	0	0	0	0	13
1 Hr	56	3	0	0	0	1	0	60
22:00	19	0	0	0	0	0	0	19
22:15	6	0	0	0	0	0	0	6
22:30	8	0	0	0	0	0	0	8
22:45	7	0	0	0	0	0	0	7
1 Hr	40	0	0	0	0	0	0	40
23:00	6	0	0	0	0	0	0	6
23:15	6	0	0	0	0	0	0	6
23:30	7	0	0	0	0	0	0	7
23:45	4	0	0	0	0	0	0	4
1 Hr	23	0	0	0	0	0	0	23
6 Hrs	519	27	6	0	1	2	6	561
12 Hrs	2010	147	23	0	16	25	22	2243
Total	2582	248	49	6	31	33	28	2977

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	28	4	0	0	1	1	1	35
18:15	32	1	1	0	0	0	0	34
18:30	36	1	1	0	0	0	1	39
18:45	28	3	1	0	0	0	0	32
1 Hr	124	9	3	0	1	1	2	140
19:00	36	4	1	0	0	0	2	43
19:15	26	2	2	0	0	0	0	30
19:30	18	0	0	0	0	0	0	18
19:45	13	2	0	0	1	0	0	16
1 Hr	93	8	3	0	1	0	2	107
20:00	16	1	0	0	0	0	0	17
20:15	14	1	0	0	0	0	0	15
20:30	8	0	0	0	0	0	0	8
20:45	7	1	0	0	0	0	0	8
1 Hr	45	3	0	0	0	0	0	48
21:00	13	1	0	0	0	3	0	17
21:15	13	0	0	0	0	0	0	13
21:30	11	0	0	0	0	0	0	11
21:45	9	0	0	0	0	0	0	9
1 Hr	46	1	0	0	0	3	0	50
22:00	11	0	0	0	0	0	0	11
22:15	6	0	0	0	0	0	0	6
22:30	5	0	0	0	0	0	0	5
22:45	3	0	0	0	0	0	0	3
1 Hr	25	0	0	0	0	0	0	25
23:00	3	0	0	0	0	0	0	3
23:15	2	0	0	0	0	0	0	2
23:30	1	0	0	0	0	0	0	1
23:45	1	0	0	0	0	0	0	1
1 Hr	7	0	0	0	0	0	0	7
6 Hrs	340	21	6	0	2	4	4	377
12 Hrs	1201	143	34	1	17	13	7	1416
Total	2741	286	60	5	31	30	22	3175



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 17th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound						Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	
00:00	4	0	0	0	0	0	4
00:15	1	0	1	0	0	0	2
00:30	1	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0
1 Hr	6	0	1	0	0	0	7
01:00	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	1
01:30	0	0	0	0	0	1	1
01:45	1	0	0	0	0	0	1
1 Hr	2	0	0	0	0	1	3
02:00	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0
03:45	0	0	1	0	0	0	1
1 Hr	0	0	1	0	0	0	1
04:00	1	1	0	0	0	0	2
04:15	0	0	0	0	0	0	0
04:30	0	0	1	0	0	0	1
04:45	0	0	0	0	0	0	0
1 Hr	1	1	1	0	0	0	3
05:00	0	1	0	0	0	0	1
05:15	0	0	0	0	0	0	0
05:30	0	0	0	0	0	0	0
05:45	0	0	0	0	0	0	0
1 Hr	0	1	0	0	0	0	1
6 Hrs	10	2	3	0	0	1	16

	Direction : Westbound						Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	
00:00	0	0	0	0	0	0	0
00:15	0	0	0	0	0	1	1
00:30	4	0	0	0	0	0	4
00:45	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	1	5
01:00	1	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	1
02:00	0	0	0	0	0	0	0
02:15	0	0	0	0	0	1	1
02:30	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	1
1 Hr	1	0	0	0	0	1	2
03:00	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	1
04:00	1	1	0	0	0	0	2
04:15	0	0	0	0	0	0	0
04:30	1	0	0	0	0	0	1
04:45	2	1	0	0	0	0	3
1 Hr	4	2	0	0	0	0	6
05:00	2	0	1	0	0	0	3
05:15	6	0	0	0	0	0	6
05:30	13	1	1	0	0	1	16
05:45	11	1	0	0	0	0	12
1 Hr	32	2	2	0	0	1	37
6 Hrs	43	4	2	0	0	3	52

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	1	1	2
07:45	0	0	0	0	0
1 Hr	0	0	1	1	2
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	1	1	2
1 Hr	0	0	1	1	2
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	0	0	2	2	4

	Direction : Westbound			Total
	Adult	Child	Unaccompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	1	1
07:45	0	0	0	0
1 Hr	0	0	1	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	1	1

16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	0	0	2	2	4

07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	1	1	2
07:45	0	0	0	0	0
1 Hr	0	0	1	1	2
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	0	0	1	1	2

16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	0	0	2	2	4

16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	0	0	1	1	2



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 17th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	0	0	0	0	0	0	0	0
06:15	0	0	0	0	1	0	0	1
06:30	8	0	0	0	0	1	0	9
06:45	9	0	0	0	0	0	0	9
1 Hr	17	0	0	0	1	1	0	19
07:00	16	5	3	0	1	1	1	27
07:15	23	4	0	0	1	0	0	28
07:30	27	5	0	0	2	1	1	36
07:45	23	3	1	0	2	0	0	29
1 Hr	89	17	4	0	6	2	2	120
08:00	10	4	3	0	0	1	0	18
08:15	30	6	2	0	1	0	0	39
08:30	30	6	3	0	0	0	1	40
08:45	37	5	1	0	1	0	0	44
1 Hr	107	21	9	0	2	1	1	141
09:00	27	7	1	0	1	0	0	36
09:15	32	3	1	0	0	0	0	36
09:30	21	6	1	0	1	0	0	29
09:45	31	3	1	0	0	1	0	36
1 Hr	111	19	4	0	2	1	0	137
10:00	36	5	1	0	1	1	0	44
10:15	30	9	3	0	0	0	1	43
10:30	26	5	2	0	1	0	0	34
10:45	36	2	0	0	0	0	0	38
1 Hr	128	21	6	0	2	1	1	159
11:00	35	11	3	0	2	0	0	51
11:15	41	4	1	0	1	0	0	47
11:30	32	0	3	0	2	0	0	37
11:45	49	9	1	0	1	2	0	62
1 Hr	157	24	8	0	6	2	0	197
6 Hrs	609	102	31	0	19	8	4	773
12 Hrs	619	104	34	0	19	9	4	789

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
11	2	0	0	0	0	1	1	15
19	1	0	0	0	0	0	0	20
17	3	0	0	0	0	2	1	23
25	3	1	0	1	0	2	2	32
72	9	1	0	1	3	4	4	90
45	12	0	0	0	1	1	1	59
79	11	0	0	0	0	0	0	90
94	8	1	0	1	6	0	0	110
120	13	2	0	1	3	2	2	141
338	44	3	0	2	10	3	3	400
146	10	3	0	2	1	2	2	164
126	4	1	0	0	3	0	0	134
127	10	1	0	2	2	1	1	143
113	9	0	0	0	1	1	1	124
512	33	5	0	4	7	4	4	565
102	6	1	0	0	0	0	0	109
57	1	3	0	1	1	1	0	63
56	5	1	0	1	1	0	0	64
46	2	0	0	2	2	0	0	52
261	14	5	0	4	4	0	0	288
47	5	0	0	0	0	0	0	52
36	2	1	0	0	0	0	0	39
48	3	1	0	1	3	0	0	56
61	3	2	0	1	1	0	0	68
192	13	4	0	2	4	0	0	215
45	9	2	0	0	0	0	0	56
48	4	3	0	3	1	0	0	59
27	8	1	0	1	0	0	0	37
42	6	3	0	1	2	0	0	54
162	27	9	0	5	3	0	0	206
1537	140	27	0	18	31	11	11	1764
1580	144	29	0	18	34	11	11	1816



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 17th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound									Total
Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C			
12:00	40	3	3	0	1	1	0	48	
12:15	40	3	2	0	0	1	0	46	
12:30	40	4	1	0	2	0	0	47	
12:45	46	1	0	0	0	0	0	47	
1 Hr	166	11	6	0	3	2	0	188	
13:00	42	3	1	0	1	1	0	48	
13:15	36	9	1	0	0	0	0	46	
13:30	38	1	2	0	0	3	1	45	
13:45	40	5	1	0	1	0	0	47	
1 Hr	156	18	5	0	2	4	1	186	
14:00	43	1	1	1	1	0	0	47	
14:15	51	1	0	0	0	1	0	53	
14:30	34	4	0	0	3	0	0	41	
14:45	55	4	0	0	0	1	0	60	
1 Hr	183	10	1	1	4	2	0	201	
15:00	73	5	0	0	1	1	2	82	
15:15	66	2	0	0	0	2	0	70	
15:30	61	7	3	0	1	1	1	74	
15:45	49	3	0	0	0	0	1	53	
1 Hr	249	17	3	0	2	4	4	279	
16:00	100	7	1	0	0	0	0	108	
16:15	79	5	1	0	2	4	0	91	
16:30	89	5	0	0	0	5	0	99	
16:45	90	6	2	0	1	1	0	100	
1 Hr	358	23	4	0	3	10	0	398	
17:00	122	5	0	1	0	4	1	133	
17:15	121	3	4	0	1	3	2	134	
17:30	85	6	0	0	0	4	4	99	
17:45	78	4	0	0	1	2	1	86	
1 Hr	406	18	4	1	2	13	8	452	
6 Hrs	1518	97	23	2	16	35	13	1704	

Direction : Westbound									Total
Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C			
12:00	40	4	2	0	1	0	1	48	
12:15	28	5	2	0	1	0	1	37	
12:30	50	5	2	0	1	0	0	58	
12:45	44	4	1	0	1	1	0	51	
1 Hr	162	18	7	0	4	1	2	194	
13:00	36	2	1	0	0	0	0	39	
13:15	29	2	2	0	1	2	0	36	
13:30	42	4	3	0	0	0	1	50	
13:45	32	3	4	0	1	2	0	42	
1 Hr	139	11	10	0	2	4	1	167	
14:00	42	2	3	0	0	0	0	47	
14:15	27	0	1	0	1	0	0	29	
14:30	48	4	3	0	0	0	0	55	
14:45	34	4	0	0	1	0	0	39	
1 Hr	151	10	7	0	2	0	0	170	
15:00	31	8	4	0	0	0	0	43	
15:15	32	2	1	0	3	0	0	38	
15:30	43	8	2	0	0	1	0	54	
15:45	37	2	1	0	0	0	0	40	
1 Hr	143	20	8	0	3	1	0	175	
16:00	44	6	4	0	0	1	0	55	
16:15	30	3	1	0	2	1	1	38	
16:30	35	5	2	0	0	2	0	44	
16:45	33	3	0	0	2	0	0	38	
1 Hr	142	17	7	0	4	4	1	175	
17:00	28	0	0	0	1	1	1	31	
17:15	28	1	0	0	0	0	1	30	
17:30	29	2	1	0	1	1	2	36	
17:45	38	4	1	0	0	0	0	43	
1 Hr	123	7	2	0	2	2	4	140	
6 Hrs	860	83	41	0	17	12	8	1021	



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 17th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	55	4	0	0	0	2	0	61
18:15	46	1	2	0	0	0	3	52
18:30	41	6	3	0	0	0	3	53
18:45	36	2	0	0	0	0	0	38
1 Hr	178	13	5	0	0	2	6	204
19:00	37	1	0	0	1	1	2	42
19:15	37	1	0	0	0	1	0	39
19:30	33	2	0	0	0	1	1	37
19:45	27	1	0	0	0	0	0	28
1 Hr	134	5	0	0	1	3	3	146
20:00	32	2	1	0	0	0	0	35
20:15	23	1	0	0	0	0	0	24
20:30	19	1	0	0	0	0	0	20
20:45	22	0	0	0	0	0	0	22
1 Hr	96	4	1	0	0	0	0	101
21:00	22	0	0	0	0	3	0	25
21:15	23	0	0	0	0	0	0	23
21:30	21	0	0	0	0	0	0	21
21:45	11	0	0	0	0	0	0	11
1 Hr	77	0	0	0	0	3	0	80
22:00	10	0	0	0	0	0	0	10
22:15	17	0	0	0	0	0	0	17
22:30	17	0	0	0	0	0	0	17
22:45	13	0	0	0	0	0	0	13
1 Hr	57	0	0	0	0	0	0	57
23:00	10	0	0	0	0	0	0	10
23:15	2	0	0	0	0	0	0	2
23:30	3	0	0	0	0	0	0	3
23:45	8	0	0	0	0	0	0	8
1 Hr	23	0	0	0	0	0	0	23
6 Hrs	565	22	6	0	1	8	9	611
12 Hrs	2083	119	29	2	17	43	22	2315
Total	2702	223	63	2	36	52	26	3104

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	29	2	1	0	1	1	1	35
18:15	36	1	2	0	0	0	0	39
18:30	36	2	0	0	1	0	1	40
18:45	31	2	0	0	0	0	2	35
1 Hr	132	7	3	0	2	1	4	149
19:00	28	1	0	0	0	1	2	32
19:15	26	3	0	0	0	0	0	29
19:30	20	1	0	1	1	0	1	24
19:45	17	0	0	0	0	0	0	17
1 Hr	91	5	0	1	1	1	3	102
20:00	15	2	0	0	0	0	0	17
20:15	11	0	0	0	0	0	0	11
20:30	11	0	0	0	0	0	0	11
20:45	10	1	0	0	0	0	0	11
1 Hr	47	3	0	0	0	0	0	50
21:00	6	0	0	0	0	1	0	7
21:15	16	0	1	0	0	0	0	17
21:30	7	0	0	0	0	0	0	7
21:45	6	0	1	0	0	0	0	7
1 Hr	35	0	2	0	0	1	0	38
22:00	13	0	0	0	0	0	0	13
22:15	6	0	0	0	0	0	0	6
22:30	3	0	0	0	0	0	0	3
22:45	5	0	0	0	0	0	0	5
1 Hr	27	0	0	0	0	0	0	27
23:00	7	0	0	0	0	0	0	7
23:15	4	0	0	0	0	0	0	4
23:30	1	0	0	0	0	0	0	1
23:45	1	0	0	0	0	0	0	1
1 Hr	13	0	0	0	0	0	0	13
6 Hrs	345	15	5	1	3	3	7	379
12 Hrs	1205	98	46	1	20	15	15	1400
Total	2785	242	75	1	38	49	26	3216



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 18th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	4	0	0	0	0	0	0	4
00:15	1	0	0	0	0	0	0	1
00:30	2	0	0	0	0	0	0	2
00:45	1	0	0	0	0	0	0	1
1 Hr	8	0	0	0	0	0	0	8
01:00	0	0	0	0	0	0	0	0
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	2	0	0	0	0	0	0	2
02:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
03:00	1	0	0	0	0	0	0	1
03:15	2	0	0	0	0	0	0	2
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
04:00	1	0	0	0	0	0	0	1
04:15	2	0	0	0	0	0	0	2
04:30	0	0	0	1	0	0	0	1
04:45	1	0	0	1	0	0	0	2
1 Hr	4	0	0	2	0	0	0	6
05:00	0	1	0	0	0	0	0	1
05:15	0	0	0	0	0	0	0	0
05:30	1	0	0	0	0	0	0	1
05:45	1	0	0	0	0	0	0	1
1 Hr	2	1	0	0	0	0	0	3
6 Hrs	23	1	0	2	0	0	0	26

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
01:00	2	0	0	0	0	0	0	2
01:15	0	0	0	0	0	0	0	0
01:30	2	0	0	0	0	0	0	2
01:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
03:00	1	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	0	1	0	0	0	0	0	1
04:45	2	0	0	0	0	0	0	2
1 Hr	3	1	0	0	0	0	0	4
05:00	3	0	0	0	0	0	0	3
05:15	4	0	0	1	0	0	0	5
05:30	11	1	0	0	0	1	0	13
05:45	13	1	1	0	0	0	0	15
1 Hr	31	2	1	1	0	1	0	36
6 Hrs	43	3	1	1	0	1	0	49

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	1	1	1
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	1	1	1
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	0	0	1	1	1

	Direction : Westbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	1	1	1
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	1	1	1
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	0	0	1	1	1

07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	1	1	1
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	1	1	1
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0

07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	1	1	1
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	1	1	1
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0

3 Hr	0	0	1	1	1
------	---	---	---	---	---

3 Hr	0	0	1	1	1
------	---	---	---	---	---

16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0

16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0

3 Hrs	0	0	0	0	0
-------	---	---	---	---	---

3 Hrs	0	0	0	0	0
-------	---	---	---	---	---

6 Hrs	0	0	1	1	1
-------	---	---	---	---	---

6 Hrs	0	0	1	1	1
-------	---	---	---	---	---



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 18th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction :		Eastbound						Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

06:00	3	0	0	0	1	1	0	5
06:15	2	0	0	0	0	0	0	2
06:30	5	0	0	0	0	1	1	7
06:45	11	1	0	0	0	0	0	12
1 Hr	21	1	0	0	1	2	1	26

07:00	15	4	0	0	1	1	0	21
07:15	24	3	0	0	3	0	1	31
07:30	23	4	0	0	0	0	0	27
07:45	28	4	1	1	1	0	0	35
1 Hr	90	15	1	1	5	1	1	114

08:00	16	8	2	0	0	1	0	27
08:15	20	6	3	1	1	0	0	31
08:30	18	10	2	0	0	0	0	30
08:45	29	9	2	0	1	0	0	41
1 Hr	83	33	9	1	2	1	0	129

09:00	16	13	0	0	1	1	0	31
09:15	30	4	3	1	1	0	0	39
09:30	31	3	1	1	1	0	0	37
09:45	25	3	1	0	0	0	0	29
1 Hr	102	23	5	2	3	1	0	136

10:00	23	4	3	0	0	0	1	31
10:15	32	3	3	1	1	0	0	40
10:30	32	5	0	0	1	1	0	39
10:45	30	9	1	1	0	0	0	41
1 Hr	117	21	7	2	2	1	1	151

11:00	35	4	0	1	2	0	0	42
11:15	29	5	3	1	0	0	0	38
11:30	48	5	0	1	1	1	0	56
11:45	29	3	1	0	0	2	0	35
1 Hr	141	17	4	3	3	3	0	171

6 Hrs	554	110	26	9	16	9	3	727
-------	-----	-----	----	---	----	---	---	-----

12 Hrs	577	111	26	11	16	9	3	753
--------	-----	-----	----	----	----	---	---	-----

Direction :		Westbound						Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

06:00	12	2	0	0	0	1	1	16
06:15	20	3	1	0	0	1	0	25
06:30	21	2	0	0	1	1	2	27
06:45	29	6	2	0	0	0	2	39
1 Hr	82	13	3	0	1	3	5	107

07:00	49	7	0	0	0	2	1	59
07:15	74	12	0	0	0	1	0	87
07:30	87	8	2	0	1	3	4	105
07:45	125	12	1	0	0	3	0	141
1 Hr	335	39	3	0	1	9	5	392

08:00	140	10	0	1	1	1	2	155
08:15	147	7	1	3	0	3	0	161
08:30	126	14	0	1	0	2	0	143
08:45	106	3	1	1	1	0	1	113
1 Hr	519	34	2	6	2	6	3	572

09:00	94	7	1	0	1	0	0	103
09:15	73	6	2	1	1	1	0	84
09:30	73	5	2	0	1	1	1	83
09:45	55	4	2	0	2	0	0	63
1 Hr	295	22	7	1	5	2	1	333

10:00	66	3	0	1	0	1	0	71
10:15	50	9	3	2	1	0	0	65
10:30	48	5	2	1	0	1	0	57
10:45	44	6	1	0	1	2	0	54
1 Hr	208	23	6	4	2	4	0	247

11:00	49	5	0	1	1	2	0	58
11:15	51	9	1	3	1	3	2	70
11:30	42	4	0	0	0	1	0	47
11:45	41	6	0	1	1	0	1	50
1 Hr	183	24	1	5	3	6	3	225

6 Hrs	1622	155	22	16	14	30	17	1876
-------	------	-----	----	----	----	----	----	------

12 Hrs	1665	158	23	17	14	31	17	1925
--------	------	-----	----	----	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 18th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	48	10	3	2	2	0	0	65
12:15	44	2	2	1	1	1	0	51
12:30	47	1	1	0	1	3	0	53
12:45	45	7	1	1	0	0	0	54
1 Hr	184	20	7	4	4	4	0	223
13:00	33	5	0	2	1	1	1	43
13:15	47	2	0	0	0	0	2	51
13:30	31	8	0	0	1	0	0	40
13:45	39	4	3	2	0	0	1	49
1 Hr	150	19	3	4	2	1	4	183
14:00	50	2	2	1	0	1	1	57
14:15	65	3	0	1	1	2	4	76
14:30	44	4	4	1	3	1	0	57
14:45	44	3	0	0	1	1	0	49
1 Hr	203	12	6	3	5	5	5	239
15:00	74	7	3	1	0	4	3	92
15:15	58	3	1	2	1	0	0	65
15:30	67	6	0	0	1	0	1	75
15:45	78	6	1	0	2	0	2	89
1 Hr	277	22	5	3	4	4	6	321
16:00	78	6	0	0	0	0	2	86
16:15	94	4	0	0	1	0	1	100
16:30	95	7	1	0	0	1	3	107
16:45	92	6	0	1	0	4	1	104
1 Hr	359	23	1	1	1	5	7	397
17:00	133	7	2	0	1	7	2	152
17:15	121	7	1	0	2	2	3	136
17:30	104	4	1	0	0	6	1	116
17:45	94	5	1	0	1	0	3	104
1 Hr	452	23	5	0	4	15	9	508
6 Hrs	1625	119	27	15	20	34	31	1871

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	21	6	0	0	1	0	1	29
12:15	37	4	1	1	2	0	1	46
12:30	58	5	1	1	0	3	0	68
12:45	41	3	2	0	1	0	1	48
1 Hr	157	18	4	2	4	3	3	191
13:00	31	4	3	2	0	0	3	43
13:15	30	7	1	2	1	1	0	42
13:30	39	0	1	0	0	0	0	40
13:45	49	3	1	1	1	1	1	57
1 Hr	149	14	6	5	2	2	4	182
14:00	38	8	1	1	0	0	0	48
14:15	34	2	4	1	2	1	0	44
14:30	44	3	0	1	0	0	0	48
14:45	32	10	2	0	1	0	0	45
1 Hr	148	23	7	3	3	1	0	185
15:00	32	5	2	0	0	1	0	40
15:15	40	7	0	1	2	1	0	51
15:30	40	4	1	3	0	0	0	48
15:45	41	6	1	0	1	0	0	49
1 Hr	153	22	4	4	3	2	0	188
16:00	40	7	1	1	0	1	0	50
16:15	30	6	2	0	1	2	0	41
16:30	32	10	2	0	0	1	0	45
16:45	38	1	0	0	2	0	0	41
1 Hr	140	24	5	1	3	4	0	177
17:00	38	4	0	0	0	0	0	42
17:15	22	1	1	0	1	1	3	29
17:30	28	1	0	0	1	1	0	31
17:45	66	2	0	0	1	1	1	71
1 Hr	154	8	1	0	3	3	4	173
6 Hrs	901	109	27	15	18	15	11	1096



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 18th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	74	6	0	0	0	4	0	84
18:15	63	8	0	0	0	1	3	75
18:30	42	4	1	0	0	3	0	50
18:45	43	0	0	0	0	0	0	43
1 Hr	222	18	1	0	0	8	3	252
19:00	41	3	2	0	1	0	3	50
19:15	40	5	1	0	0	1	1	48
19:30	33	4	0	0	0	0	5	42
19:45	36	1	0	0	0	0	3	40
1 Hr	150	13	3	0	1	1	12	180
20:00	26	1	0	0	0	1	0	28
20:15	38	3	0	0	0	0	0	41
20:30	26	1	0	0	0	1	0	28
20:45	17	2	0	0	0	2	0	21
1 Hr	107	7	0	0	0	4	0	118
21:00	20	0	0	0	0	0	0	20
21:15	18	2	0	0	0	0	0	20
21:30	20	0	0	0	0	0	0	20
21:45	21	0	0	0	0	0	0	21
1 Hr	79	2	0	0	0	0	0	81
22:00	14	0	0	0	0	1	0	15
22:15	16	0	0	0	0	0	0	16
22:30	14	0	0	0	0	0	0	14
22:45	14	0	0	0	0	0	0	14
1 Hr	58	0	0	0	0	1	0	59
23:00	10	0	0	0	0	0	0	10
23:15	13	0	0	0	0	0	0	13
23:30	6	0	0	0	0	0	0	6
23:45	4	0	0	0	0	0	0	4
1 Hr	33	0	0	0	0	0	0	33
6 Hrs	649	40	4	0	1	14	15	723
12 Hrs	2274	159	31	15	21	48	46	2594
Total	2851	270	57	26	37	57	49	3347

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	25	1	1	0	0	0	0	27
18:15	39	0	1	0	2	1	0	43
18:30	34	3	0	0	0	0	0	37
18:45	35	2	0	0	0	0	0	37
1 Hr	133	6	2	0	2	1	0	144
19:00	48	3	0	0	0	0	1	52
19:15	30	1	0	0	0	1	1	33
19:30	18	1	2	0	1	0	0	22
19:45	26	2	0	0	0	1	0	29
1 Hr	122	7	2	0	1	2	2	136
20:00	13	2	1	0	0	0	0	16
20:15	13	2	0	0	0	1	2	18
20:30	13	1	0	0	0	0	0	14
20:45	15	0	0	0	0	0	0	15
1 Hr	54	5	1	0	0	1	2	63
21:00	28	0	0	0	0	2	1	31
21:15	9	0	0	0	0	0	0	9
21:30	9	0	0	0	0	1	0	10
21:45	7	0	0	0	0	1	0	8
1 Hr	53	0	0	0	0	4	1	58
22:00	11	0	0	0	0	0	1	12
22:15	7	0	0	0	0	0	0	7
22:30	5	0	0	0	0	0	0	5
22:45	3	0	0	0	0	0	0	3
1 Hr	26	0	0	0	0	0	1	27
23:00	4	0	0	0	0	0	0	4
23:15	2	0	0	0	0	0	0	2
23:30	2	0	0	0	0	0	0	2
23:45	1	0	0	0	0	0	0	1
1 Hr	9	0	0	0	0	0	0	9
6 Hrs	397	18	5	0	3	8	6	437
12 Hrs	1298	127	32	15	21	23	17	1533
Total	2963	285	55	32	35	54	34	3458



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 19th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	0	0	1	1	0	0	0	2
00:15	1	0	0	0	0	0	0	1
00:30	3	0	0	0	0	0	0	3
00:45	1	0	0	0	0	0	0	1
1 Hr	5	0	1	1	0	0	0	7
01:00	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0
01:30	2	0	0	0	0	0	0	2
01:45	0	1	0	0	0	0	0	1
1 Hr	2	1	0	0	0	0	0	3
02:00	1	0	0	0	0	0	0	1
02:15	2	0	0	0	0	0	0	2
02:30	0	1	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	3	1	0	0	0	0	0	4
03:00	1	0	0	0	0	0	0	1
03:15	2	0	0	0	0	0	0	2
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	3	0	0	0	0	0	0	3
04:00	0	1	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0
04:30	0	0	1	0	0	0	0	1
04:45	1	0	0	0	0	0	0	1
1 Hr	1	1	1	0	0	0	0	3
05:00	1	0	1	0	0	0	0	2
05:15	1	0	0	0	0	0	0	1
05:30	1	1	0	0	0	0	0	2
05:45	1	0	0	0	0	0	0	1
1 Hr	4	1	1	0	0	0	0	6
6 Hrs	18	4	3	1	0	0	0	26

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	1	0	0	0	0	1	0	2
00:30	0	0	0	0	0	0	0	0
00:45	1	0	0	0	0	1	0	2
1 Hr	3	0	0	0	0	2	0	5
01:00	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	2	1	0	0	0	0	0	3
02:45	1	0	0	0	0	0	0	1
1 Hr	4	1	0	0	0	0	0	5
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
04:00	1	0	0	0	0	0	0	1
04:15	2	1	0	0	0	0	0	3
04:30	3	1	0	0	0	0	0	4
04:45	4	1	0	0	0	0	0	5
1 Hr	10	3	0	0	0	0	0	13
05:00	2	2	1	0	0	0	0	5
05:15	6	2	0	0	0	0	0	8
05:30	9	2	0	0	0	1	0	12
05:45	6	4	1	0	0	0	0	11
1 Hr	23	10	2	0	0	1	0	36
6 Hrs	40	14	2	0	0	3	0	59

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	1	1	1
1 Hr	0	0	1	1	1
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	0	0	1	1	1
6 Hrs	0	0	1	1	1

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	1	1
1 Hr	0	0	1	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	0	0	1	1
6 Hrs	1	0	1	2

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	1	1
1 Hr	0	0	1	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	1	1
1 Hr	0	0	1	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

3 Hr	0	0	1	1
------	---	---	---	---

3 Hr	0	0	1	1
------	---	---	---	---

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	1	0	0	1
1 Hr	1	0	0	1

3 Hrs	0	0	0	0
-------	---	---	---	---

3 Hrs	1	0	0	1
-------	---	---	---	---

6 Hrs	0	0	1	1
-------	---	---	---	---

6 Hrs	1	0	1	2
-------	---	---	---	---



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 19th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	1	1	0	0	0	1	0	3
06:15	2	0	0	0	0	0	1	3
06:30	5	0	0	0	0	1	1	7
06:45	16	2	0	0	0	0	0	18
1 Hr	24	3	0	0	0	2	2	31
07:00	15	3	1	0	1	0	0	20
07:15	16	6	0	0	2	0	2	26
07:30	21	3	2	0	1	0	0	27
07:45	36	3	1	1	1	1	0	43
1 Hr	88	15	4	1	5	1	2	116
08:00	17	2	3	0	0	1	0	23
08:15	26	5	0	0	1	0	3	35
08:30	27	6	4	0	0	0	0	37
08:45	31	8	2	0	1	0	0	42
1 Hr	101	21	9	0	2	1	3	137
09:00	31	6	2	0	2	0	0	41
09:15	25	3	3	0	0	0	0	31
09:30	28	4	3	0	1	0	2	38
09:45	40	3	3	0	0	0	0	46
1 Hr	124	16	11	0	3	0	2	156
10:00	33	3	0	0	1	1	0	38
10:15	37	2	0	0	0	1	0	40
10:30	28	4	2	0	1	1	0	36
10:45	26	3	2	0	0	1	0	32
1 Hr	124	12	4	0	2	4	0	146
11:00	44	4	1	0	1	2	0	52
11:15	38	5	0	0	0	1	1	45
11:30	45	4	2	0	1	1	0	53
11:45	41	4	0	0	0	0	0	45
1 Hr	168	17	3	0	2	4	1	195
6 Hrs	629	84	31	1	14	12	10	781
12 Hrs	647	88	34	2	14	12	10	807

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	15	4	0	0	0	2	1	22
06:15	20	1	0	0	0	1	0	22
06:30	21	1	0	0	1	2	1	26
06:45	36	4	3	0	0	0	1	44
1 Hr	92	10	3	0	1	5	3	114
07:00	45	6	0	0	0	1	0	52
07:15	85	5	1	0	0	0	2	93
07:30	90	10	2	0	1	4	1	108
07:45	136	8	1	0	0	3	2	150
1 Hr	356	29	4	0	1	8	5	403
08:00	142	6	0	0	1	3	1	153
08:15	152	12	3	0	0	2	1	170
08:30	107	12	3	0	1	0	2	125
08:45	97	10	0	0	1	2	0	110
1 Hr	498	40	6	0	3	7	4	558
09:00	119	11	2	0	1	0	0	133
09:15	66	3	1	0	0	0	0	70
09:30	71	4	0	1	2	1	0	79
09:45	72	4	3	0	2	0	0	81
1 Hr	328	22	6	1	5	1	0	363
10:00	39	4	1	0	0	0	0	44
10:15	41	4	2	1	1	1	0	50
10:30	101	7	2	0	0	0	0	110
10:45	40	10	2	1	1	0	0	54
1 Hr	221	25	7	2	2	1	0	258
11:00	48	3	1	0	0	0	0	52
11:15	34	3	2	0	1	0	0	40
11:30	38	3	0	0	0	0	0	41
11:45	36	3	0	1	1	0	0	41
1 Hr	156	12	3	1	2	0	0	174
6 Hrs	1651	138	29	4	14	22	12	1870
12 Hrs	1691	152	31	4	14	25	12	1929



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 19th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	48	7	1	0	1	1	0	58
12:15	38	1	2	0	0	3	0	44
12:30	38	4	1	0	1	1	0	45
12:45	48	5	2	0	0	0	0	55
1 Hr	172	17	6	0	2	5	0	202
13:00	38	0	3	0	1	0	0	42
13:15	39	4	0	0	0	1	1	45
13:30	29	9	0	0	1	0	0	39
13:45	57	3	2	0	1	0	0	63
1 Hr	163	16	5	0	3	1	1	189
14:00	72	2	0	0	1	1	0	76
14:15	52	4	1	0	0	1	0	58
14:30	38	6	0	0	3	1	0	48
14:45	61	2	0	0	0	3	0	66
1 Hr	223	14	1	0	4	6	0	248
15:00	64	9	1	0	2	1	2	79
15:15	50	5	1	1	0	1	0	58
15:30	58	4	0	0	1	0	0	63
15:45	47	2	0	0	0	0	0	49
1 Hr	219	20	2	1	3	2	2	249
16:00	94	4	1	1	0	0	1	101
16:15	99	7	2	0	0	4	1	113
16:30	96	3	2	0	1	3	1	106
16:45	89	2	1	0	0	3	3	98
1 Hr	378	16	6	1	1	10	6	418
17:00	143	11	1	0	1	5	1	162
17:15	122	8	1	0	1	3	3	138
17:30	100	7	1	0	0	5	1	114
17:45	78	6	0	0	0	0	3	87
1 Hr	443	32	3	0	2	13	8	501
6 Hrs	1598	115	23	2	15	37	17	1807

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	38	4	0	0	0	0	0	42
12:15	44	3	1	0	1	5	0	54
12:30	32	2	0	0	0	0	2	36
12:45	31	9	0	0	1	0	0	41
1 Hr	145	18	1	0	2	5	2	173
13:00	31	7	2	0	0	1	0	41
13:15	53	2	2	1	1	1	0	60
13:30	28	3	0	0	0	0	0	31
13:45	54	5	2	1	2	1	0	65
1 Hr	166	17	6	2	3	3	0	197
14:00	33	5	2	0	0	0	1	41
14:15	38	6	1	0	1	0	0	46
14:30	34	3	1	0	0	3	2	43
14:45	33	6	3	1	1	0	0	44
1 Hr	138	20	7	1	2	3	3	174
15:00	35	5	1	0	0	1	0	42
15:15	31	4	1	1	3	5	0	45
15:30	37	1	2	0	0	0	0	40
15:45	30	5	5	0	0	1	1	42
1 Hr	133	15	9	1	3	7	1	169
16:00	34	8	1	0	0	0	1	44
16:15	28	11	2	0	1	2	0	44
16:30	41	4	0	0	0	2	0	47
16:45	45	3	1	0	3	1	0	53
1 Hr	148	26	4	0	4	5	1	188
17:00	43	2	1	2	0	0	2	50
17:15	44	5	2	0	0	0	0	51
17:30	40	2	0	0	1	0	0	43
17:45	28	3	1	0	0	0	1	33
1 Hr	155	12	4	2	1	0	3	177
6 Hrs	885	108	31	6	15	23	10	1078



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 19th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	88	5	1	0	1	0	0	95
18:15	64	4	0	0	0	2	2	72
18:30	57	2	1	0	0	1	0	61
18:45	40	3	1	0	0	1	0	45
1 Hr	249	14	3	0	1	4	2	273
19:00	51	3	2	1	1	0	0	58
19:15	54	4	0	0	0	0	0	58
19:30	46	4	0	0	0	0	0	50
19:45	40	2	0	0	0	0	0	42
1 Hr	191	13	2	1	1	0	0	208
20:00	23	1	0	0	0	1	0	25
20:15	15	0	0	0	0	0	0	15
20:30	15	0	1	0	0	0	0	16
20:45	16	1	0	0	0	0	0	17
1 Hr	69	2	1	0	0	1	0	73
21:00	21	0	0	0	0	0	0	21
21:15	12	1	0	0	0	0	0	13
21:30	13	0	0	0	0	0	1	14
21:45	13	1	0	0	0	0	0	14
1 Hr	59	2	0	0	0	0	1	62
22:00	19	0	0	0	0	0	2	21
22:15	17	0	0	0	0	0	0	17
22:30	17	0	0	0	0	0	1	18
22:45	7	1	0	0	0	0	0	8
1 Hr	60	1	0	0	0	0	3	64
23:00	5	0	0	0	0	0	0	5
23:15	8	0	0	0	0	0	0	8
23:30	5	0	0	0	0	0	0	5
23:45	5	0	0	0	0	0	0	5
1 Hr	23	0	0	0	0	0	0	23
6 Hrs	651	32	6	1	2	5	6	703
12 Hrs	2249	147	29	3	17	42	23	2510
Total	2896	235	63	5	31	54	33	3317

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	28	1	1	0	1	2	1	34
18:15	28	2	0	0	0	1	0	31
18:30	32	0	1	0	1	0	0	34
18:45	38	3	0	0	0	0	0	41
1 Hr	126	6	2	0	2	3	1	140
19:00	37	5	0	0	0	1	1	44
19:15	27	0	0	0	0	0	0	27
19:30	20	3	0	0	1	0	0	24
19:45	19	1	0	0	0	0	0	20
1 Hr	103	9	0	0	1	1	1	115
20:00	15	2	1	0	0	0	0	18
20:15	13	0	0	0	0	0	0	13
20:30	11	0	1	0	0	0	0	12
20:45	11	0	0	0	0	0	0	11
1 Hr	50	2	2	0	0	0	0	54
21:00	16	0	0	0	0	0	0	16
21:15	11	0	0	0	0	0	0	11
21:30	6	0	0	0	0	1	0	7
21:45	5	0	0	0	0	0	0	5
1 Hr	38	0	0	0	0	1	0	39
22:00	16	0	0	0	0	0	1	17
22:15	9	0	0	0	0	0	0	9
22:30	8	0	0	0	0	0	1	9
22:45	5	0	0	0	0	0	0	5
1 Hr	38	0	0	0	0	0	2	40
23:00	6	0	0	0	0	0	0	6
23:15	4	0	0	0	0	0	0	4
23:30	3	0	0	0	0	0	0	3
23:45	2	0	0	0	0	0	0	2
1 Hr	15	0	0	0	0	0	0	15
6 Hrs	370	17	4	0	3	5	4	403
12 Hrs	1255	125	35	6	18	28	14	1481
Total	2946	277	66	10	32	53	26	3410



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 20th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	2	0	0	0	0	0	0	2
00:30	0	0	0	0	0	0	0	0
00:45	2	0	0	0	0	0	0	2
1 Hr	7	0	0	0	0	0	0	7
01:00	4	0	0	0	0	0	0	4
01:15	2	0	0	0	0	0	0	2
01:30	2	0	0	0	0	0	0	2
01:45	2	0	0	0	0	0	0	2
1 Hr	10	0	0	0	0	0	0	10
02:00	1	1	0	0	0	0	0	2
02:15	3	0	0	0	0	0	0	3
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	5	1	0	0	0	0	0	6
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	3	1	0	0	0	0	0	4
03:45	1	0	0	0	0	0	0	1
1 Hr	5	1	0	0	0	0	0	6
04:00	1	0	0	1	0	0	0	2
04:15	1	0	0	0	0	0	0	1
04:30	0	0	1	0	0	0	0	1
04:45	1	0	0	0	0	0	0	1
1 Hr	3	0	1	1	0	0	0	5
05:00	3	0	0	0	0	0	0	3
05:15	0	1	0	0	0	0	0	1
05:30	1	1	0	0	0	0	0	2
05:45	2	1	0	0	0	0	0	3
1 Hr	6	3	0	0	0	0	0	9
6 Hrs	36	5	1	1	0	0	0	43

	Direction : Westbound						Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	
00:00	1	0	0	0	0	0	1
00:15	4	0	0	0	0	0	4
00:30	0	0	0	0	0	0	0
00:45	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	5
01:00	1	0	0	0	0	0	1
01:15	1	0	0	0	0	0	1
01:30	1	0	0	0	0	0	1
01:45	2	0	0	0	0	0	2
1 Hr	5	0	0	0	0	0	5
02:00	2	0	0	0	0	0	2
02:15	0	0	0	0	0	0	0
02:30	3	0	0	0	0	0	3
02:45	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	5
03:00	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0
04:15	2	0	0	0	0	0	2
04:30	1	0	0	0	0	0	1
04:45	1	1	0	0	0	0	2
1 Hr	4	1	0	0	0	0	5
05:00	4	1	1	0	0	0	6
05:15	5	0	0	0	0	0	5
05:30	12	2	0	0	0	0	14
05:45	11	2	1	0	0	0	14
1 Hr	32	5	2	0	0	0	42
6 Hrs	52	6	2	0	0	0	64

	Direction : Eastbound			Total
	Accompanied	Child	Unaccompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	1	0	0	1
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1

	Direction : Westbound			Total
	Accompanied	Child	Unaccompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	2	0	0	2
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	2	0	0	2

16:00	0	0	0	0
16:15	0	0	0	0
16:30	2	0	0	2
16:45	2	0	0	2
1 Hr	4	0	0	4
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	2	0	0	2
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	2	0	0	2
3 Hrs	6	0	0	6
6 Hrs	7	0	0	7

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	1	0	0	1
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	2	0	0	2
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	2	0	0	2
16:00	0	0	0	0
16:15	1	0	0	1
16:30	2	0	0	2
16:45	0	0	0	0
1 Hr	3	0	0	3
17:00	0	0	0	0
17:15	1	0	0	1
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	1	0	0	1
18:00	1	0	0	1
18:15	2	0	0	2
18:30	0	0	0	0
18:45	1	0	0	1
1 Hr	4	0	0	4
3 Hrs	8	0	0	8
6 Hrs	10	0	0	10



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 20th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	0	0	0	0	1	0	0	1
06:15	1	1	0	0	0	0	0	2
06:30	7	1	0	0	0	1	1	10
06:45	12	2	0	0	0	0	0	14
1 Hr	20	4	0	0	1	1	1	27
07:00	16	4	2	0	1	1	0	24
07:15	16	1	0	1	2	0	1	21
07:30	30	6	1	0	1	2	1	41
07:45	26	3	1	0	1	0	0	31
1 Hr	88	14	4	1	5	3	2	117
08:00	21	4	6	0	0	0	0	31
08:15	22	2	1	0	1	0	0	26
08:30	25	3	2	0	0	0	0	30
08:45	31	6	4	0	1	0	0	42
1 Hr	99	15	13	0	2	0	0	129
09:00	26	4	2	1	2	1	0	36
09:15	24	6	0	0	0	0	0	30
09:30	31	2	0	0	1	1	0	35
09:45	40	5	1	0	0	0	1	47
1 Hr	121	17	3	1	3	2	1	148
10:00	33	2	0	0	1	1	0	37
10:15	31	4	1	0	0	0	2	38
10:30	37	6	1	0	1	1	0	46
10:45	35	13	0	0	1	0	0	49
1 Hr	136	25	2	0	3	2	2	170
11:00	28	3	0	0	2	0	0	33
11:15	48	3	2	0	1	0	0	54
11:30	36	4	2	0	1	0	0	43
11:45	42	7	4	0	0	1	0	54
1 Hr	154	17	8	0	4	1	0	184
6 Hrs	618	92	30	2	18	9	6	775
12 Hrs	654	97	31	3	18	9	6	818

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	8	2	1	0	0	1	0	12
06:15	28	0	0	0	0	0	0	28
06:30	22	3	0	0	1	2	1	29
06:45	22	8	1	0	0	0	1	32
1 Hr	80	13	2	0	1	3	2	101
07:00	56	13	2	0	0	3	0	74
07:15	72	7	1	0	0	0	0	80
07:30	106	9	1	1	1	6	1	125
07:45	105	6	2	0	0	4	1	118
1 Hr	339	35	6	1	1	13	2	397
08:00	117	7	1	1	1	0	1	128
08:15	116	8	3	0	0	1	1	129
08:30	99	6	3	0	0	2	0	110
08:45	106	5	5	0	1	4	1	122
1 Hr	438	26	12	1	2	7	3	489
09:00	99	4	3	0	0	0	0	106
09:15	67	2	0	0	1	0	0	70
09:30	57	5	0	0	0	1	0	63
09:45	48	9	1	0	3	0	0	61
1 Hr	271	20	4	0	4	1	0	300
10:00	57	5	1	1	1	2	0	67
10:15	48	6	2	0	1	0	0	57
10:30	59	4	1	0	0	0	1	65
10:45	48	9	0	0	1	0	0	58
1 Hr	212	24	4	1	3	2	1	247
11:00	39	4	2	0	1	0	0	46
11:15	45	4	0	0	2	0	0	51
11:30	49	4	0	0	0	2	0	55
11:45	40	7	3	0	1	0	0	51
1 Hr	173	19	5	0	4	2	0	203
6 Hrs	1513	137	33	3	15	28	8	1737
12 Hrs	1565	143	35	3	15	28	12	1801



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 20th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	50	4	2	0	2	4	0	62
12:15	32	2	3	0	0	0	1	38
12:30	60	3	2	1	1	2	2	71
12:45	37	5	1	0	1	0	1	45
1 Hr	179	14	8	1	4	6	4	216
13:00	46	6	2	0	2	0	0	56
13:15	46	5	0	0	0	5	0	56
13:30	54	4	0	0	1	2	1	62
13:45	47	3	0	0	0	0	0	50
1 Hr	193	18	2	0	3	7	1	224
14:00	54	3	2	0	1	1	1	62
14:15	44	5	0	0	0	3	0	52
14:30	62	5	0	1	2	1	0	71
14:45	61	3	1	0	1	1	0	67
1 Hr	221	16	3	1	4	6	1	252
15:00	81	4	0	0	1	3	2	91
15:15	88	5	2	1	1	2	0	99
15:30	51	5	0	0	1	1	0	58
15:45	71	10	1	0	0	0	0	82
1 Hr	291	24	3	1	3	6	2	330
16:00	82	5	0	0	0	3	1	91
16:15	91	8	1	0	0	3	0	103
16:30	96	3	1	0	1	2	2	105
16:45	80	5	2	0	1	2	2	92
1 Hr	349	21	4	0	2	10	5	391
17:00	98	11	1	0	0	1	0	111
17:15	104	10	2	0	1	2	0	119
17:30	76	8	0	0	0	3	1	88
17:45	73	7	0	0	1	3	0	84
1 Hr	351	36	3	0	2	9	1	402
6 Hrs	1584	129	23	3	18	44	14	1815

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	47	5	2	0	0	1	0	55
12:15	40	4	3	0	1	0	1	49
12:30	49	3	2	0	1	1	0	56
12:45	49	5	1	1	1	0	0	57
1 Hr	185	17	8	1	3	2	1	217
13:00	47	4	2	0	1	1	0	55
13:15	57	3	4	0	1	3	0	68
13:30	38	8	0	0	0	5	0	51
13:45	50	6	1	0	1	1	0	59
1 Hr	192	21	7	0	3	10	0	233
14:00	42	5	1	0	1	0	1	50
14:15	38	5	3	0	1	0	0	47
14:30	44	3	1	0	0	0	0	48
14:45	47	3	0	0	1	2	0	53
1 Hr	171	16	5	0	3	2	1	198
15:00	33	3	0	0	0	0	0	36
15:15	24	5	0	0	2	2	0	33
15:30	46	5	0	0	2	0	0	53
15:45	32	8	1	0	1	0	1	43
1 Hr	135	21	1	0	5	2	1	165
16:00	44	4	0	0	0	1	0	49
16:15	30	4	2	1	1	1	0	39
16:30	38	3	1	0	0	0	0	42
16:45	32	2	0	1	2	1	0	38
1 Hr	144	13	3	2	3	3	0	168
17:00	30	0	0	0	1	3	0	34
17:15	30	1	0	1	0	0	0	32
17:30	33	4	0	0	1	0	0	38
17:45	21	3	1	0	0	0	1	26
1 Hr	114	8	1	1	2	3	1	130
6 Hrs	941	96	25	4	19	22	4	1111



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 20th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	59	3	1	0	0	1	0	64
18:15	49	4	0	0	0	1	0	54
18:30	46	3	1	0	0	1	2	53
18:45	45	1	0	0	0	3	0	49
1 Hr	199	11	2	0	0	6	2	220
19:00	34	4	1	0	1	0	1	41
19:15	35	1	0	0	0	0	0	36
19:30	50	1	0	0	0	0	0	51
19:45	33	2	0	0	0	0	0	35
1 Hr	152	8	1	0	1	0	1	163
20:00	37	1	0	0	0	0	0	38
20:15	23	4	0	0	0	2	0	29
20:30	22	2	1	0	0	0	0	25
20:45	17	0	0	0	0	1	0	18
1 Hr	99	7	1	0	0	3	0	110
21:00	28	1	0	0	0	1	0	30
21:15	12	1	0	0	0	0	0	13
21:30	21	0	0	0	0	0	0	21
21:45	15	0	0	0	0	0	0	15
1 Hr	76	2	0	0	0	1	0	79
22:00	15	1	0	0	0	1	0	17
22:15	17	0	0	0	0	0	0	17
22:30	15	0	0	0	0	0	0	15
22:45	13	0	0	0	0	1	0	14
1 Hr	60	1	0	0	0	2	0	63
23:00	20	0	0	0	0	0	0	20
23:15	7	0	0	0	0	0	0	7
23:30	8	0	0	0	0	0	0	8
23:45	8	0	0	0	0	0	0	8
1 Hr	43	0	0	0	0	0	0	43
6 Hrs	629	29	4	0	1	12	3	678
12 Hrs	2213	158	27	3	19	56	17	2493
Total	2867	255	58	6	37	65	23	3311

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
18:00	42	0	0	0	1	1	1	45
18:15	41	3	0	0	0	1	2	47
18:30	32	3	0	0	1	1	0	37
18:45	30	4	0	0	0	0	2	36
1 Hr	145	10	0	0	2	3	5	165
19:00	29	2	0	0	0	0	1	32
19:15	30	1	0	0	0	0	1	32
19:30	24	1	0	0	1	0	2	28
19:45	22	1	0	0	0	1	0	24
1 Hr	105	5	0	0	1	1	4	116
20:00	22	1	0	0	0	0	1	24
20:15	14	0	0	0	0	0	0	14
20:30	14	1	0	0	0	0	0	15
20:45	13	0	0	0	0	0	0	13
1 Hr	63	2	0	0	0	0	1	66
21:00	15	1	1	0	0	0	0	17
21:15	20	0	0	0	0	0	1	21
21:30	16	0	0	0	0	0	0	16
21:45	8	0	0	0	0	0	0	8
1 Hr	59	1	1	0	0	0	1	62
22:00	19	0	0	0	0	0	0	19
22:15	14	0	0	0	0	0	0	14
22:30	10	0	0	0	0	0	0	10
22:45	13	0	0	0	0	0	0	13
1 Hr	56	0	0	0	0	0	0	56
23:00	4	0	0	0	0	0	0	4
23:15	7	0	0	0	0	0	0	7
23:30	3	0	0	0	0	0	0	3
23:45	5	0	0	0	0	0	0	5
1 Hr	19	0	0	0	0	0	0	19
6 Hrs	447	18	1	0	3	4	11	484
12 Hrs	1388	114	26	4	22	26	15	1595
Total	2953	257	61	7	37	54	27	3396



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 21st June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	6	0	0	0	0	0	0	6
00:30	5	0	0	0	0	0	0	5
00:45	4	0	0	0	0	0	0	4
1 Hr	18	0	0	0	0	0	0	18
01:00	4	0	0	0	0	0	0	4
01:15	2	0	0	0	0	0	0	2
01:30	1	0	0	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	8	0	0	0	0	0	0	8
02:00	3	0	0	0	0	0	0	3
02:15	2	1	0	0	0	0	0	3
02:30	0	1	0	0	0	0	0	1
02:45	2	0	0	0	0	0	0	2
1 Hr	7	2	0	0	0	0	0	9
03:00	4	0	0	0	0	0	0	4
03:15	0	0	0	0	0	0	0	0
03:30	1	0	0	0	0	0	0	1
03:45	2	0	0	0	0	0	0	2
1 Hr	7	0	0	0	0	0	0	7
04:00	2	0	0	0	0	0	0	2
04:15	0	0	0	0	0	0	0	0
04:30	2	0	1	0	0	0	0	3
04:45	4	0	0	0	0	0	0	4
1 Hr	8	0	1	0	0	0	0	9
05:00	0	0	0	0	0	0	0	0
05:15	1	0	0	0	0	0	0	1
05:30	4	0	0	0	0	0	0	4
05:45	3	0	0	0	0	0	0	3
1 Hr	8	0	0	0	0	0	0	8
6 Hrs	56	2	1	0	0	0	0	59

	Direction : Westbound						Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	
00:00	9	0	0	0	0	0	9
00:15	7	0	0	0	0	0	7
00:30	6	0	0	0	0	0	6
00:45	3	0	0	0	0	0	3
1 Hr	25	0	0	0	0	0	25
01:00	5	0	0	0	0	0	5
01:15	2	0	0	0	0	0	2
01:30	2	0	0	0	0	0	2
01:45	0	0	0	0	0	0	0
1 Hr	9	0	0	0	0	0	9
02:00	3	0	0	0	0	0	3
02:15	1	0	0	0	0	0	1
02:30	2	0	0	0	0	0	2
02:45	1	0	0	0	0	0	1
1 Hr	7	0	0	0	0	0	7
03:00	2	0	0	0	0	0	2
03:15	1	0	0	0	0	0	1
03:30	1	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	4
04:00	1	0	0	0	0	0	1
04:15	1	0	0	0	0	0	1
04:30	3	0	0	0	0	0	3
04:45	6	0	0	0	0	0	6
1 Hr	11	0	0	0	0	0	11
05:00	2	0	0	0	0	0	2
05:15	2	0	1	0	0	1	4
05:30	10	1	0	0	0	0	11
05:45	10	0	0	0	0	0	10
1 Hr	24	1	1	0	0	1	27
6 Hrs	80	1	1	0	0	1	83

	Direction : Eastbound			Total
	Accompanied	Child	Unaccompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	1	0	0	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1
3 Hr	1	0	0	1

	Direction : Westbound			Total
	Adult	Child	Unaccompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	1	0	0	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1
3 Hr	1	0	0	1

16:00	0	0	0	0
16:15	2	0	0	2
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	2	0	0	2
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	2	0	0	2
6 Hrs	3	0	0	3

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	1	0	0	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	1	0	0	1
3 Hrs	1	0	0	1
6 Hrs	2	0	0	2



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 21st June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	2	0	0	0	0	0	0	2
06:15	3	0	0	0	0	0	0	3
06:30	2	1	0	0	0	0	0	3
06:45	10	0	0	0	0	0	0	10
1 Hr	17	1	0	0	0	0	0	18
07:00	7	0	0	0	0	0	0	7
07:15	7	4	0	0	1	0	2	14
07:30	9	1	2	0	0	0	0	12
07:45	9	4	0	0	0	1	0	14
1 Hr	32	9	2	0	1	1	2	47
08:00	12	4	1	0	1	0	0	18
08:15	13	2	1	0	0	0	0	16
08:30	11	4	1	0	1	0	1	18
08:45	22	4	1	0	0	0	0	27
1 Hr	58	14	4	0	2	0	1	79
09:00	18	4	0	0	1	1	0	24
09:15	25	1	1	0	0	4	0	31
09:30	34	8	0	0	1	0	0	43
09:45	33	3	1	0	0	1	1	39
1 Hr	110	16	2	0	2	6	1	137
10:00	41	4	1	0	1	2	1	50
10:15	29	6	1	0	0	0	2	38
10:30	39	3	0	0	1	2	0	45
10:45	43	3	0	0	0	0	0	46
1 Hr	152	16	2	0	2	4	3	179
11:00	59	2	2	0	1	5	0	69
11:15	62	1	0	0	0	0	0	63
11:30	49	1	0	0	1	2	0	53
11:45	62	3	0	1	0	1	0	67
1 Hr	232	7	2	1	2	8	0	252
6 Hrs	601	63	12	1	9	19	7	712
12 Hrs	657	65	13	1	9	19	7	771

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	5	1	0	0	0	0	0	6
06:15	8	2	0	0	0	0	0	10
06:30	14	1	0	0	0	2	0	17
06:45	16	2	0	0	0	0	0	18
1 Hr	43	6	0	0	0	2	0	51
07:00	15	4	0	0	0	0	0	19
07:15	19	3	1	0	0	0	0	23
07:30	30	5	0	0	0	0	2	37
07:45	47	4	0	0	0	1	0	52
1 Hr	111	16	1	0	0	1	2	131
08:00	30	2	0	0	1	0	0	33
08:15	34	6	0	0	0	0	1	41
08:30	46	2	0	0	0	0	0	48
08:45	58	4	1	0	1	2	0	66
1 Hr	168	14	1	0	2	2	1	188
09:00	47	7	0	0	0	1	0	55
09:15	50	5	0	0	1	1	0	57
09:30	57	6	2	0	0	0	0	65
09:45	69	6	0	0	1	3	0	79
1 Hr	223	24	2	0	2	5	0	256
10:00	61	2	0	0	0	3	0	66
10:15	48	4	1	0	1	0	1	55
10:30	46	5	0	0	0	0	0	51
10:45	45	7	1	0	1	2	0	56
1 Hr	200	18	2	0	2	5	1	228
11:00	45	5	0	0	0	1	0	51
11:15	64	5	0	0	1	0	0	70
11:30	58	2	0	0	0	2	0	62
11:45	46	6	0	0	1	2	0	55
1 Hr	213	18	0	0	2	5	0	238
6 Hrs	958	96	6	0	8	20	4	1092
12 Hrs	1038	97	7	0	8	21	4	1175



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 21st June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	55	6	0	0	1	5	2	69
12:15	63	4	0	0	0	1	1	69
12:30	58	3	0	0	1	2	1	65
12:45	44	3	1	0	0	1	0	49
1 Hr	220	16	1	0	2	9	4	252
13:00	40	3	0	0	1	1	0	45
13:15	48	1	0	0	0	1	1	51
13:30	64	3	0	0	1	3	0	71
13:45	47	3	0	0	0	1	1	52
1 Hr	199	10	0	0	2	6	2	219
14:00	45	2	0	0	1	2	1	51
14:15	50	3	1	0	0	1	1	56
14:30	36	4	1	0	1	0	0	42
14:45	51	3	1	0	0	1	0	56
1 Hr	182	12	3	0	2	4	2	205
15:00	55	1	0	0	0	2	0	58
15:15	44	6	1	0	0	0	0	51
15:30	47	2	0	0	0	1	0	50
15:45	43	4	0	0	1	2	0	50
1 Hr	189	13	1	0	1	5	0	209
16:00	33	2	0	0	0	3	0	38
16:15	39	3	0	0	1	2	1	46
16:30	48	2	0	0	0	1	0	51
16:45	38	2	0	0	1	0	0	41
1 Hr	158	9	0	0	2	6	1	176
17:00	43	0	1	0	0	2	1	47
17:15	38	1	0	0	1	0	1	41
17:30	31	2	0	0	0	0	0	33
17:45	31	2	0	0	0	0	0	33
1 Hr	143	5	1	0	1	2	2	154
6 Hrs	1091	65	6	0	10	32	11	1215

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	54	1	0	0	0	1	0	56
12:15	36	2	0	0	1	1	0	40
12:30	48	4	0	1	0	3	0	56
12:45	42	3	0	0	1	2	0	48
1 Hr	180	10	0	1	2	7	0	200
13:00	51	3	2	0	0	0	3	59
13:15	45	3	2	0	1	2	0	53
13:30	38	2	2	0	0	1	1	44
13:45	34	2	0	0	1	0	0	37
1 Hr	168	10	6	0	2	3	4	193
14:00	36	3	0	0	0	1	0	40
14:15	47	6	0	0	1	1	0	55
14:30	43	3	0	0	0	3	0	49
14:45	44	2	0	0	1	3	0	50
1 Hr	170	14	0	0	2	8	0	194
15:00	33	5	0	0	0	0	2	40
15:15	25	3	0	0	1	2	0	31
15:30	29	1	0	0	0	1	0	31
15:45	33	0	0	0	1	0	1	35
1 Hr	120	9	0	0	2	3	3	137
16:00	39	2	0	0	0	1	0	42
16:15	33	3	0	0	1	0	0	37
16:30	30	0	0	0	0	0	0	30
16:45	29	0	0	0	1	0	1	31
1 Hr	131	5	0	0	2	1	1	140
17:00	33	2	0	0	0	1	1	37
17:15	24	1	0	0	0	0	0	25
17:30	24	3	0	0	1	0	0	28
17:45	28	0	0	0	0	1	0	29
1 Hr	109	6	0	0	1	2	1	119
6 Hrs	878	54	6	1	11	24	9	983



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 21st June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	34	3	0	0	0	0	0	37
18:15	31	1	0	0	0	1	0	33
18:30	35	2	1	0	0	2	2	42
18:45	26	1	0	0	0	0	0	27
1 Hr	126	7	1	0	0	3	2	139
19:00	29	2	0	0	1	1	1	34
19:15	27	1	0	0	0	0	1	29
19:30	18	1	0	0	0	0	0	19
19:45	23	1	2	0	0	2	1	29
1 Hr	97	5	2	0	1	3	3	111
20:00	22	1	0	0	0	0	0	23
20:15	19	0	0	0	0	1	0	20
20:30	24	0	0	0	0	0	0	24
20:45	18	0	0	0	0	0	0	18
1 Hr	83	1	0	0	0	1	0	85
21:00	16	1	0	0	0	0	0	17
21:15	14	2	0	0	0	0	1	17
21:30	5	0	0	0	0	0	0	5
21:45	7	0	1	0	0	0	0	8
1 Hr	42	3	1	0	0	0	1	47
22:00	10	0	0	0	0	0	0	10
22:15	14	1	0	0	0	1	0	16
22:30	12	0	0	0	0	0	0	12
22:45	9	0	0	0	0	0	0	9
1 Hr	45	1	0	0	0	1	0	47
23:00	7	0	0	0	0	0	0	7
23:15	8	0	0	0	0	0	0	8
23:30	7	0	0	0	0	0	0	7
23:45	5	0	0	0	0	0	0	5
1 Hr	27	0	0	0	0	0	0	27
6 Hrs	420	17	4	0	1	8	6	456
12 Hrs	1511	82	10	0	11	40	17	1671
Total	2168	147	23	1	20	59	24	2442

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	19	1	0	0	1	0	0	21
18:15	21	0	0	0	0	0	0	21
18:30	30	3	0	0	0	1	0	34
18:45	29	3	0	0	0	0	0	32
1 Hr	99	7	0	0	1	1	0	108
19:00	23	0	0	0	0	0	0	23
19:15	19	0	0	0	0	2	0	21
19:30	23	1	0	0	0	0	1	25
19:45	37	1	0	0	1	0	1	40
1 Hr	102	2	0	0	1	2	2	109
20:00	14	0	0	0	0	0	0	14
20:15	17	1	0	0	0	0	2	20
20:30	11	0	0	0	0	0	0	11
20:45	15	0	0	0	0	0	1	16
1 Hr	57	1	0	0	0	0	3	61
21:00	18	2	0	0	0	0	1	21
21:15	10	0	0	0	0	0	0	10
21:30	8	0	0	0	0	0	2	10
21:45	10	1	0	0	0	0	0	11
1 Hr	46	3	0	0	0	0	3	52
22:00	13	0	0	0	0	1	1	15
22:15	11	0	0	0	0	0	0	11
22:30	7	0	0	0	0	0	0	7
22:45	7	1	0	0	0	0	0	8
1 Hr	38	1	0	0	0	1	1	41
23:00	8	0	0	0	0	0	0	8
23:15	9	0	0	0	0	0	0	9
23:30	9	0	0	0	0	0	0	9
23:45	4	0	0	0	0	0	0	4
1 Hr	30	0	0	0	0	0	0	30
6 Hrs	372	14	0	0	2	4	9	401
12 Hrs	1250	68	6	1	13	28	18	1384
Total	2288	165	13	1	21	49	22	2559



Sky High


Count On Us

Client : Lincolnshire County Council

Site plan for : EW3 - B1308 Greetwell Road

Project : 9320 / Lincoln By Pass

Date : Monday 16th June - Saturday 21st June 2014





Sky High

Count On Us

Client: Lincolnshire County Council

Project: 9320 / Lincoln By Pass

Site: EW3 - B1308 Greetwell Road

Survey Date: Monday 23rd June - Monday 30th June 2014

Survey Period: 07:00 - 19:00

Method: Video Observation

Incidents / Observations:

There were no incidents reported over the survey period.



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 23rd June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

Direction : Eastbound				
Adult	Accompanied Child	Unaccompanied Child	Total	

Direction : Westbound			
Adult	Accompanied Child	Unaccompanied Child	Total

00:00	2	0	0	0	0	0	2
00:15	2	0	0	0	0	0	2
00:30	1	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	5

00:00	0	0	0	0	0	0	0
00:15	0	0	0	0	0	0	0
00:30	1	0	0	0	0	0	1
00:45	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	1

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0

07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0

01:00	1	0	0	0	0	0	1
01:15	1	0	0	0	0	0	1
01:30	0	1	0	0	0	0	1
01:45	1	0	0	0	0	0	1
1 Hr	3	1	0	0	0	0	4

01:00	1	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	1

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0

02:00	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0

02:00	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0

03:00	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	1
03:30	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	1

03:00	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0
03:30	2	0	0	0	0	0	2
03:45	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	2

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0

04:00	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0
04:30	0	0	0	0	0	0	0
04:45	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0

04:00	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0
04:30	2	1	0	0	0	0	3
04:45	4	0	0	0	0	0	4
1 Hr	6	1	0	0	0	0	7

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0

05:00	0	0	0	0	0	0	0
05:15	0	0	0	0	0	0	0
05:30	0	0	0	0	0	0	0
05:45	2	0	0	0	0	0	2
1 Hr	2	0	0	0	0	0	2

05:00	5	0	1	0	0	0	6
05:15	8	1	0	0	0	0	9
05:30	12	1	0	0	0	1	14
05:45	11	0	0	0	0	0	11
1 Hr	36	2	1	0	0	1	40

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0

6 Hrs	11	1	0	0	0	0	12
-------	----	---	---	---	---	---	----

6 Hrs	46	3	1	0	0	1	51
-------	----	---	---	---	---	---	----

3 Hrs	0	0	0	0
-------	---	---	---	---

3 Hrs	0	0	0	0
-------	---	---	---	---

6 Hrs	0	0	0	0
-------	---	---	---	---

6 Hrs	0	0	0	0
-------	---	---	---	---



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 23rd June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	2	0	0	0	1	0	0	3
06:15	0	2	0	0	0	0	0	2
06:30	3	1	0	0	0	1	1	6
06:45	8	0	0	0	0	0	1	9
1 Hr	13	3	0	0	1	1	2	20

07:00	14	2	0	0	1	0	1	18
07:15	11	2	0	0	1	0	0	14
07:30	28	7	3	0	2	0	1	41
07:45	29	1	0	1	1	0	0	32
1 Hr	82	12	3	1	5	0	2	105

08:00	17	6	0	0	0	0	0	23
08:15	17	2	2	0	1	0	0	22
08:30	25	5	1	1	0	0	0	32
08:45	32	9	0	0	2	0	0	43
1 Hr	91	22	3	1	3	0	0	120

09:00	21	5	2	0	1	1	0	30
09:15	24	5	1	0	0	0	0	30
09:30	31	4	0	0	1	1	0	37
09:45	30	4	0	0	0	0	0	34
1 Hr	106	18	3	0	2	2	0	131

10:00	30	5	2	0	1	0	0	38
10:15	40	4	0	0	0	1	0	45
10:30	35	6	1	0	1	0	1	44
10:45	49	6	1	0	0	1	0	57
1 Hr	154	21	4	0	2	2	1	184

11:00	30	2	1	0	1	0	0	34
11:15	27	7	3	0	1	1	0	39
11:30	33	1	3	0	1	3	0	41
11:45	35	0	0	0	0	0	1	36
1 Hr	125	10	7	0	3	4	1	150

6 Hrs	571	86	20	2	16	9	6	710
-------	-----	----	----	---	----	---	---	-----

12 Hrs	582	87	20	2	16	9	6	722
--------	-----	----	----	---	----	---	---	-----

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total

06:00	10	5	1	0	0	0	0	16
06:15	16	2	0	0	0	0	0	18
06:30	20	2	0	0	1	4	1	28
06:45	27	6	1	0	0	2	2	38
1 Hr	73	15	2	0	1	6	3	100

07:00	52	14	0	0	0	1	1	68
07:15	85	9	0	0	0	0	1	95
07:30	91	4	1	0	1	3	4	104
07:45	105	8	3	0	0	3	2	121
1 Hr	333	35	4	0	1	7	8	388

08:00	137	7	2	0	1	1	2	150
08:15	134	8	1	1	0	2	0	146
08:30	106	4	1	0	2	4	2	119
08:45	115	4	0	0	1	4	0	124
1 Hr	492	23	4	1	4	11	4	539

09:00	97	4	0	0	0	1	2	104
09:15	73	5	2	0	1	1	0	82
09:30	59	5	0	0	1	1	0	66
09:45	48	4	0	0	2	1	1	56
1 Hr	277	18	2	0	4	4	3	308

10:00	48	5	0	0	0	0	0	53
10:15	51	3	1	0	1	0	0	56
10:30	37	3	2	0	0	0	0	42
10:45	44	2	0	0	1	0	0	47
1 Hr	180	13	3	0	2	0	0	198

11:00	43	4	1	0	0	0	0	48
11:15	40	4	1	0	1	0	0	46
11:30	44	4	1	0	0	2	0	51
11:45	47	2	1	0	1	0	0	51
1 Hr	174	14	4	0	2	2	0	196

6 Hrs	1529	118	19	1	14	30	18	1729
-------	------	-----	----	---	----	----	----	------

12 Hrs	1575	121	20	1	14	31	18	1780
--------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 23rd June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound							Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

12:00	44	8	0	0	1	1	1	55
12:15	38	4	0	0	0	1	0	43
12:30	39	2	2	1	1	0	0	45
12:45	50	2	0	0	0	1	0	53
1 Hr	171	16	2	1	2	3	1	196

13:00	37	2	0	0	1	0	0	40
13:15	32	3	1	0	0	2	0	38
13:30	43	2	2	0	1	2	0	50
13:45	34	3	1	0	1	0	0	39
1 Hr	146	10	4	0	3	4	0	167

14:00	42	1	1	0	1	2	0	47
14:15	40	2	1	0	0	3	0	46
14:30	51	4	1	0	3	0	0	59
14:45	51	6	1	1	1	1	0	61
1 Hr	184	13	4	1	5	6	0	213

15:00	72	3	1	0	2	3	2	83
15:15	64	3	0	0	0	1	3	71
15:30	45	7	0	0	2	1	2	57
15:45	61	5	1	0	0	4	0	71
1 Hr	242	18	2	0	4	9	7	282

16:00	88	8	0	0	0	0	0	96
16:15	84	7	1	0	1	4	0	97
16:30	111	8	1	0	0	3	1	124
16:45	97	6	0	0	1	2	1	107
1 Hr	380	29	2	0	2	9	2	424

17:00	120	1	1	0	0	6	0	128
17:15	98	9	0	0	0	0	2	109
17:30	93	7	0	0	1	5	2	108
17:45	72	4	0	0	1	1	1	79
1 Hr	383	21	1	0	2	12	5	424

6 Hrs	1506	107	15	2	18	43	15	1706
-------	------	-----	----	---	----	----	----	------

Direction :	Westbound							Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C		

12:00	36	6	1	0	0	1	0	44
12:15	38	2	0	0	1	1	0	42
12:30	38	4	0	0	0	1	0	43
12:45	39	1	0	0	1	0	0	41
1 Hr	151	13	1	0	2	3	0	170

13:00	35	4	1	0	0	2	0	42
13:15	42	3	3	0	1	2	2	53
13:30	36	5	2	0	0	2	0	45
13:45	38	2	2	1	2	2	0	47
1 Hr	151	14	8	1	3	8	2	187

14:00	36	2	1	0	0	0	0	39
14:15	42	5	0	1	1	0	0	49
14:30	31	4	3	0	0	1	0	39
14:45	28	3	0	0	2	0	0	33
1 Hr	137	14	4	1	3	1	0	160

15:00	28	4	0	0	0	5	0	37
15:15	47	2	0	0	2	0	0	51
15:30	55	4	0	1	1	2	0	63
15:45	32	3	2	0	0	1	0	38
1 Hr	162	13	2	1	3	8	0	189

16:00	44	5	0	0	0	0	0	49
16:15	37	4	1	0	1	1	1	45
16:30	27	5	1	0	0	0	1	34
16:45	29	6	0	0	3	0	0	38
1 Hr	137	20	2	0	4	1	2	166

17:00	24	7	1	0	0	0	0	32
17:15	21	7	1	0	0	2	0	31
17:30	23	2	0	0	1	0	2	28
17:45	41	0	1	0	0	0	0	42
1 Hr	109	16	3	0	1	2	2	133

6 Hrs	847	90	20	3	16	23	6	1005
-------	-----	----	----	---	----	----	---	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 23rd June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Clear

Flowcount

Direction : Eastbound							
Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	Total

18:00	67	4	0	1	0	0	5	77
18:15	38	0	0	0	0	2	1	41
18:30	46	2	0	0	0	0	1	49
18:45	34	1	1	0	0	2	0	38
1 Hr	185	7	1	1	0	4	7	205

19:00	40	2	1	0	1	0	0	44
19:15	32	5	0	0	0	0	1	38
19:30	21	1	0	0	0	0	0	22
19:45	24	1	0	0	0	0	0	25
1 Hr	117	9	1	0	1	0	1	129

20:00	28	2	0	0	0	1	0	31
20:15	29	1	0	0	0	0	0	30
20:30	20	4	0	0	0	0	1	25
20:45	20	1	0	0	0	0	0	21
1 Hr	97	8	0	0	0	1	1	107

21:00	10	0	0	0	0	0	0	10
21:15	15	1	0	0	0	2	0	18
21:30	20	0	0	0	0	0	0	20
21:45	14	2	0	0	0	0	0	16
1 Hr	59	3	0	0	0	2	0	64

22:00	13	0	0	0	0	1	0	14
22:15	13	0	0	0	0	0	0	13
22:30	11	0	0	0	0	0	0	11
22:45	5	0	0	0	0	0	0	5
1 Hr	42	0	0	0	0	1	0	43

23:00	10	0	0	0	0	0	0	10
23:15	7	0	0	0	0	0	0	7
23:30	6	0	0	0	0	0	0	6
23:45	1	0	0	0	0	0	0	1
1 Hr	24	0	0	0	0	0	0	24

6 Hrs	524	27	2	1	1	8	9	572
-------	-----	----	---	---	---	---	---	-----

12 Hrs	2030	134	17	3	19	51	24	2278
--------	------	-----	----	---	----	----	----	------

Total	2612	221	37	5	35	60	30	3000
-------	------	-----	----	---	----	----	----	------

Direction : Westbound							
Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	Total

27	3	0	0	1	0	1	32
25	4	2	0	0	0	0	31
29	1	0	0	1	0	0	31
29	1	0	0	0	1	0	31
1 Hr	110	9	2	0	2	1	125

24	1	0	0	0	0	0	25
22	3	0	0	0	2	0	27
29	2	1	0	0	0	2	34
27	1	0	0	1	0	1	30
1 Hr	102	7	1	0	1	2	116

15	0	0	0	0	0	2	17
9	0	0	0	0	0	0	9
10	0	0	0	0	0	0	10
13	0	0	0	0	0	3	16
1 Hr	47	0	0	0	0	5	52

13	3	0	0	0	0	0	16
14	0	0	0	0	0	0	14
11	1	0	0	0	0	0	12
5	1	0	0	0	0	0	6
1 Hr	43	5	0	0	0	0	48

6	1	0	0	0	0	0	7
9	0	0	0	0	0	0	9
4	0	0	0	0	0	0	4
10	0	0	0	0	0	0	10
1 Hr	29	1	0	0	0	0	30

1	0	0	0	0	0	0	1
2	0	0	0	0	0	0	2
2	0	0	0	0	0	0	2
0	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	5

6 Hrs	336	22	3	0	3	3	9	376
-------	-----	----	---	---	---	---	---	-----

12 Hrs	1183	112	23	3	19	26	15	1381
--------	------	-----	----	---	----	----	----	------

Total	2758	233	43	4	33	57	33	3161
-------	------	-----	----	---	----	----	----	------



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 24th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
00:00	3	0	0	0	0	0	0	3
00:15	2	0	0	0	0	0	0	2
00:30	2	0	0	0	0	0	0	2
00:45	0	0	0	0	0	0	0	0
1 Hr	7	0	0	0	0	0	0	7
01:00	3	0	0	0	0	0	0	3
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	2	0	0	0	0	0	0	2
1 Hr	6	0	0	0	0	0	0	6
02:00	1	0	0	0	0	0	0	1
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
03:00	1	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0
03:30	1	0	0	0	0	0	0	1
03:45	0	0	0	0	0	0	0	0
1 Hr	2	0	0	0	0	0	0	2
04:00	1	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0
04:30	0	2	0	0	0	0	0	2
04:45	1	0	0	0	0	0	0	1
1 Hr	2	2	0	0	0	0	0	4
05:00	1	1	0	0	0	0	0	2
05:15	0	0	0	0	0	0	0	0
05:30	0	0	1	0	0	0	0	1
05:45	0	0	0	0	0	0	0	0
1 Hr	1	1	1	0	0	0	0	3
6 Hrs	20	3	1	0	0	0	0	24

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	3	0	0	0	0	0	0	3
00:30	2	0	0	0	0	0	0	2
00:45	4	0	0	0	0	0	0	4
1 Hr	10	0	0	0	0	0	0	10
01:00	0	0	0	0	0	0	0	0
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
02:00	0	0	0	0	0	0	0	0
02:15	1	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	1	0	0	0	0	0	0	1
03:30	1	0	0	0	0	0	0	1
03:45	2	0	0	0	0	0	0	2
1 Hr	4	0	0	0	0	0	0	4
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	1	1	0	0	0	0	0	2
04:45	4	1	0	0	0	0	0	5
1 Hr	6	2	0	0	0	0	0	8
05:00	3	1	0	0	0	0	0	4
05:15	5	0	0	0	0	0	0	5
05:30	12	1	0	0	0	1	0	14
05:45	13	1	2	0	0	0	0	16
1 Hr	33	3	2	0	0	1	0	39
6 Hrs	54	5	2	0	0	1	0	62

	Direction : Eastbound				Total
	Adult	Accompanied Child	Unaccompanied Child	Total	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	1	0	0	1	1
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	1	0	0	1	1
3 Hr	1	0	0	1	1
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	1	0	0	1	1

	Direction : Westbound			Total
	Adult	Accompanied Child	Unaccompanied Child	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	1	0	0	1
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	1	0	0	1
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 24th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	2	0	0	0	1	0	0	3
06:15	4	1	0	0	0	0	0	5
06:30	10	2	0	0	0	1	0	13
06:45	10	1	1	0	0	0	0	12
1 Hr	26	4	1	0	1	1	0	33
07:00	8	3	0	0	1	0	0	12
07:15	16	4	0	0	2	0	0	22
07:30	22	4	1	0	1	0	1	29
07:45	19	1	0	0	1	2	0	23
1 Hr	65	12	1	0	5	2	1	86
08:00	25	8	1	0	0	0	0	34
08:15	24	6	0	0	1	0	0	31
08:30	14	7	1	0	0	0	0	22
08:45	37	8	2	0	2	0	0	49
1 Hr	100	29	4	0	3	0	0	136
09:00	25	3	2	0	1	0	0	31
09:15	22	6	0	0	0	0	0	28
09:30	29	10	0	0	1	0	0	40
09:45	42	8	2	0	1	0	0	53
1 Hr	118	27	4	0	3	0	0	152
10:00	37	5	1	0	1	0	0	44
10:15	31	2	0	1	0	0	0	34
10:30	34	6	0	0	1	1	0	42
10:45	32	7	1	0	0	0	0	40
1 Hr	134	20	2	1	2	1	0	160
11:00	38	4	3	0	3	1	0	49
11:15	43	3	0	0	0	3	1	50
11:30	42	3	1	0	1	1	0	48
11:45	37	3	2	0	0	3	2	47
1 Hr	160	13	6	0	4	8	3	194
6 Hrs	603	105	18	1	18	12	4	761
12 Hrs	623	108	19	1	18	12	4	785

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
06:00	8	3	0	0	0	0	1	12
06:15	22	1	1	0	0	0	1	25
06:30	19	3	0	0	1	4	1	28
06:45	26	5	3	0	0	0	2	36
1 Hr	75	12	4	0	1	4	5	101
07:00	42	4	0	0	0	2	2	50
07:15	74	12	2	0	0	1	0	89
07:30	104	7	1	0	1	3	0	116
07:45	28	4	1	0	0	4	1	38
1 Hr	248	27	4	0	1	10	3	293
08:00	132	7	1	0	1	3	2	146
08:15	126	9	0	0	0	1	0	136
08:30	109	3	1	0	1	1	2	117
08:45	128	7	2	0	1	2	1	141
1 Hr	495	26	4	0	3	7	5	540
09:00	108	3	0	0	1	0	0	112
09:15	64	7	2	1	1	0	0	75
09:30	53	4	0	0	1	0	0	58
09:45	61	5	1	1	3	0	0	71
1 Hr	286	19	3	2	6	0	0	316
10:00	33	2	1	0	0	1	0	37
10:15	47	9	2	0	1	1	0	60
10:30	48	8	1	0	0	1	1	59
10:45	61	5	0	0	1	0	0	67
1 Hr	189	24	4	0	2	3	1	223
11:00	57	7	2	0	1	0	0	67
11:15	31	1	1	0	2	0	0	35
11:30	32	6	1	0	0	0	0	39
11:45	45	3	2	0	1	0	0	51
1 Hr	165	17	6	0	4	0	0	192
6 Hrs	1458	125	25	2	17	24	14	1665
12 Hrs	1512	130	27	2	17	25	14	1727



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 24th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	44	4	3	0	1	0	0	52
12:15	42	6	1	0	0	1	1	51
12:30	46	2	1	0	1	1	0	51
12:45	40	4	3	0	0	0	0	47
1 Hr	172	16	8	0	2	2	1	201
13:00	46	3	2	0	1	1	0	53
13:15	51	2	3	0	0	0	0	56
13:30	39	4	2	0	2	0	2	49
13:45	35	3	1	0	0	0	0	39
1 Hr	171	12	8	0	3	1	2	197
14:00	37	1	1	0	0	1	0	40
14:15	46	5	1	0	1	2	0	55
14:30	51	3	2	0	2	1	0	59
14:45	55	5	1	0	2	0	0	63
1 Hr	189	14	5	0	5	4	0	217
15:00	61	3	2	1	0	2	0	69
15:15	74	5	0	0	1	0	0	80
15:30	56	5	0	0	0	0	0	61
15:45	58	6	1	0	1	1	0	67
1 Hr	249	19	3	1	2	3	0	277
16:00	70	11	0	0	0	1	1	83
16:15	83	6	0	0	1	1	0	91
16:30	104	5	2	0	0	3	1	115
16:45	89	9	0	0	0	4	1	103
1 Hr	346	31	2	0	1	9	3	392
17:00	118	9	2	0	0	2	2	133
17:15	129	5	0	0	0	1	1	136
17:30	88	3	1	0	1	3	2	98
17:45	55	3	0	0	1	0	0	59
1 Hr	390	20	3	0	2	6	5	426
6 Hrs	1517	112	29	1	15	25	11	1710

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	44	4	1	0	0	0	0	49
12:15	31	7	0	0	1	0	0	39
12:30	41	6	0	0	0	0	0	47
12:45	28	5	2	0	1	0	0	36
1 Hr	144	22	3	0	2	0	0	171
13:00	33	7	3	0	0	2	0	45
13:15	30	3	0	0	1	0	0	34
13:30	47	4	1	0	0	4	0	56
13:45	37	3	2	0	2	0	0	44
1 Hr	147	17	6	0	3	6	0	179
14:00	33	2	0	0	0	0	1	36
14:15	32	5	0	0	1	1	2	41
14:30	47	5	1	0	0	2	0	55
14:45	36	2	0	0	1	2	0	41
1 Hr	148	14	1	0	2	5	3	173
15:00	30	7	1	0	0	0	0	38
15:15	56	6	0	0	3	1	0	66
15:30	52	5	0	0	0	0	0	57
15:45	36	8	1	0	0	0	0	45
1 Hr	174	26	2	0	3	1	0	206
16:00	44	6	1	0	0	0	0	51
16:15	30	6	1	0	1	1	0	39
16:30	30	4	0	0	0	0	0	34
16:45	32	2	0	0	3	0	2	39
1 Hr	136	18	2	0	4	1	2	163
17:00	25	3	0	0	0	0	0	28
17:15	17	5	0	0	0	0	0	22
17:30	22	1	0	0	1	0	0	24
17:45	30	2	1	0	0	0	0	33
1 Hr	94	11	1	0	1	0	0	107
6 Hrs	843	108	15	0	15	13	5	999



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Tuesday 24th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	52	2	0	0	0	2	1	57
18:15	64	4	1	0	0	1	2	72
18:30	27	1	0	0	0	1	1	30
18:45	27	3	0	0	0	2	0	32
1 Hr	170	10	1	0	0	6	4	191
19:00	24	2	1	0	1	2	0	30
19:15	33	0	0	0	0	0	1	34
19:30	32	2	0	0	0	0	0	34
19:45	32	2	1	0	0	0	0	35
1 Hr	121	6	2	0	1	2	1	133
20:00	30	3	0	0	0	1	0	34
20:15	38	1	0	0	0	1	0	40
20:30	27	1	0	0	0	0	0	28
20:45	26	0	1	0	0	0	0	27
1 Hr	121	5	1	0	0	2	0	129
21:00	25	0	0	0	0	3	0	28
21:15	27	2	0	0	0	1	0	30
21:30	24	0	0	0	0	0	0	24
21:45	16	2	1	0	0	0	0	19
1 Hr	92	4	1	0	0	4	0	101
22:00	16	0	0	0	0	0	0	16
22:15	11	0	0	0	0	0	1	12
22:30	17	0	0	0	0	0	0	17
22:45	5	0	0	0	0	0	0	5
1 Hr	49	0	0	0	0	0	1	50
23:00	9	0	0	0	0	0	0	9
23:15	9	0	0	0	0	0	0	9
23:30	2	0	0	0	0	0	0	2
23:45	1	0	0	0	0	0	0	1
1 Hr	21	0	0	0	0	0	0	21
6 Hrs	574	25	5	0	1	14	6	625
12 Hrs	2091	137	34	1	16	39	17	2335
Total	2714	245	53	2	34	51	21	3120

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	22	1	0	0	2	0	0	25
18:15	27	2	0	0	0	0	0	29
18:30	20	3	1	0	1	0	0	25
18:45	19	1	1	0	0	0	0	21
1 Hr	88	7	2	0	3	0	0	100
19:00	27	2	0	0	0	1	0	30
19:15	29	3	0	0	0	0	0	32
19:30	30	2	0	0	1	0	0	33
19:45	23	0	0	0	0	0	0	23
1 Hr	109	7	0	0	1	1	0	118
20:00	22	2	0	0	0	0	0	24
20:15	18	3	0	0	0	1	1	23
20:30	13	2	0	0	0	0	0	15
20:45	10	0	1	0	0	0	0	11
1 Hr	63	7	1	0	0	1	1	73
21:00	16	0	1	0	0	2	1	20
21:15	19	0	0	0	0	2	0	21
21:30	7	0	0	0	0	0	0	7
21:45	4	0	0	0	0	0	0	4
1 Hr	46	0	1	0	0	4	1	52
22:00	6	0	0	0	0	0	0	6
22:15	5	0	0	0	0	0	0	5
22:30	4	0	0	0	0	0	0	4
22:45	9	0	0	0	0	0	0	9
1 Hr	24	0	0	0	0	0	0	24
23:00	1	0	0	0	0	0	0	1
23:15	1	0	0	0	0	0	0	1
23:30	3	0	0	0	0	0	0	3
23:45	0	0	0	0	0	0	0	0
1 Hr	5	0	0	0	0	0	0	5
6 Hrs	335	21	4	0	4	6	2	372
12 Hrs	1178	129	19	0	19	19	7	1371
Total	2690	259	46	2	36	44	21	3098



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 25th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
00:00	7	0	0	0	0	0	0	7
00:15	7	0	0	0	0	0	0	7
00:30	3	0	0	0	0	0	0	3
00:45	3	0	0	0	0	0	0	3
1 Hr	20	0	0	0	0	0	0	20
01:00	3	0	0	0	0	0	0	3
01:15	2	0	0	0	0	0	0	2
01:30	0	0	0	0	0	0	0	0
01:45	2	0	0	0	0	0	0	2
1 Hr	7	0	0	0	0	0	0	7
02:00	0	0	0	0	0	0	0	0
02:15	1	0	0	0	0	0	0	1
02:30	0	0	0	0	0	0	0	0
02:45	2	0	0	0	0	0	0	2
1 Hr	3	0	0	0	0	0	0	3
03:00	1	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
04:00	0	0	0	0	0	0	0	0
04:15	1	1	0	0	0	0	0	2
04:30	0	0	1	0	0	0	0	1
04:45	1	1	0	0	0	0	0	2
1 Hr	2	2	1	0	0	0	0	5
05:00	1	1	0	0	0	0	0	2
05:15	0	0	0	0	0	0	0	0
05:30	1	0	0	0	0	0	0	1
05:45	2	0	0	0	0	0	0	2
1 Hr	4	1	0	0	0	0	0	5
6 Hrs	37	3	1	0	0	0	0	41

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
00:00	2	0	0	0	0	0	0	2
00:15	4	0	0	0	0	0	0	4
00:30	3	0	0	0	0	0	0	3
00:45	2	0	0	0	0	0	0	2
1 Hr	11	0	0	0	0	0	0	11
01:00	2	0	0	0	0	0	0	2
01:15	1	0	0	0	0	0	0	1
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	1	0	0	0	0	0	0	1
03:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	1	0	0	0	0	0	0	1
04:45	2	0	0	0	0	0	0	2
1 Hr	3	0	0	0	0	0	0	3
05:00	3	1	1	0	0	0	0	5
05:15	9	0	0	0	0	0	0	9
05:30	7	1	0	0	0	0	0	8
05:45	13	1	1	0	0	0	0	15
1 Hr	32	3	2	0	0	0	0	37
6 Hrs	53	3	2	0	0	0	0	58

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	1	0	0	0	1
07:45	0	0	0	0	0
1 Hr	1	0	0	0	1
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	1	0	0	0	1
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	1	0	0	0	1
17:30	2	0	0	0	2
17:45	0	0	0	0	0
1 Hr	3	0	0	0	3
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	3	0	0	0	3
6 Hrs	4	0	0	0	4

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	1	0	0	1
17:30	1	0	0	1
17:45	0	0	0	0
1 Hr	2	0	0	2
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	2	0	0	2
6 Hrs	3	0	0	3



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 25th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :		Eastbound							Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C			

06:00	0	0	0	0	1	0	0	1
06:15	1	0	0	0	0	0	0	1
06:30	5	1	1	0	0	1	1	9
06:45	8	1	1	0	0	0	0	10
1 Hr	14	2	2	0	1	1	1	21

07:00	12	3	0	0	1	0	0	16
07:15	16	2	1	0	2	0	0	21
07:30	20	10	2	0	1	0	1	34
07:45	23	2	1	0	1	0	0	27
1 Hr	71	17	4	0	5	0	1	98

08:00	12	3	2	0	0	0	0	17
08:15	18	3	0	0	1	1	0	23
08:30	24	5	1	0	0	0	0	30
08:45	29	8	1	0	2	0	0	40
1 Hr	83	19	4	0	3	1	0	110

09:00	25	4	1	0	0	0	0	30
09:15	27	3	3	0	1	0	1	35
09:30	23	7	1	0	1	0	0	32
09:45	27	4	1	0	0	0	0	32
1 Hr	102	18	6	0	2	0	1	129

10:00	25	5	3	0	1	1	0	35
10:15	29	5	1	0	0	3	0	38
10:30	31	4	3	0	1	0	0	39
10:45	31	4	0	0	1	0	1	37
1 Hr	116	18	7	0	3	4	1	149

11:00	38	3	1	0	1	0	0	43
11:15	28	5	2	1	0	0	0	36
11:30	44	5	1	2	2	0	1	55
11:45	55	6	3	0	0	0	0	64
1 Hr	165	19	7	3	3	0	1	198

6 Hrs	551	93	30	3	17	6	5	705
-------	-----	----	----	---	----	---	---	-----

12 Hrs	588	96	31	3	17	6	5	746
--------	-----	----	----	---	----	---	---	-----

Direction :		Westbound							Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C			

06:00	7	1	0	0	0	0	1	9
06:15	17	1	1	0	0	1	0	20
06:30	33	1	0	0	1	4	1	40
06:45	32	7	2	0	0	0	2	43
1 Hr	89	10	3	0	1	5	4	112

07:00	55	8	1	0	0	1	1	66
07:15	86	9	2	0	0	1	2	100
07:30	83	12	1	0	1	4	0	101
07:45	132	6	1	0	1	5	4	149
1 Hr	356	35	5	0	2	11	7	416

08:00	141	6	2	0	1	3	1	154
08:15	134	12	0	0	0	1	0	147
08:30	124	5	2	0	0	2	0	133
08:45	90	6	2	0	1	1	2	102
1 Hr	489	29	6	0	2	7	3	536

09:00	94	4	0	0	0	0	0	98
09:15	57	1	1	0	1	1	0	61
09:30	50	5	0	0	1	1	1	58
09:45	63	3	1	0	2	0	0	69
1 Hr	264	13	2	0	4	2	1	286

10:00	42	1	0	0	0	0	0	43
10:15	38	8	0	0	1	3	0	50
10:30	53	7	2	0	0	0	0	62
10:45	37	8	0	0	2	0	0	47
1 Hr	170	24	2	0	3	3	0	202

11:00	42	3	2	0	0	1	0	48
11:15	33	9	0	0	1	0	0	43
11:30	42	7	1	0	1	1	0	52
11:45	43	4	2	0	1	0	0	50
1 Hr	160	23	5	0	3	2	0	193

6 Hrs	1528	134	23	0	15	30	15	1745
-------	------	-----	----	---	----	----	----	------

12 Hrs	1581	137	25	0	15	30	15	1803
--------	------	-----	----	---	----	----	----	------



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 25th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	41	8	1	1	1	0	2	54
12:15	39	7	0	0	0	1	0	47
12:30	42	2	0	1	1	0	0	46
12:45	46	4	0	0	0	0	0	50
1 Hr	168	21	1	2	2	1	2	197
13:00	34	4	0	0	1	0	0	39
13:15	41	2	0	0	0	1	0	44
13:30	34	4	0	0	1	2	0	41
13:45	31	3	1	0	0	0	1	36
1 Hr	140	13	1	0	2	3	1	160
14:00	36	5	0	0	1	1	0	43
14:15	49	3	1	2	0	0	0	55
14:30	52	2	1	0	5	1	0	61
14:45	57	3	0	0	0	2	0	62
1 Hr	194	13	2	2	6	4	0	221
15:00	72	2	2	1	1	1	2	81
15:15	52	3	0	0	0	2	1	58
15:30	55	5	0	0	1	0	0	61
15:45	71	7	2	0	1	2	0	83
1 Hr	250	17	4	1	3	5	3	283
16:00	72	7	2	0	0	2	1	84
16:15	92	9	1	0	0	1	0	103
16:30	89	9	0	0	0	1	0	99
16:45	102	8	0	0	1	4	2	117
1 Hr	355	33	3	0	1	8	3	403
17:00	109	6	2	0	0	3	0	120
17:15	100	9	2	0	1	2	2	116
17:30	98	5	2	0	0	3	0	108
17:45	75	4	0	0	1	3	2	85
1 Hr	382	24	6	0	2	11	4	429
6 Hrs	1489	121	17	5	16	32	13	1693

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	42	4	0	0	0	0	0	46
12:15	41	5	0	0	1	0	0	47
12:30	45	2	1	0	0	2	0	50
12:45	42	4	2	0	1	1	0	50
1 Hr	170	15	3	0	2	3	0	193
13:00	38	4	0	0	0	1	1	44
13:15	47	3	0	0	0	2	1	53
13:30	41	5	1	2	1	0	0	50
13:45	35	0	2	0	0	0	0	37
1 Hr	161	12	3	2	1	3	2	184
14:00	36	2	3	0	0	0	0	41
14:15	36	4	2	0	3	1	0	46
14:30	35	3	1	0	0	0	0	39
14:45	45	7	0	0	2	0	0	54
1 Hr	152	16	6	0	5	1	0	180
15:00	35	3	0	0	0	1	0	39
15:15	39	7	0	0	2	0	0	48
15:30	38	3	0	0	0	0	0	41
15:45	30	7	4	0	1	1	0	43
1 Hr	142	20	4	0	3	2	0	171
16:00	31	5	1	0	0	0	0	37
16:15	40	3	1	1	1	1	0	47
16:30	31	4	1	0	0	0	1	37
16:45	28	5	1	0	2	0	0	36
1 Hr	130	17	4	1	3	1	1	157
17:00	31	5	2	0	0	1	0	39
17:15	23	4	1	0	0	1	1	30
17:30	30	2	0	0	1	1	3	37
17:45	38	1	1	0	0	0	0	40
1 Hr	122	12	4	0	1	3	4	146
6 Hrs	877	92	24	3	15	13	7	1031



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Wednesday 25th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	63	4	1	0	0	4	1	73
18:15	46	4	0	0	0	0	2	52
18:30	45	2	1	0	0	6	1	55
18:45	33	3	0	0	0	1	0	37
1 Hr	187	13	2	0	0	11	4	217
19:00	41	3	0	0	1	2	0	47
19:15	22	2	0	0	0	1	0	25
19:30	37	0	0	0	0	2	1	40
19:45	21	1	0	0	0	1	0	23
1 Hr	121	6	0	0	1	6	1	135
20:00	32	4	0	0	0	1	0	37
20:15	32	2	0	0	0	0	1	35
20:30	31	3	0	0	0	0	1	35
20:45	16	1	0	0	0	3	0	20
1 Hr	111	10	0	0	0	4	2	127
21:00	21	1	0	0	0	0	0	22
21:15	33	0	0	0	0	3	0	36
21:30	26	2	0	0	0	2	0	30
21:45	20	1	0	0	0	0	0	21
1 Hr	100	4	0	0	0	5	0	109
22:00	17	0	0	0	0	4	0	21
22:15	20	0	0	0	0	0	0	20
22:30	14	0	0	0	0	0	0	14
22:45	10	0	0	0	0	0	0	10
1 Hr	61	0	0	0	0	4	0	65
23:00	7	0	0	0	0	0	0	7
23:15	6	0	0	0	0	0	0	6
23:30	3	0	0	0	0	0	0	3
23:45	3	0	0	0	0	0	0	3
1 Hr	19	0	0	0	0	0	0	19
6 Hrs	599	33	2	0	1	30	7	672
12 Hrs	2088	154	19	5	17	62	20	2365
Total	2676	250	50	8	34	68	25	3111

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	21	3	0	0	1	0	1	26
18:15	27	1	0	0	0	4	0	32
18:30	33	4	1	0	1	0	2	41
18:45	28	1	0	0	0	3	0	32
1 Hr	109	9	1	0	2	7	3	131
19:00	40	4	0	0	0	1	0	45
19:15	25	1	0	0	0	0	1	27
19:30	23	2	0	0	1	0	0	26
19:45	15	1	0	0	0	0	1	17
1 Hr	103	8	0	0	1	1	2	115
20:00	16	0	0	0	0	0	0	16
20:15	19	2	1	0	0	3	1	26
20:30	14	1	0	0	0	0	0	15
20:45	14	3	0	0	0	1	1	19
1 Hr	63	6	1	0	0	4	2	76
21:00	10	0	0	0	0	0	0	10
21:15	21	1	0	0	0	0	0	22
21:30	13	1	0	0	0	2	0	16
21:45	7	0	0	0	0	0	0	7
1 Hr	51	2	0	0	0	2	0	55
22:00	12	0	0	0	0	0	0	12
22:15	1	0	0	0	0	0	0	1
22:30	3	0	0	0	0	0	0	3
22:45	5	0	0	0	0	0	0	5
1 Hr	21	0	0	0	0	0	0	21
23:00	1	0	0	0	0	0	0	1
23:15	2	0	0	0	0	0	0	2
23:30	2	0	0	0	0	0	0	2
23:45	1	0	0	0	0	0	0	1
1 Hr	6	0	0	0	0	0	0	6
6 Hrs	353	25	2	0	3	14	7	404
12 Hrs	1230	117	26	3	18	27	14	1435
Total	2811	254	51	3	33	57	29	3238



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 26th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	9	0	0	0	0	0	0	9
00:15	2	0	0	0	0	0	0	2
00:30	3	0	0	0	0	0	0	3
00:45	0	0	0	0	0	0	0	0
1 Hr	14	0	0	0	0	0	0	14
01:00	2	0	0	0	0	0	0	2
01:15	2	0	0	0	0	0	0	2
01:30	0	0	1	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	5	0	1	0	0	0	0	6
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	1	0	0	0	0	0	1
1 Hr	0	1	0	0	0	0	0	1
04:00	1	0	0	0	0	0	0	1
04:15	2	0	0	0	0	0	0	2
04:30	1	0	1	0	0	0	0	2
04:45	1	0	0	0	0	0	0	1
1 Hr	5	0	1	0	0	0	0	6
05:00	0	1	0	0	0	0	0	1
05:15	2	0	0	0	0	0	0	2
05:30	0	0	0	0	0	0	0	0
05:45	1	0	0	0	0	0	0	1
1 Hr	3	1	0	0	0	0	0	4
6 Hrs	28	2	2	0	0	0	0	32

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	2	0	0	0	0	0	0	2
00:15	1	0	0	0	0	0	0	1
00:30	1	0	0	0	0	0	0	1
00:45	2	0	0	0	0	0	0	2
1 Hr	6	0	0	0	0	0	0	6
01:00	2	0	0	0	0	0	0	2
01:15	1	0	0	0	0	0	0	1
01:30	1	0	0	0	0	0	0	1
01:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	1	0	1
02:30	1	0	0	0	0	0	0	1
02:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	1	0	2
03:00	1	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
04:00	1	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0
04:30	4	0	0	0	0	0	0	4
04:45	3	1	0	0	0	0	0	4
1 Hr	8	1	0	0	0	0	0	9
05:00	4	0	0	0	0	0	0	4
05:15	6	1	1	0	0	0	0	8
05:30	13	2	1	0	0	0	0	16
05:45	15	1	0	0	0	0	0	16
1 Hr	38	4	2	0	0	0	0	44
6 Hrs	59	5	2	0	0	1	0	67

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	1	0	0	0	1
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	1	0	0	0	1
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	1	0	0	0	1
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	1	0	0	0	1
1 Hr	1	0	0	0	1
3 Hrs	1	0	0	0	1
6 Hrs	2	0	0	0	2

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	1	0	0	1
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 26th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :		Eastbound							Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C			
06:00	0	0	1	0	1	0	0	2	
06:15	6	4	0	0	0	1	6	17	
06:30	6	1	1	0	0	0	4	12	
06:45	10	1	1	0	0	0	13	25	
1 Hr	22	6	3	0	1	1	23	56	
07:00	14	5	1	0	1	0	26	47	
07:15	19	2	1	0	3	0	40	65	
07:30	22	2	1	0	0	0	21	46	
07:45	18	3	2	0	1	0	64	88	
1 Hr	73	12	5	0	5	0	151	246	
08:00	19	5	2	0	0	0	23	49	
08:15	22	5	0	0	1	0	40	68	
08:30	26	2	1	0	0	0	30	59	
08:45	23	2	1	0	2	0	15	43	
1 Hr	90	14	4	0	3	0	108	219	
09:00	26	5	0	0	1	1	38	71	
09:15	30	7	2	0	0	0	8	47	
09:30	25	6	1	0	2	3	0	37	
09:45	35	6	1	0	0	0	0	42	
1 Hr	116	24	4	0	3	4	46	197	
10:00	40	4	2	0	1	1	0	48	
10:15	39	2	0	0	0	1	0	42	
10:30	26	7	0	0	1	0	0	34	
10:45	35	7	2	0	0	0	0	44	
1 Hr	140	20	4	0	2	2	0	168	
11:00	48	7	2	0	1	1	0	59	
11:15	39	0	2	0	0	0	0	41	
11:30	33	3	2	0	1	2	0	41	
11:45	43	5	2	0	0	4	0	54	
1 Hr	163	15	8	0	2	7	0	195	
6 Hrs	604	91	28	0	16	14	328	1081	
12 Hrs	632	93	30	0	16	14	328	1113	

Direction :		Westbound							Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C			
06:00	10	3	0	0	0	0	1	14	
06:15	25	1	1	0	0	1	0	28	
06:30	27	5	0	0	1	5	2	40	
06:45	33	6	4	0	0	2	1	46	
1 Hr	95	15	5	0	1	8	4	128	
07:00	49	9	0	0	0	1	0	59	
07:15	81	11	3	1	0	3	1	100	
07:30	91	10	1	0	1	4	1	108	
07:45	105	9	0	0	0	5	1	120	
1 Hr	326	39	4	1	1	13	3	387	
08:00	136	5	2	0	1	3	0	147	
08:15	109	7	1	0	0	2	1	120	
08:30	105	6	2	0	2	2	6	123	
08:45	106	6	0	0	1	2	1	116	
1 Hr	456	24	5	0	4	9	8	506	
09:00	104	5	1	0	0	0	0	110	
09:15	71	8	0	0	1	0	0	80	
09:30	47	8	2	0	1	1	0	59	
09:45	59	2	1	0	2	0	0	64	
1 Hr	281	23	4	0	4	1	0	313	
10:00	56	4	0	0	0	0	0	60	
10:15	49	6	1	0	1	1	0	58	
10:30	47	4	0	0	0	1	0	52	
10:45	41	5	0	0	1	0	0	47	
1 Hr	193	19	1	0	2	2	0	217	
11:00	37	5	2	0	0	0	0	44	
11:15	54	5	1	0	1	0	0	61	
11:30	52	3	3	0	0	0	0	58	
11:45	34	4	1	0	1	0	0	40	
1 Hr	177	17	7	0	2	0	0	203	
6 Hrs	1528	137	26	1	14	33	15	1754	
12 Hrs	1587	142	28	1	14	34	15	1821	



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 26th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	39	2	2	0	1	1	1	46
12:15	45	7	1	0	0	2	0	55
12:30	50	8	0	0	1	1	0	60
12:45	44	5	1	0	0	2	0	52
1 Hr	178	22	4	0	2	6	1	213
13:00	47	3	1	0	1	2	0	54
13:15	37	2	1	0	1	1	2	44
13:30	49	2	0	0	1	0	0	52
13:45	48	10	2	0	0	1	0	61
1 Hr	181	17	4	0	3	4	2	211
14:00	42	7	1	0	1	1	1	53
14:15	51	5	1	0	3	1	1	62
14:30	54	7	0	0	0	1	0	62
14:45	53	7	0	0	0	1	0	61
1 Hr	200	26	2	0	4	4	2	238
15:00	69	8	0	0	2	2	1	82
15:15	50	3	0	0	0	0	0	53
15:30	61	9	0	0	1	1	0	72
15:45	51	10	0	0	0	1	1	63
1 Hr	231	30	0	0	3	4	2	270
16:00	73	4	0	0	0	2	1	80
16:15	96	10	0	0	0	1	3	110
16:30	85	12	1	0	0	1	0	99
16:45	106	5	0	0	1	5	1	118
1 Hr	360	31	1	0	1	9	5	407
17:00	130	3	4	0	0	2	4	143
17:15	109	7	0	0	1	1	1	119
17:30	84	4	2	0	0	5	1	96
17:45	75	4	0	0	1	3	3	86
1 Hr	398	18	6	0	2	11	9	444
6 Hrs	1548	144	17	0	15	38	21	1783

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	41	7	2	0	0	3	1	54
12:15	25	3	2	0	1	1	0	32
12:30	42	3	0	0	0	0	0	45
12:45	45	10	0	1	1	0	0	57
1 Hr	153	23	4	1	2	4	1	188
13:00	43	2	3	0	0	0	0	48
13:15	38	5	0	0	1	0	1	45
13:30	54	5	1	0	0	2	1	63
13:45	33	4	1	0	1	1	6	46
1 Hr	168	16	5	0	2	3	8	202
14:00	46	7	2	1	0	2	23	81
14:15	43	7	0	0	2	2	4	58
14:30	38	5	3	0	0	0	26	72
14:45	24	3	2	0	1	1	16	47
1 Hr	151	22	7	1	3	5	69	258
15:00	29	5	1	0	0	1	43	79
15:15	49	3	0	0	3	0	33	88
15:30	46	1	0	0	0	0	31	78
15:45	26	13	0	0	0	0	34	73
1 Hr	150	22	1	0	3	1	141	318
16:00	41	5	2	1	0	0	20	69
16:15	27	4	0	0	1	3	17	52
16:30	35	8	0	0	1	1	14	59
16:45	37	3	0	0	2	0	11	53
1 Hr	140	20	2	1	4	4	62	233
17:00	41	4	2	0	0	0	22	69
17:15	24	6	1	1	0	1	8	41
17:30	27	1	0	0	1	0	2	31
17:45	28	3	2	0	0	0	2	35
1 Hr	120	14	5	1	1	1	34	176
6 Hrs	882	117	24	4	15	18	315	1375



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Thursday 26th June 2014

AM Weather: Mild & Clear
 PM Weather: Mild & Clear

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	54	3	2	1	0	2	2	64
18:15	45	2	0	0	0	0	0	47
18:30	40	3	0	0	0	0	1	44
18:45	42	3	0	0	0	1	1	47
1 Hr	181	11	2	1	0	3	4	202
19:00	27	3	0	0	1	2	0	33
19:15	39	1	1	0	0	2	1	44
19:30	40	0	2	0	0	0	0	42
19:45	43	6	1	0	0	1	1	52
1 Hr	149	10	4	0	1	5	2	171
20:00	31	4	0	0	0	3	0	38
20:15	25	1	1	0	0	1	0	28
20:30	28	0	1	0	0	0	0	29
20:45	31	1	0	0	0	0	0	32
1 Hr	115	6	2	0	0	4	0	127
21:00	18	1	0	0	0	0	0	19
21:15	26	2	0	0	0	0	0	28
21:30	18	1	1	0	0	0	0	20
21:45	16	3	0	0	0	0	0	19
1 Hr	78	7	1	0	0	0	0	86
22:00	15	2	0	0	0	1	0	18
22:15	33	0	0	0	0	3	0	36
22:30	10	1	0	0	0	0	0	11
22:45	5	0	0	0	0	0	0	5
1 Hr	63	3	0	0	0	4	0	70
23:00	6	0	0	0	0	0	0	6
23:15	10	0	1	0	0	0	0	11
23:30	7	0	0	0	0	0	0	7
23:45	3	0	0	0	0	0	0	3
1 Hr	26	0	1	0	0	0	0	27
6 Hrs	612	37	10	1	1	16	6	683
12 Hrs	2160	181	27	1	16	54	27	2466
Total	2792	274	57	1	32	68	355	3579

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	37	0	0	1	1	1	0	40
18:15	37	1	0	0	0	0	1	39
18:30	40	2	0	0	1	1	0	44
18:45	32	5	1	0	0	0	0	38
1 Hr	146	8	1	1	2	2	1	161
19:00	31	1	0	0	0	1	0	33
19:15	25	3	0	0	0	0	0	28
19:30	24	4	0	0	0	0	1	29
19:45	15	0	0	0	1	1	0	17
1 Hr	95	8	0	0	1	2	1	107
20:00	22	1	0	0	0	0	1	24
20:15	12	0	1	0	0	0	0	13
20:30	14	2	0	0	0	0	1	17
20:45	11	2	0	0	0	0	0	13
1 Hr	59	5	1	0	0	0	2	67
21:00	8	1	0	0	0	1	0	10
21:15	9	4	1	0	0	0	0	14
21:30	6	1	0	0	0	0	0	7
21:45	9	0	0	0	0	0	0	9
1 Hr	32	6	1	0	0	1	0	40
22:00	11	0	0	0	0	0	0	11
22:15	16	0	0	0	0	0	0	16
22:30	7	0	0	0	0	0	0	7
22:45	6	0	1	0	0	0	0	7
1 Hr	40	0	1	0	0	0	0	41
23:00	2	0	0	0	0	0	0	2
23:15	4	0	0	0	0	0	0	4
23:30	4	0	0	0	0	0	0	4
23:45	2	0	0	0	0	1	0	3
1 Hr	12	0	0	0	0	1	0	13
6 Hrs	384	27	4	1	3	6	4	429
12 Hrs	1266	144	28	5	18	24	319	1804
Total	2853	286	56	6	32	58	334	3625



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 27th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Light Rain

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	6	0	0	0	0	0	0	6
00:15	3	1	1	0	0	0	0	5
00:30	3	0	0	0	0	0	0	3
00:45	3	1	0	0	0	0	0	4
1 Hr	15	2	1	0	0	0	0	18
01:00	1	0	0	0	0	0	0	1
01:15	3	0	0	0	0	0	0	3
01:30	1	0	0	0	0	0	0	1
01:45	1	0	0	0	0	0	0	1
1 Hr	6	0	0	0	0	0	0	6
02:00	2	0	0	0	0	0	0	2
02:15	3	0	0	0	0	0	0	3
02:30	1	0	0	0	0	0	0	1
02:45	1	0	0	0	0	0	0	1
1 Hr	7	0	0	0	0	0	0	7
03:00	1	0	0	0	0	0	0	1
03:15	1	0	0	0	0	0	0	1
03:30	0	0	0	0	0	0	0	0
03:45	1	0	0	0	0	0	0	1
1 Hr	3	0	0	0	0	0	0	3
04:00	1	0	0	0	0	0	0	1
04:15	0	0	0	0	0	0	0	0
04:30	0	1	2	0	0	0	0	3
04:45	0	0	0	0	0	0	0	0
1 Hr	1	1	2	0	0	0	0	4
05:00	1	1	0	0	0	0	0	2
05:15	1	0	0	0	0	0	0	1
05:30	2	0	0	0	0	0	0	2
05:45	2	0	0	0	0	0	0	2
1 Hr	6	1	0	0	0	0	0	7
6 Hrs	38	4	3	0	0	0	0	45

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	0	0	0	1	0	0	0	1
00:30	2	1	1	0	0	0	0	4
00:45	0	0	1	0	0	0	0	1
1 Hr	3	1	2	1	0	0	0	7
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	3	0	0	0	0	0	0	3
02:45	1	0	0	0	0	0	0	1
1 Hr	4	0	0	0	0	0	0	4
03:00	1	0	0	0	0	0	0	1
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	1	0	0	0	0	0	0	1
04:00	2	0	0	0	0	0	0	2
04:15	2	1	0	0	0	0	0	3
04:30	0	0	0	0	0	0	0	0
04:45	2	2	0	0	0	0	0	4
1 Hr	6	3	0	0	0	0	0	9
05:00	3	0	1	0	0	0	0	4
05:15	8	0	0	0	0	0	0	8
05:30	10	1	0	0	0	0	0	11
05:45	16	0	1	0	0	0	0	17
1 Hr	37	1	2	0	0	0	0	40
6 Hrs	53	5	4	1	0	0	0	63

	Direction : Eastbound				Total
	Adult	Child Accompanied	Unaccompanied Child	Total	
07:00	0	0	0	0	0
07:15	4	0	0	0	4
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	4	0	0	0	4
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	4	0	0	0	4
16:00	1	0	0	0	1
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	1	0	0	0	1
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	1	0	0	0	1
6 Hrs	5	0	0	0	5

	Direction : Westbound			Total
	Adult	Child Accompanied	Unaccompanied Child	
07:00	0	0	0	0
07:15	1	0	0	1
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	1	0	0	1
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	0	0	0	0
1 Hr	0	0	0	0
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 27th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Light Rain

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
06:00	6	0	0	0	0	0	0	6
06:15	4	0	0	0	1	1	0	6
06:30	13	0	0	0	0	0	1	14
06:45	6	3	0	0	0	0	0	9
1 Hr	29	3	0	0	1	1	1	35
07:00	13	2	1	0	1	0	0	17
07:15	21	2	0	0	2	0	0	25
07:30	25	3	1	0	0	0	0	29
07:45	17	1	1	1	1	0	0	21
1 Hr	76	8	3	1	4	0	0	92
08:00	19	0	1	0	0	0	0	20
08:15	24	3	1	0	1	0	0	29
08:30	25	6	0	0	0	0	0	31
08:45	41	6	3	0	2	0	0	52
1 Hr	109	15	5	0	3	0	0	132
09:00	27	2	1	0	1	0	0	31
09:15	24	3	1	0	0	0	0	28
09:30	34	2	1	0	2	0	0	39
09:45	31	3	1	0	0	0	0	35
1 Hr	116	10	4	0	3	0	0	133
10:00	37	3	2	0	0	1	0	43
10:15	36	3	4	0	0	0	0	43
10:30	30	7	0	0	1	0	0	38
10:45	20	6	3	0	0	1	0	30
1 Hr	123	19	9	0	1	2	0	154
11:00	43	4	0	0	0	0	0	47
11:15	32	4	1	0	1	1	0	39
11:30	48	5	1	0	1	0	0	55
11:45	49	4	0	0	0	1	0	54
1 Hr	172	17	2	0	2	2	0	195
6 Hrs	625	72	23	1	14	5	1	741
12 Hrs	663	76	26	1	14	5	1	786

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	PsV	M/C	P/C	
11	1	1	0	0	0	0	0	13
26	2	0	0	0	1	0	0	29
34	5	1	0	1	4	2	0	47
25	9	2	0	0	0	1	0	37
96	17	4	0	1	5	3	0	126
42	8	1	0	0	1	1	0	53
69	9	0	0	0	1	0	0	79
94	11	0	0	1	2	0	0	108
101	9	1	0	0	3	1	0	115
306	37	2	0	1	7	2	0	355
132	7	3	0	1	1	2	0	146
114	8	0	0	1	2	0	0	125
109	4	3	0	1	3	0	0	120
86	4	0	0	0	0	0	0	90
441	23	6	0	3	6	2	0	481
99	5	1	1	0	0	0	0	106
72	5	0	0	1	0	0	0	78
64	0	0	0	1	2	0	0	67
63	5	1	0	2	0	0	0	71
298	15	2	1	4	2	0	0	322
53	2	1	0	0	0	0	0	56
38	1	1	0	1	1	0	0	42
52	2	0	0	0	0	0	0	54
43	8	3	0	1	0	0	0	55
186	13	5	0	2	1	0	0	207
53	3	2	0	0	1	0	0	59
48	3	0	0	1	0	1	0	53
49	6	0	0	0	0	0	0	55
41	1	2	0	0	0	0	0	44
191	13	4	0	1	1	1	0	211
1518	118	23	1	12	22	8	0	1702
1571	123	27	2	12	22	8	0	1765



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 27th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Light Rain

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	39	2	0	0	1	0	0	42
12:15	55	2	0	0	1	1	0	59
12:30	58	3	1	0	1	4	0	67
12:45	43	4	0	0	0	3	0	50
1 Hr	195	11	1	0	3	8	0	218
13:00	54	7	1	0	1	1	0	64
13:15	46	3	2	0	0	0	0	51
13:30	39	3	3	0	1	2	0	48
13:45	42	3	0	0	0	1	0	46
1 Hr	181	16	6	0	2	4	0	209
14:00	54	2	2	0	1	1	0	60
14:15	52	6	2	0	0	0	0	60
14:30	63	4	2	0	3	0	0	72
14:45	61	3	0	0	0	1	0	65
1 Hr	230	15	6	0	4	2	0	257
15:00	85	2	1	0	0	1	0	89
15:15	62	5	1	0	0	0	1	69
15:30	67	11	1	0	1	1	0	81
15:45	63	4	0	0	2	2	0	71
1 Hr	277	22	3	0	3	4	1	310
16:00	83	5	1	0	0	1	0	90
16:15	95	7	0	0	0	1	1	104
16:30	102	7	0	0	1	1	0	111
16:45	96	2	1	0	1	3	2	105
1 Hr	376	21	2	0	2	6	3	410
17:00	91	8	0	0	0	1	0	100
17:15	99	4	1	0	1	1	0	106
17:30	63	8	2	0	0	3	1	77
17:45	71	4	0	0	0	1	0	76
1 Hr	324	24	3	0	1	6	1	359
6 Hrs	1583	109	21	0	15	30	5	1763

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	45	6	1	0	1	0	0	53
12:15	57	6	1	0	1	1	0	66
12:30	64	5	2	0	1	2	0	74
12:45	49	4	1	0	1	0	0	55
1 Hr	215	21	5	0	4	3	0	248
13:00	44	5	1	0	0	2	0	52
13:15	39	9	1	0	1	0	0	50
13:30	51	6	1	0	0	0	0	58
13:45	36	0	3	0	1	0	0	40
1 Hr	170	20	6	0	2	2	0	200
14:00	28	3	1	0	0	0	0	32
14:15	40	3	2	0	3	1	0	49
14:30	49	2	1	1	0	0	0	53
14:45	37	4	0	0	1	1	0	43
1 Hr	154	12	4	1	4	2	0	177
15:00	27	4	1	0	1	0	0	33
15:15	45	4	0	0	3	1	0	53
15:30	57	2	1	0	0	0	0	60
15:45	31	8	2	0	0	0	1	42
1 Hr	160	18	4	0	4	1	1	188
16:00	35	4	0	0	1	0	0	40
16:15	23	3	1	0	1	0	1	29
16:30	35	4	0	0	0	0	0	39
16:45	41	4	1	0	0	0	0	46
1 Hr	134	15	2	0	2	0	1	154
17:00	32	6	0	0	2	1	0	41
17:15	20	5	1	0	0	0	0	26
17:30	29	3	0	0	1	0	0	33
17:45	31	1	0	0	0	0	0	32
1 Hr	112	15	1	0	3	1	0	132
6 Hrs	945	101	22	1	19	9	2	1099



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Friday 27th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Light Rain

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	66	1	1	0	1	1	1	71
18:15	54	3	0	0	0	0	0	57
18:30	59	7	2	0	0	0	1	69
18:45	49	3	0	0	0	1	1	54
1 Hr	228	14	3	0	1	2	3	251
19:00	36	3	1	0	1	1	0	42
19:15	42	1	1	0	0	0	0	44
19:30	32	2	0	0	0	0	0	34
19:45	32	1	0	0	0	0	1	34
1 Hr	142	7	2	0	1	1	1	154
20:00	30	1	0	0	0	1	0	32
20:15	30	2	0	0	0	0	0	32
20:30	31	2	0	0	0	2	0	35
20:45	27	1	0	0	0	0	0	28
1 Hr	118	6	0	0	0	3	0	127
21:00	21	0	0	0	0	0	0	21
21:15	20	2	0	0	0	1	0	23
21:30	18	0	0	0	0	0	0	18
21:45	20	0	0	0	0	0	0	20
1 Hr	79	2	0	0	0	1	0	82
22:00	9	0	0	0	0	1	0	10
22:15	18	0	0	0	0	0	0	18
22:30	21	0	0	0	0	0	0	21
22:45	13	0	0	0	0	0	0	13
1 Hr	61	0	0	0	0	1	0	62
23:00	14	0	0	0	0	0	0	14
23:15	15	0	0	0	0	0	0	15
23:30	13	0	0	0	0	0	0	13
23:45	10	0	0	0	0	0	0	10
1 Hr	52	0	0	0	0	0	0	52
6 Hrs	680	29	5	0	2	8	4	728
12 Hrs	2263	138	26	0	17	38	9	2491
Total	2926	214	52	1	31	43	10	3277

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	33	3	0	0	1	0	0	37
18:15	28	2	0	0	0	0	0	30
18:30	46	0	0	0	0	0	0	46
18:45	32	2	0	0	0	0	0	34
1 Hr	139	7	0	0	1	0	0	147
19:00	26	1	0	0	0	0	0	27
19:15	35	1	0	0	0	0	0	36
19:30	31	0	1	0	0	0	0	32
19:45	18	3	0	0	1	0	0	22
1 Hr	110	5	1	0	1	0	0	117
20:00	17	1	0	0	0	1	0	19
20:15	15	1	0	0	0	0	0	16
20:30	14	1	0	0	0	0	0	15
20:45	14	0	0	0	0	0	0	14
1 Hr	60	3	0	0	0	1	0	64
21:00	18	0	0	0	0	0	0	18
21:15	13	0	0	0	0	1	0	14
21:30	14	2	0	0	0	1	0	17
21:45	9	2	0	0	0	0	0	11
1 Hr	54	4	0	0	0	2	0	60
22:00	10	0	0	0	0	0	0	10
22:15	11	0	0	0	0	0	0	11
22:30	6	0	0	0	0	0	0	6
22:45	4	0	0	0	0	0	0	4
1 Hr	31	0	0	0	0	0	0	31
23:00	5	0	0	0	0	0	0	5
23:15	8	0	0	0	0	0	0	8
23:30	5	0	0	0	0	0	0	5
23:45	4	0	0	0	0	0	0	4
1 Hr	22	0	0	0	0	0	0	22
6 Hrs	416	19	1	0	2	3	0	441
12 Hrs	1361	120	23	1	21	12	2	1540
Total	2932	243	50	3	33	34	10	3305



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 28th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	9	0	0	0	0	0	0	9
00:15	7	1	0	0	0	0	0	8
00:30	5	0	0	0	0	0	0	5
00:45	7	0	0	0	0	0	0	7
1 Hr	28	1	0	0	0	0	0	29
01:00	4	0	0	0	0	0	0	4
01:15	1	0	0	0	0	0	0	1
01:30	2	0	0	0	0	0	0	2
01:45	3	0	0	0	0	0	0	3
1 Hr	10	0	0	0	0	0	0	10
02:00	1	0	0	0	0	0	0	1
02:15	3	0	0	0	0	0	0	3
02:30	2	0	0	0	0	0	0	2
02:45	1	0	0	0	0	0	0	1
1 Hr	7	0	0	0	0	0	0	7
03:00	3	0	0	0	0	0	0	3
03:15	0	0	0	0	0	0	0	0
03:30	1	0	0	0	0	0	0	1
03:45	3	0	0	0	0	0	0	3
1 Hr	7	0	0	0	0	0	0	7
04:00	2	0	0	0	0	0	0	2
04:15	2	0	1	0	0	0	0	3
04:30	2	0	0	0	0	0	0	2
04:45	2	0	1	0	0	0	0	3
1 Hr	8	0	2	0	0	0	0	10
05:00	0	0	0	0	0	0	0	0
05:15	0	0	0	0	0	0	0	0
05:30	1	1	0	0	0	0	0	2
05:45	0	0	0	0	0	0	0	0
1 Hr	1	1	0	0	0	0	0	2
6 Hrs	61	2	2	0	0	0	0	65

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	6	0	0	0	0	0	0	6
00:15	8	0	0	0	0	0	0	8
00:30	1	0	0	0	0	0	0	1
00:45	4	0	0	0	0	0	0	4
1 Hr	19	0	0	0	0	0	0	19
01:00	2	0	0	0	0	0	0	2
01:15	2	0	0	0	0	0	0	2
01:30	1	0	0	0	0	0	0	1
01:45	3	0	0	0	0	0	0	3
1 Hr	8	0	0	0	0	0	0	8
02:00	0	0	0	0	0	0	0	0
02:15	2	0	0	0	0	0	0	2
02:30	2	0	0	0	0	0	0	2
02:45	0	0	0	0	0	0	0	0
1 Hr	4	0	0	0	0	0	0	4
03:00	0	0	0	0	0	0	0	0
03:15	2	0	0	0	0	0	0	2
03:30	1	0	0	0	0	0	0	1
03:45	2	0	0	0	0	0	0	2
1 Hr	5	0	0	0	0	0	0	5
04:00	0	0	0	0	0	0	0	0
04:15	1	0	0	0	0	0	0	1
04:30	4	0	0	0	0	0	0	4
04:45	2	0	0	0	0	0	0	2
1 Hr	7	0	0	0	0	0	0	7
05:00	1	1	0	0	0	1	0	3
05:15	3	0	1	0	0	0	0	4
05:30	8	1	0	0	0	0	0	9
05:45	4	1	0	0	0	0	0	5
1 Hr	16	3	1	0	0	1	0	21
6 Hrs	59	3	1	0	0	1	0	64

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	1	0	0	1	1
1 Hr	1	0	0	1	1
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	1	0	0	1	1
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	0	0	0	0	0
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	0	0	0	0	0
6 Hrs	1	0	0	1	1

	Direction : Westbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	0	0	0	0	0
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	0	0	0	0	0
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	1	0	0	1	1
1 Hr	1	0	0	1	1
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hr	1	0	0	1	1
16:00	0	0	0	0	0
16:15	1	0	0	1	1
16:30	0	0	0	0	0
16:45	0	0	0	0	0
1 Hr	1	0	0	1	1
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	1	0	0	1	1
6 Hrs	2	0	0	2	2



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 28th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction : Eastbound								
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
06:00	1	0	0	0	0	0	0	1
06:15	2	0	0	0	0	0	0	2
06:30	1	0	0	0	0	0	0	1
06:45	5	0	0	0	0	0	0	5
1 Hr	9	0	0	0	0	0	0	9
07:00	5	1	0	0	1	0	0	7
07:15	5	1	0	0	1	0	0	7
07:30	10	1	1	0	0	0	0	12
07:45	13	3	0	0	0	0	0	16
1 Hr	33	6	1	0	2	0	0	42
08:00	7	4	0	1	1	0	0	13
08:15	9	2	0	0	0	0	0	11
08:30	13	3	1	0	1	0	2	20
08:45	15	4	2	0	0	0	1	22
1 Hr	44	13	3	1	2	0	3	66
09:00	11	6	0	0	1	0	0	18
09:15	36	3	2	0	0	0	2	43
09:30	30	7	0	0	1	1	0	39
09:45	22	4	0	0	0	1	0	27
1 Hr	99	20	2	0	2	2	2	127
10:00	33	1	1	0	1	0	0	36
10:15	36	7	0	0	0	0	2	45
10:30	43	2	1	0	1	0	1	48
10:45	38	8	2	0	1	2	2	53
1 Hr	150	18	4	0	3	2	5	182
11:00	49	1	0	0	1	0	0	51
11:15	55	3	0	0	0	1	0	59
11:30	49	3	1	0	1	1	1	56
11:45	61	4	1	0	0	4	0	70
1 Hr	214	11	2	0	2	6	1	236
6 Hrs	549	68	12	1	11	10	11	662
12 Hrs	610	70	14	1	11	10	11	727

Direction : Westbound								
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	Total
06:00	3	0	0	0	0	0	0	3
06:15	8	0	0	0	0	1	0	9
06:30	11	1	0	0	0	0	0	12
06:45	18	3	1	0	0	0	0	22
1 Hr	40	4	1	0	0	1	0	46
07:00	8	2	2	0	0	0	0	12
07:15	12	3	0	0	0	0	0	15
07:30	36	3	1	0	0	0	0	40
07:45	41	3	1	0	0	0	1	46
1 Hr	97	11	4	0	0	0	1	113
08:00	29	3	0	0	1	0	0	33
08:15	35	6	0	0	0	1	0	42
08:30	50	5	0	0	0	0	0	55
08:45	42	9	0	0	1	2	1	55
1 Hr	156	23	0	0	2	3	1	185
09:00	52	3	1	0	0	1	0	57
09:15	59	3	1	0	1	0	1	65
09:30	47	6	1	0	0	2	0	56
09:45	72	7	0	0	1	0	0	80
1 Hr	230	19	3	0	2	3	1	258
10:00	61	7	0	0	0	1	0	69
10:15	56	6	0	0	1	0	0	63
10:30	62	4	0	0	0	1	0	67
10:45	57	3	1	0	2	2	0	65
1 Hr	236	20	1	0	3	4	0	264
11:00	54	6	1	1	0	2	1	65
11:15	62	6	1	0	1	2	1	73
11:30	59	1	0	0	0	1	0	61
11:45	51	4	0	0	1	0	1	57
1 Hr	226	17	2	1	2	5	3	256
6 Hrs	985	94	11	1	9	16	6	1122
12 Hrs	1044	97	12	1	9	17	6	1186



Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 28th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	45	2	0	0	1	4	0	52
12:15	56	7	1	0	0	0	2	66
12:30	65	2	0	0	1	4	0	72
12:45	64	4	1	0	1	1	0	71
1 Hr	230	15	2	0	3	9	2	261
13:00	49	5	1	0	1	0	1	57
13:15	52	4	0	0	0	0	0	56
13:30	46	0	0	0	1	1	0	48
13:45	48	3	1	0	1	0	3	56
1 Hr	195	12	2	0	3	1	4	217
14:00	44	1	0	0	1	3	0	49
14:15	56	1	0	0	0	2	0	59
14:30	71	5	0	0	1	0	0	77
14:45	55	3	0	0	0	1	0	59
1 Hr	226	10	0	0	2	6	0	244
15:00	52	5	0	0	1	1	1	60
15:15	43	3	0	0	0	2	1	49
15:30	60	2	0	0	1	1	0	64
15:45	46	1	0	0	0	0	0	47
1 Hr	201	11	0	0	2	4	2	220
16:00	63	3	1	0	0	0	0	67
16:15	64	7	0	0	1	0	0	72
16:30	54	2	0	0	0	1	0	57
16:45	52	3	0	0	1	0	1	57
1 Hr	233	15	1	0	2	1	1	253
17:00	53	2	1	0	0	3	0	59
17:15	51	1	0	0	1	0	0	53
17:30	52	3	0	0	0	0	1	56
17:45	41	1	0	0	0	0	1	43
1 Hr	197	7	1	0	1	3	2	211
6 Hrs	1282	70	6	0	13	24	11	1406

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	57	4	1	0	0	4	1	67
12:15	53	5	0	0	1	0	0	59
12:30	41	2	0	0	0	1	0	44
12:45	48	1	0	0	1	0	6	56
1 Hr	199	12	1	0	2	5	7	226
13:00	46	7	0	0	0	0	5	58
13:15	35	1	2	0	1	0	1	40
13:30	48	1	1	0	0	0	0	50
13:45	43	2	0	0	2	3	0	50
1 Hr	172	11	3	0	3	3	6	198
14:00	42	4	0	0	0	0	0	46
14:15	40	0	0	0	1	5	0	46
14:30	34	6	0	0	0	2	0	42
14:45	58	2	0	1	1	1	0	63
1 Hr	174	12	0	1	2	8	0	197
15:00	41	4	0	0	0	0	0	45
15:15	37	3	0	0	1	1	0	42
15:30	41	2	0	0	0	0	0	43
15:45	40	3	0	0	1	0	1	45
1 Hr	159	12	0	0	2	1	1	175
16:00	50	2	0	0	0	0	2	54
16:15	34	2	2	0	1	1	0	40
16:30	39	1	0	0	0	1	0	41
16:45	31	1	0	0	1	0	0	33
1 Hr	154	6	2	0	2	2	2	168
17:00	28	2	1	0	0	0	0	31
17:15	31	3	0	0	0	1	0	35
17:30	28	2	0	0	1	0	0	31
17:45	26	3	0	0	0	1	0	30
1 Hr	113	10	1	0	1	2	0	127
6 Hrs	971	63	7	1	12	21	16	1091



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Saturday 28th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	45	2	0	0	0	1	0	48
18:15	47	2	0	0	0	1	0	50
18:30	21	1	0	0	0	1	0	23
18:45	35	3	0	0	0	0	0	38
1 Hr	148	8	0	0	0	3	0	159
19:00	25	2	0	0	1	0	0	28
19:15	15	1	0	0	0	0	0	16
19:30	27	0	0	0	0	0	0	27
19:45	19	0	0	0	0	0	1	20
1 Hr	86	3	0	0	1	0	1	91
20:00	23	1	0	0	0	1	0	25
20:15	27	0	0	0	0	2	1	30
20:30	11	0	0	0	0	0	0	11
20:45	27	0	0	0	0	0	0	27
1 Hr	88	1	0	0	0	3	1	93
21:00	17	0	0	0	0	0	0	17
21:15	21	0	0	0	0	0	0	21
21:30	14	1	0	0	0	0	0	15
21:45	17	2	0	0	0	0	0	19
1 Hr	69	3	0	0	0	0	0	72
22:00	14	1	0	0	0	0	0	15
22:15	13	1	0	0	0	1	0	15
22:30	13	0	0	0	0	0	1	14
22:45	14	0	0	0	0	0	0	14
1 Hr	54	2	0	0	0	1	1	58
23:00	16	0	0	0	0	0	0	16
23:15	8	0	0	0	0	0	0	8
23:30	11	0	0	0	0	0	0	11
23:45	7	0	0	0	0	0	0	7
1 Hr	42	0	0	0	0	0	0	42
6 Hrs	487	17	0	0	1	7	3	515
12 Hrs	1769	87	6	0	14	31	14	1921
Total	2379	157	20	1	25	41	25	2648

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	28	2	0	0	1	1	0	32
18:15	18	0	0	0	0	0	0	18
18:30	35	0	0	0	0	0	0	35
18:45	34	1	0	0	0	0	0	35
1 Hr	115	3	0	0	1	1	0	120
19:00	26	1	0	0	0	0	0	27
19:15	24	0	0	0	0	0	0	24
19:30	19	0	0	0	1	0	0	20
19:45	18	0	0	0	0	0	0	18
1 Hr	87	1	0	0	1	0	0	89
20:00	20	2	0	0	0	0	1	23
20:15	26	0	0	0	0	0	0	26
20:30	21	1	0	0	0	0	0	22
20:45	15	0	0	0	0	0	0	15
1 Hr	82	3	0	0	0	0	1	86
21:00	12	1	0	0	0	0	0	13
21:15	15	0	0	0	0	0	0	15
21:30	14	1	0	0	0	0	0	15
21:45	11	0	0	0	0	0	0	11
1 Hr	52	2	0	0	0	0	0	54
22:00	7	0	0	0	0	0	0	7
22:15	7	1	0	0	0	1	1	10
22:30	7	0	0	0	0	0	0	7
22:45	1	0	0	0	0	0	0	1
1 Hr	22	1	0	0	0	1	1	25
23:00	5	0	0	0	0	0	0	5
23:15	5	0	0	0	0	0	0	5
23:30	5	0	0	0	0	0	0	5
23:45	7	0	0	0	0	0	0	7
1 Hr	22	0	0	0	0	0	0	22
6 Hrs	380	10	0	0	2	2	2	396
12 Hrs	1351	73	7	1	14	23	18	1487
Total	2395	170	19	2	23	40	24	2673



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 30th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	1	0	0	0	0	0	0	1
00:15	2	0	0	0	0	0	0	2
00:30	3	0	0	0	0	0	0	3
00:45	3	0	0	0	0	0	0	3
1 Hr	9	0	0	0	0	0	0	9
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	3	0	0	0	0	0	0	3
01:45	1	0	0	0	0	0	0	1
1 Hr	5	0	0	0	0	0	0	5
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	2	0	0	0	0	0	0	2
1 Hr	2	0	0	0	0	0	0	2
04:00	0	0	0	0	0	0	0	0
04:15	0	0	0	0	0	0	0	0
04:30	0	0	1	0	0	0	0	1
04:45	0	0	0	0	0	0	0	0
1 Hr	0	0	1	0	0	0	0	1
05:00	0	1	0	0	0	0	0	1
05:15	1	0	0	0	0	0	0	1
05:30	2	0	0	0	0	0	0	2
05:45	0	0	0	0	0	0	0	0
1 Hr	3	1	0	0	0	0	0	4
6 Hrs	19	1	1	0	0	0	0	21

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
00:00	2	0	0	0	0	0	0	2
00:15	1	0	0	0	0	0	0	1
00:30	2	0	0	0	0	0	0	2
00:45	3	0	0	0	0	0	0	3
1 Hr	8	0	0	0	0	0	0	8
01:00	1	0	0	0	0	0	0	1
01:15	0	0	0	0	0	0	0	0
01:30	0	0	0	0	0	0	0	0
01:45	1	0	0	0	0	0	0	1
1 Hr	2	0	0	0	0	0	0	2
02:00	0	0	0	0	0	0	0	0
02:15	0	0	0	0	0	0	0	0
02:30	0	0	0	0	0	0	0	0
02:45	1	0	0	0	0	0	0	1
1 Hr	1	0	0	0	0	0	0	1
03:00	0	0	0	0	0	0	0	0
03:15	0	0	0	0	0	0	0	0
03:30	0	0	0	0	0	0	0	0
03:45	0	0	0	0	0	0	0	0
1 Hr	0	0	0	0	0	0	0	0
04:00	0	0	0	0	0	0	0	0
04:15	3	0	0	0	0	0	0	3
04:30	2	0	0	0	0	0	0	2
04:45	2	0	0	0	0	0	0	2
1 Hr	7	0	0	0	0	0	0	7
05:00	3	1	1	0	0	0	0	5
05:15	10	0	0	0	0	0	0	10
05:30	7	1	0	0	0	1	0	9
05:45	13	0	0	0	0	0	0	13
1 Hr	33	2	1	0	0	1	0	37
6 Hrs	51	2	1	0	0	1	0	55

	Direction : Eastbound				Total
	Adult	Child	Accompanied	Unaccompanied	
07:00	1	0	0	0	1
07:15	0	0	0	0	0
07:30	0	0	0	0	0
07:45	0	0	0	0	0
1 Hr	1	0	0	0	1
08:00	0	0	0	0	0
08:15	0	0	0	0	0
08:30	0	0	0	0	0
08:45	0	0	0	0	0
1 Hr	0	0	0	0	0
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	1	0	0	0	1
1 Hr	1	0	0	0	1
3 Hr	2	0	0	0	2
16:00	0	0	0	0	0
16:15	0	0	0	0	0
16:30	1	0	0	0	1
16:45	0	0	0	0	0
1 Hr	1	0	0	0	1
17:00	0	0	0	0	0
17:15	0	0	0	0	0
17:30	0	0	0	0	0
17:45	0	0	0	0	0
1 Hr	0	0	0	0	0
18:00	0	0	0	0	0
18:15	0	0	0	0	0
18:30	0	0	0	0	0
18:45	0	0	0	0	0
1 Hr	0	0	0	0	0
3 Hrs	1	0	0	0	1
6 Hrs	3	0	0	0	3

	Direction : Westbound			Total
	Adult	Child	Accompanied	
07:00	0	0	0	0
07:15	0	0	0	0
07:30	0	0	0	0
07:45	0	0	0	0
1 Hr	0	0	0	0
08:00	0	0	0	0
08:15	0	0	0	0
08:30	0	0	0	0
08:45	0	0	0	0
1 Hr	0	0	0	0
09:00	0	0	0	0
09:15	0	0	0	0
09:30	0	0	0	0
09:45	1	0	0	1
1 Hr	1	0	0	1
3 Hr	1	0	0	1
16:00	0	0	0	0
16:15	0	0	0	0
16:30	0	0	0	0
16:45	0	0	0	0
1 Hr	0	0	0	0
17:00	0	0	0	0
17:15	0	0	0	0
17:30	0	0	0	0
17:45	0	0	0	0
1 Hr	0	0	0	0
18:00	0	0	0	0
18:15	0	0	0	0
18:30	0	0	0	0
18:45	0	0	0	0
1 Hr	0	0	0	0
3 Hrs	0	0	0	0
6 Hrs	1	0	0	1



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 30th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction :		Eastbound							Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C			
06:00	6	1	0	0	0	1	0	8	
06:15	2	1	0	0	1	0	0	4	
06:30	7	3	0	0	0	1	1	12	
06:45	13	0	1	0	0	0	0	14	
1 Hr	28	5	1	0	1	2	1	38	
07:00	12	1	0	0	1	0	0	14	
07:15	16	4	2	0	2	0	1	25	
07:30	21	3	0	0	1	0	2	27	
07:45	15	4	2	0	1	0	0	22	
1 Hr	64	12	4	0	5	0	3	88	
08:00	11	2	2	0	0	0	0	15	
08:15	17	8	0	0	1	0	0	26	
08:30	18	7	4	0	0	0	0	29	
08:45	32	5	1	0	1	0	1	40	
1 Hr	78	22	7	0	2	0	1	110	
09:00	21	9	0	1	1	0	0	32	
09:15	20	5	0	0	0	0	0	25	
09:30	23	5	2	0	1	0	0	31	
09:45	23	4	0	0	0	1	0	28	
1 Hr	87	23	2	1	2	1	0	116	
10:00	38	2	1	0	1	0	0	42	
10:15	34	5	2	1	0	2	2	46	
10:30	40	2	3	1	1	0	0	47	
10:45	29	4	0	0	0	0	1	34	
1 Hr	141	13	6	2	2	2	3	169	
11:00	36	9	1	0	1	0	0	47	
11:15	37	4	1	0	1	1	0	44	
11:30	32	8	0	0	2	0	0	42	
11:45	34	6	0	0	1	3	0	44	
1 Hr	139	27	2	0	5	4	0	177	
6 Hrs	537	102	22	3	17	9	8	698	
12 Hrs	556	103	23	3	17	9	8	719	

Direction :		Westbound							Total
Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C			
06:00	11	1	1	0	0	0	1	14	
06:15	14	1	0	0	0	0	1	16	
06:30	26	3	0	0	1	2	1	33	
06:45	34	4	2	0	0	0	2	42	
1 Hr	85	9	3	0	1	2	5	105	
07:00	40	9	0	0	0	2	0	51	
07:15	79	14	1	0	0	1	1	96	
07:30	88	7	2	0	1	3	1	102	
07:45	126	10	1	0	0	6	2	145	
1 Hr	333	40	4	0	1	12	4	394	
08:00	145	12	0	0	1	1	1	160	
08:15	108	6	0	1	0	1	1	117	
08:30	103	6	1	0	2	2	1	115	
08:45	112	2	1	1	0	4	1	121	
1 Hr	468	26	2	2	3	8	4	513	
09:00	90	7	1	0	0	0	0	98	
09:15	65	4	3	0	0	0	0	72	
09:30	56	8	0	0	2	2	0	68	
09:45	45	7	2	0	2	2	0	58	
1 Hr	256	26	6	0	4	4	0	296	
10:00	46	8	0	0	0	0	0	54	
10:15	41	5	0	0	1	0	0	47	
10:30	54	7	1	0	0	2	0	64	
10:45	45	4	0	0	1	3	1	54	
1 Hr	186	24	1	0	2	5	1	219	
11:00	49	4	2	0	0	3	3	61	
11:15	45	6	0	0	1	1	0	53	
11:30	46	3	3	0	1	1	2	56	
11:45	39	4	2	0	2	0	1	48	
1 Hr	179	17	7	0	4	5	6	218	
6 Hrs	1507	142	23	2	15	36	20	1745	
12 Hrs	1558	144	24	2	15	37	20	1800	



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 30th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

	Direction : Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	40	5	0	0	1	0	0	46
12:15	41	7	2	0	0	2	1	53
12:30	48	3	2	0	1	1	0	55
12:45	37	4	1	0	0	1	0	43
1 Hr	166	19	5	0	2	4	1	197
13:00	35	7	1	0	1	1	1	46
13:15	43	4	0	0	0	1	0	48
13:30	45	6	1	0	1	2	2	57
13:45	39	6	3	0	0	0	0	48
1 Hr	162	23	5	0	2	4	3	199
14:00	49	4	2	0	1	0	0	56
14:15	46	7	1	0	1	2	3	60
14:30	40	7	0	0	3	1	1	52
14:45	54	13	1	0	0	2	1	71
1 Hr	189	31	4	0	5	5	5	239
15:00	76	7	0	1	1	1	4	90
15:15	68	6	0	0	1	1	6	82
15:30	57	8	0	0	1	0	1	67
15:45	52	4	3	1	0	1	0	61
1 Hr	253	25	3	2	3	3	11	300
16:00	77	7	0	0	1	1	0	86
16:15	84	8	0	0	1	4	1	98
16:30	86	5	3	0	0	2	0	96
16:45	87	9	1	0	1	1	1	100
1 Hr	334	29	4	0	3	8	2	380
17:00	113	11	2	0	0	2	0	128
17:15	112	9	3	0	1	3	3	131
17:30	95	10	0	0	0	2	1	108
17:45	67	7	1	0	0	3	0	78
1 Hr	387	37	6	0	1	10	4	445
6 Hrs	1491	164	27	2	16	34	26	1760

	Direction : Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
12:00	47	9	0	0	0	3	0	59
12:15	37	3	2	0	1	0	1	44
12:30	44	6	3	0	0	0	0	53
12:45	34	3	2	0	1	2	0	42
1 Hr	162	21	7	0	2	5	1	198
13:00	38	3	2	0	0	0	0	43
13:15	26	3	2	0	1	0	0	32
13:30	50	5	1	0	0	0	0	56
13:45	46	6	0	0	1	0	0	53
1 Hr	160	17	5	0	2	0	0	184
14:00	33	7	1	0	1	2	0	44
14:15	40	3	2	0	1	1	0	47
14:30	40	10	1	0	0	1	0	52
14:45	44	3	0	0	0	1	0	48
1 Hr	157	23	4	0	2	5	0	191
15:00	28	9	1	0	0	1	0	39
15:15	39	9	1	0	2	8	0	59
15:30	48	5	2	0	1	0	0	56
15:45	51	7	1	0	0	1	1	61
1 Hr	166	30	5	0	3	10	1	215
16:00	41	7	3	0	1	0	0	52
16:15	32	6	0	0	1	1	1	41
16:30	35	6	0	0	0	0	0	41
16:45	27	2	0	0	1	0	0	30
1 Hr	135	21	3	0	3	1	1	164
17:00	38	3	3	0	2	3	0	49
17:15	22	4	2	0	0	0	0	28
17:30	27	3	0	0	1	0	0	31
17:45	33	2	0	0	0	1	0	36
1 Hr	120	12	5	0	3	4	0	144
6 Hrs	900	124	29	0	15	25	3	1096



Sky High

Count On Us

Client : Lincolnshire County Council
 Project : 9320 / Lincoln By Pass
 Site : EW3 - B1308 Greetwell Road
 Date : Monday 30th June 2014

AM Weather: Mild & Cloudy
 PM Weather: Mild & Cloudy

Flowcount

Direction :	Eastbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	55	3	0	0	1	0	1	60
18:15	37	2	0	0	0	0	2	41
18:30	32	4	0	0	0	0	0	36
18:45	34	3	0	0	0	1	2	40
1 Hr	158	12	0	0	1	1	5	177
19:00	43	2	0	0	1	0	0	46
19:15	39	3	1	0	0	1	3	47
19:30	39	3	0	0	0	1	2	45
19:45	23	3	0	0	0	0	0	26
1 Hr	144	11	1	0	1	2	5	164
20:00	27	0	0	0	0	5	2	34
20:15	31	3	0	0	0	1	2	37
20:30	27	1	0	0	0	0	1	29
20:45	21	1	1	0	0	0	1	24
1 Hr	106	5	1	0	0	6	6	124
21:00	26	0	0	0	0	0	0	26
21:15	26	2	0	0	0	0	0	28
21:30	19	0	0	0	0	0	0	19
21:45	17	0	0	0	0	1	0	18
1 Hr	88	2	0	0	0	1	0	91
22:00	13	1	0	0	0	0	0	14
22:15	10	0	0	0	0	0	0	10
22:30	12	0	0	0	0	0	0	12
22:45	7	0	0	0	0	0	0	7
1 Hr	42	1	0	0	0	0	0	43
23:00	7	0	0	0	0	0	0	7
23:15	5	0	0	0	0	0	0	5
23:30	4	0	0	0	0	0	0	4
23:45	3	0	0	0	0	0	0	3
1 Hr	19	0	0	0	0	0	0	19
6 Hrs	557	31	2	0	2	10	16	618
12 Hrs	2048	195	29	2	18	44	42	2378
Total	2604	298	52	5	35	53	50	3097

Direction :	Westbound							Total
	Car	Lgv	Ogv1	Ogv2	Psv	M/C	P/C	
18:00	27	3	0	0	1	0	0	31
18:15	41	2	1	0	0	0	1	45
18:30	32	2	1	0	1	2	1	39
18:45	28	1	0	0	0	0	2	31
1 Hr	128	8	2	0	2	2	4	146
19:00	26	1	0	0	0	0	2	29
19:15	31	2	0	0	0	4	1	38
19:30	16	2	0	0	0	0	2	20
19:45	12	2	1	0	1	0	0	16
1 Hr	85	7	1	0	1	4	5	103
20:00	17	0	0	0	0	0	0	17
20:15	14	1	0	0	0	0	1	16
20:30	17	2	0	0	0	2	0	21
20:45	16	0	0	0	0	0	0	16
1 Hr	64	3	0	0	0	2	1	70
21:00	12	0	0	0	0	0	1	13
21:15	11	0	0	0	0	1	0	12
21:30	7	0	0	0	0	0	0	7
21:45	13	0	0	0	0	0	0	13
1 Hr	43	0	0	0	0	1	1	45
22:00	9	0	0	0	0	0	0	9
22:15	3	1	0	0	0	0	0	4
22:30	8	0	0	0	0	0	0	8
22:45	1	0	0	0	0	0	0	1
1 Hr	21	1	0	0	0	0	0	22
23:00	5	0	0	0	0	0	0	5
23:15	2	0	0	0	0	0	0	2
23:30	1	0	0	0	0	0	0	1
23:45	0	0	0	0	0	0	0	0
1 Hr	8	0	0	0	0	0	0	8
6 Hrs	349	19	3	0	3	9	11	394
12 Hrs	1249	143	32	0	18	34	14	1490
Total	2807	287	56	2	33	71	34	3290



Sky High

Count On Us

Client : Lincolnshire County Council	Site plan for : EW3 - B1308 Greetwell Road
Project : 9320 / Lincoln By Pass	Date : Monday 23rd June - Monday 30th June 2014

